

10/22/99

## PATENT APPLICATION TRANSMITTAL LETTER

Attorney Docket No.: A-527

A

 10/22/99  
 28082760  
 U.S. PTO  
 10/22/99

To the Assistant Commissioner for Patents:

 In re the patent application of: Ulrich Feige, Chuan-Fa Liu, Janet Cheetham, Thomas Charles Boone  
 For: MODIFIED PEPTIDES AS THERAPEUTIC AGENTS

Transmitted herewith are:

☒ 128 pages of specification, 6 pages of claim(s) and 1 pages of abstract, totaling 135 pages.

☒ 36 sheet(s) of drawings.

☒ a declaration by the applicant(s).

☒ 435 pages of sequence listing.

☐ a certified copy of \_\_\_\_\_

☒ Other: Attorney's Statement Pursuant to 37 CFR §1.821(e) and diskette  
 Information Disclosure Statement and Form 1449

☒ Preliminarily, please amend the specification by inserting before the first line the following:


--This application claims the benefit of U.S. Provisional Application No. 60/105,371, filed October 23, 1998, which is hereby incorporated by reference.--

## CLAIMS AS FILED

For	Number Filed		Number Extra		Rate		Fee
Total Claims	131	- 20 =	111	x	\$18.00	=	\$1,998.00
Independent Claims	2	- 3 =	0	x	\$78.00	=	0.00
Multiple Dependent Claims	1			+	\$260.00	=	260.00
Basic Fee					\$760.00	=	760.00
Total Filing Fee							\$3,018.00

- ☒ Please charge Deposit Account No. 01-0519, in the name of Amgen Inc., in the amount of \$3,018.00. An original and one copy are enclosed.
- ☒ Throughout the prosecution of this application, if any extension of time is necessary, please consider this a request therefor.
- ☒ The Commissioner is hereby authorized to charge any additional filing fees which may be required by the accompanying application, any additional fees which may be required during pendency of this application as required by 37 CFR 1.16 or 1.17, or credit any overpayment to Deposit Account No. 01-0519 throughout the prosecution of this application.

Respectfully submitted,



 Timothy J. Gaul  
 Attorney/Agent for Applicant(s)  
 Registration No.: 33,111  
 Phone: (805) 447-2688  
 Date: October 22, 1999

Please send all future correspondence to:

 U.S. Patent Operations/TJG  
 Dept. 430, M/S 27-4-A  
 AMGEN INC.  
 One Amgen Center Drive  
 Thousand Oaks, California 91320-1799, USA

## EXPRESS MAIL CERTIFICATE

"Express Mail" mail labeling number: EL198799316US

Date of Deposit: October 22, 1999

I hereby certify that this paper or fee is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 C.F.R. 1.10 on the date indicated above and is addressed to Box Patent Application, Assistant Commissioner for Patents, Washington, DC 20231.

 Christine Gutierrez  
 Printed Name

 Christine Gutierrez  
 Signature

## Modified Peptides as Therapeutic Agents

### Background of the Invention

Recombinant proteins are an emerging class of therapeutic agents.

- 5 Such recombinant therapeutics have engendered advances in protein formulation and chemical modification. Such modifications can protect therapeutic proteins, primarily by blocking their exposure to proteolytic enzymes. Protein modifications may also increase the therapeutic protein's stability, circulation time, and biological activity. A review
- 10 article describing protein modification and fusion proteins is Francis (1992), Focus on Growth Factors 3:4-10 (Mediscript, London), which is hereby incorporated by reference.

- One useful modification is combination with the "Fc" domain of an antibody. Antibodies comprise two functionally independent parts, a
- 15 variable domain known as "Fab", which binds antigen, and a constant domain known as "Fc", which links to such effector functions as complement activation and attack by phagocytic cells. An Fc has a long serum half-life, whereas an Fab is short-lived. Capon *et al.* (1989), Nature 337: 525-31. When constructed together with a therapeutic protein, an Fc
- 20 domain can provide longer half-life or incorporate such functions as Fc receptor binding, protein A binding, complement fixation and perhaps even placental transfer. *Id.* Table 1 summarizes use of Fc fusions known in the art.



Table 1—Fc fusion with therapeutic proteins

Form of Fc	Fusion partner	Therapeutic implications	Reference
IgG1	N-terminus of CD30-L	Hodgkin's disease; anaplastic lymphoma; T-cell leukemia	U.S. Patent No. 5,480,981
Murine Fcγ2a	IL-10	anti-inflammatory; transplant rejection	Zheng <i>et al.</i> (1995), <i>J. Immunol.</i> 154: 5590-600
IgG1	TNF receptor	septic shock	Fisher <i>et al.</i> (1996), <i>N. Engl. J. Med.</i> 334: 1697-1702; Van Zee, K. <i>et al.</i> (1996), <i>J. Immunol.</i> 156: 2221-30
IgG, IgA, IgM, or IgE (excluding the first domain)	TNF receptor	inflammation, autoimmune disorders	U.S. Pat. No. 5,808,029, issued September 15, 1998
IgG1	CD4 receptor	AIDS	Capon <i>et al.</i> (1989), <i>Nature</i> 337: 525-31
IgG1, IgG3	N-terminus of IL-2	anti-cancer, antiviral	Harvill <i>et al.</i> (1995), <i>Immunotech.</i> 1: 95-105
IgG1	C-terminus of OPG	osteoarthritis; bone density	WO 97/23614, published July 3, 1997
IgG1	N-terminus of leptin	anti-obesity	PCT/US 97/23183, filed December 11, 1997
Human Ig Cy1	CTLA-4	autoimmune disorders	Linsley (1991), <i>J. Exp. Med.</i> 174:561-9

A much different approach to development of therapeutic agents is peptide library screening. The interaction of a protein ligand with its receptor often takes place at a relatively large interface. However, as demonstrated for human growth hormone and its receptor, only a few key residues at the interface contribute to most of the binding energy. Clackson *et al.* (1995), *Science* 267: 383-6. The bulk of the protein ligand merely displays the binding epitopes in the right topology or serves functions unrelated to binding. Thus, molecules of only "peptide" length (2 to 40 amino acids) can bind to the receptor protein of a given large protein ligand. Such peptides may mimic the bioactivity of the large protein ligand ("peptide agonists") or, through competitive binding, inhibit the bioactivity of the large protein ligand ("peptide antagonists").

Phage display peptide libraries have emerged as a powerful method in identifying such peptide agonists and antagonists. See, for example, Scott *et al.* (1990), *Science* 249: 386; Devlin *et al.* (1990), *Science* 249: 404; U.S. Pat. No. 5,223,409, issued June 29, 1993; U.S. Pat. No. 5,733,731, issued March 31, 1998; U.S. Pat. No. 5,498,530, issued March 12, 1996; U.S. Pat. No. 5,432,018, issued July 11, 1995; U.S. Pat. No. 5,338,665, issued August 16, 1994; U.S. Pat. No. 5,922,545, issued July 13, 1999; WO 96/40987, published December 19, 1996; and WO 98/15833, published April 16, 1998 (each of which is incorporated by reference). In such libraries, random peptide sequences are displayed by fusion with coat proteins of filamentous phage. Typically, the displayed peptides are affinity-eluted against an antibody-immobilized extracellular domain of a receptor. The retained phages may be enriched by successive rounds of affinity purification and repropagation. The best binding peptides may be sequenced to identify key residues within one or more structurally related families of peptides. See, e.g., Cwirla *et al.* (1997), *Science* 276: 1696-9, in which two distinct families were identified. The peptide sequences may also suggest which residues may be safely replaced by alanine scanning or by mutagenesis at the DNA level. Mutagenesis libraries may be created and screened to further optimize the sequence of the best binders. Lowman (1997), *Ann. Rev. Biophys. Biomol. Struct.* 26: 401-24.

Structural analysis of protein-protein interaction may also be used to suggest peptides that mimic the binding activity of large protein ligands. In such an analysis, the crystal structure may suggest the identity and relative orientation of critical residues of the large protein ligand, from which a peptide may be designed. See, e.g., Takasaki *et al.* (1997), *Nature Biotech.* 15: 1266-70. These analytical methods may also be used to investigate the interaction between a receptor protein and peptides

selected by phage display, which may suggest further modification of the peptides to increase binding affinity.

Other methods compete with phage display in peptide research. A peptide library can be fused to the carboxyl terminus of the lac repressor and expressed in E. coli. Another E. coli-based method allows display on the cell's outer membrane by fusion with a peptidoglycan-associated lipoprotein (PAL). Hereinafter, these and related methods are collectively referred to as "E. coli display." In another method, translation of random RNA is halted prior to ribosome release, resulting in a library of polypeptides with their associated RNA still attached. Hereinafter, this and related methods are collectively referred to as "ribosome display." Other methods employ chemical linkage of peptides to RNA; see, for example, Roberts & Szostak (1997), Proc. Natl. Acad. Sci. USA, 94: 12297-303. Hereinafter, this and related methods are collectively referred to as "RNA-peptide screening." Chemically derived peptide libraries have been developed in which peptides are immobilized on stable, non-biological materials, such as polyethylene rods or solvent-permeable resins. Another chemically derived peptide library uses photolithography to scan peptides immobilized on glass slides. Hereinafter, these and related methods are collectively referred to as "chemical-peptide screening." Chemical-peptide screening may be advantageous in that it allows use of D-amino acids and other unnatural analogues, as well as non-peptide elements. Both biological and chemical methods are reviewed in Wells & Lowman (1992), Curr. Opin. Biotechnol. 3: 355-62.

Conceptually, one may discover peptide mimetics of any protein using phage display and the other methods mentioned above. These methods have been used for epitope mapping, for identification of critical amino acids in protein-protein interactions, and as leads for the discovery of new therapeutic agents. E.g., Cortese et al. (1996), Curr. Opin. Biotech. 7:

616-21. Peptide libraries are now being used most often in immunological studies, such as epitope mapping. Kreeger (1996), The Scientist 10(13): 19-20.

Of particular interest here is use of peptide libraries and other  
5 techniques in the discovery of pharmacologically active peptides. A  
number of such peptides identified in the art are summarized in Table 2.  
The peptides are described in the listed publications, each of which is  
hereby incorporated by reference. The pharmacologic activity of the  
peptides is described, and in many instances is followed by a shorthand  
10 term therefor in parentheses. Some of these peptides have been modified  
(e.g., to form C-terminally cross-linked dimers). Typically, peptide  
libraries were screened for binding to a receptor for a pharmacologically  
active protein (e.g., EPO receptor). In at least one instance (CTLA4), the  
peptide library was screened for binding to a monoclonal antibody.

Table 2—Pharmacologically active peptides

Form of peptide	Binding partner/ protein of interest <sup>a</sup>	Pharmacologic activity	Reference
intrapeptide disulfide-bonded	EPO receptor	EPO-mimetic	Wrighton <i>et al.</i> (1996), <i>Science</i> 273: 458-63; U.S. Pat. No. 5,773,569, issued June 30, 1998 to Wrighton <i>et al.</i>
C-terminally cross-linked dimer	EPO receptor	EPO-mimetic	Livnah <i>et al.</i> (1996), <i>Science</i> 273: 464-71; Wrighton <i>et al.</i> (1997), <i>Nature Biotechnology</i> 15: 1261-5; International patent application WO 96/40772, published Dec. 19, 1996
linear	EPO receptor	EPO-mimetic	Naranda <i>et al.</i> (1999), <i>Proc. Natl. Acad. Sci. USA</i> , 96: 7569-74
linear	c-Mpl	TPO-mimetic	Cwirla <i>et al.</i> (1997) <i>Science</i> 276: 1696-9; U.S. Pat. No. 5,869,451, issued Feb. 9, 1999; U.S. Pat. No. 5,932,946, issued Aug. 3, 1999
C-terminally cross-linked dimer	c-Mpl	TPO-mimetic	Cwirla <i>et al.</i> (1997), <i>Science</i> 276: 1696-9
disulfide-linked dimer		stimulation of hematopoiesis ("G-CSF-mimetic")	Paukovits <i>et al.</i> (1984), <i>Hoppe-Seviers Z. Physiol. Chem.</i> 365: 303-11; Laerum <i>et al.</i> (1988), <i>Exp. Hemat.</i> 16: 274-80
alkylene-linked dimer		G-CSF-mimetic	Bhatnagar <i>et al.</i> (1996), <i>J. Med. Chem.</i> 39: 3814-9; Cuthbertson <i>et al.</i> (1997), <i>J. Med. Chem.</i> 40: 2876-82; King <i>et al.</i> (1991), <i>Exp. Hematol.</i> 19:481; King <i>et al.</i> (1995), <i>Blood</i> 86 (Suppl. 1): 309a
linear	IL-1 receptor	inflammatory and autoimmune diseases ("IL-1 antagonist" or "IL-1ra-mimetic")	U.S. Pat. No. 5,608,035; U.S. Pat. No. 5,786,331; U.S. Pat. No. 5,880,096; Yanofsky <i>et al.</i> (1996), <i>Proc. Natl. Acad. Sci.</i> 93:

<sup>a</sup> The protein listed in this column may be bound by the associated peptide (e.g., EPO receptor, IL-1 receptor) or mimicked by the associated peptide. The references listed for each clarify whether the molecule is bound by or mimicked by the peptides.

			7381-6; Akeson <i>et al.</i> (1996), <i>J. Biol. Chem.</i> 271: 30517-23; Wiekzorek <i>et al.</i> (1997), <i>Pol. J. Pharmacol.</i> 49: 107-17; Yanofsky (1996), <i>PNAs</i> , 93:7381-7386.
linear	Facteur thymique serique (FTS)	stimulation of lymphocytes ("FTS-mimetic")	Inagaki-Ohara <i>et al.</i> (1996), <i>Cellular Immunol.</i> 171: 30-40; Yoshida (1984), <i>Int. J. Immunopharmacol.</i> 6:141-6.
intrapeptide disulfide bonded	CTLA4 MAb	CTLA4-mimetic	Fukumoto <i>et al.</i> (1998), <i>Nature Biotech.</i> 16: 267-70
exocyclic	TNF- $\alpha$ receptor	TNF- $\alpha$ antagonist	Takasaki <i>et al.</i> (1997), <i>Nature Biotech.</i> 15:1266-70; WO 98/53842, published December 3, 1998
linear	TNF- $\alpha$ receptor	TNF- $\alpha$ antagonist	Chirinos-Rojas ( ), <i>J. Imm.</i> , 5621-5626.
intrapeptide disulfide bonded	C3b	inhibition of complement activation; autoimmune diseases ("C3b-antagonist")	Sahu <i>et al.</i> (1996), <i>J. Immunol.</i> 157: 884-91; Morikis <i>et al.</i> (1998), <i>Protein Sci.</i> 7: 619-27
linear	vinculin	cell adhesion processes—cell growth, differentiation, wound healing, tumor metastasis ("vinculin binding")	Adey <i>et al.</i> (1997), <i>Biochem. J.</i> 324: 523-8
linear	C4 binding protein (C4BP)	anti-thrombotic	Linse <i>et al.</i> (1997), <i>J. Biol. Chem.</i> 272: 14658-65
linear	urokinase receptor	processes associated with urokinase interaction with its receptor (e.g., angiogenesis, tumor cell invasion and metastasis); ("UKR antagonist")	Goodson <i>et al.</i> (1994), <i>Proc. Natl. Acad. Sci.</i> 91: 7129-33; International application WO 97/35969, published October 2, 1997
linear	Mdm2, Hdm2	Inhibition of inactivation of p53 mediated by Mdm2 or hdm2; anti-tumor ("Mdm/hdm antagonist")	Picksley <i>et al.</i> (1994), <i>Oncogene</i> 9: 2523-9; Bottger <i>et al.</i> (1997) <i>J. Mol. Biol.</i> 269: 744-56; Bottger <i>et al.</i> (1996), <i>Oncogene</i> 13: 2141-7
linear	p21 <sup>WAF1</sup>	anti-tumor by mimicking the activity of p21 <sup>WAF1</sup>	Ball <i>et al.</i> (1997), <i>Curr. Biol.</i> 7: 71-80
linear	farnesyl transferase	anti-cancer by preventing activation of ras oncogene	Gibbs <i>et al.</i> (1994), <i>Cell</i> 77:175-178
linear	Ras effector	anti-cancer by inhibiting	Moodie <i>et al.</i> (1994),

<sup>b</sup> FTS is a thymic hormone mimicked by the molecule of this invention rather than a receptor bound by the molecule of this invention.

	domain	biological function of the ras oncogene	<u>Trends Genet</u> 10: 44-48 Rodriguez et al. (1994), <u>Nature</u> 370:527-532
linear	SH2/SH3 domains	anti-cancer by inhibiting tumor growth with activated tyrosine kinases	Pawson et al (1993), <u>Curr. Biol.</u> 3:434-432 Yu et al. (1994), <u>Cell</u> 76:933-945
linear	p16 <sup>INK4</sup>	anti-cancer by mimicking activity of p16; e.g., inhibiting cyclin D-Cdk complex ("p16-mimetic")	Fähræus et al. (1996), <u>Curr. Biol.</u> 6:84-91
linear	Src, Lyn	inhibition of Mast cell activation, IgE-related conditions, type I hypersensitivity ("Mast cell antagonist")	Stauffer et al. (1997), <u>Biochem.</u> 36: 9388-94
linear	Mast cell protease	treatment of inflammatory disorders mediated by release of tryptase-6 ("Mast cell protease inhibitors")	International application WO 98/33812, published August 6, 1998
linear	SH3 domains	treatment of SH3-mediated disease states ("SH3 antagonist")	Rickles et al. (1994), <u>EMBO J.</u> 13: 5598-5604; Sparks et al. (1994), <u>J. Biol. Chem.</u> 269: 23853-6; Sparks et al. (1996), <u>Proc. Natl. Acad. Sci.</u> 93: 1540-4
linear	HBV core antigen (HBcAg)	treatment of HBV viral infections ("anti-HBV")	Dyson & Muray (1995), <u>Proc. Natl. Acad. Sci.</u> 92: 2194-8
linear	selectins	neutrophil adhesion; inflammatory diseases ("selectin antagonist")	Martens et al. (1995), <u>J. Biol. Chem.</u> 270: 21129-36; European patent application EP 0 714 912, published June 5, 1996
linear, cyclized	calmodulin	calmodulin antagonist	Pierce et al. (1995), <u>Molec. Diversity</u> 1: 259-65; Dedman et al. (1993), <u>J. Biol. Chem.</u> 268: 23025-30; Adey & Kay (1996), <u>Gene</u> 169: 133-4
linear, cyclized-	integrins	tumor-homing; treatment for conditions related to integrin-mediated cellular events, including platelet aggregation, thrombosis, wound healing, osteoporosis, tissue repair, angiogenesis (e.g., for treatment of cancer), and tumor invasion ("integrin-binding")	International applications WO 95/14714, published June 1, 1995; WO 97/08203, published March 6, 1997; WO 98/10795, published March 19, 1998; WO 99/24462, published May 20, 1999; Kraft et al. (1999), <u>J. Biol. Chem.</u> 274: 1979-1985

cyclic, linear	fibronectin and extracellular matrix components of T cells and macrophages	treatment of inflammatory and autoimmune conditions	WO 98/09985, published March 12, 1998
linear	somatostatin and cortistatin	treatment or prevention of hormone-producing tumors, acromegaly, gigantism, dementia, gastric ulcer, tumor growth, inhibition of hormone secretion, modulation of sleep or neural activity	European patent application 0 911 393, published April 28, 1999
linear	bacterial lipopolysaccharide	antibiotic; septic shock; disorders modulatable by CAP37	U.S. Pat. No. 5,877,151, issued March 2, 1999
linear or cyclic, including D-amino acids	pardaxin, mellitin	antipathogenic	WO 97/31019, published 28 August 1997
linear, cyclic	VIP	impotence, neurodegenerative disorders	WO 97/40070, published October 30, 1997
linear	CTLs	cancer	EP 0 770 624, published May 2, 1997
linear	THF-gamma2		Burnstein (1988), <u>Biochem.</u> , 27:4066-71.
linear	Amylin		Cooper (1987), <u>Proc. Natl. Acad. Sci.</u> , 84:8628-32.
linear	Adrenomedullin		Kitamura (1993), <u>BBRC</u> , 192:553-60.
cyclic, linear	VEGF	anti-angiogenic; cancer, rheumatoid arthritis, diabetic retinopathy, psoriasis ("VEGF antagonist")	Fairbrother (1998), <u>Biochem.</u> , 37:17754-17764.
cyclic	MMP	inflammation and autoimmune disorders; tumor growth ("MMP inhibitor")	Koivunen (1999), <u>Nature Biotech.</u> , 17:768-774.
	HGH fragment		U.S. Pat. No. 5,869,452
	Echistatin	inhibition of platelet aggregation	Gan (1988), <u>J. Biol. Chem.</u> , 263:19827-32.
linear	SLE autoantibody	SLE	WO 96/30057, published October 3, 1996
	GD1alpha	suppression of tumor metastasis	Ishikawa et al. (1998), <u>FEBS Lett.</u> 441 (1): 20-4
	antiphospholipid beta-2-glycoprotein-I ( $\beta$ 2GPI)	endothelial cell activation, antiphospholipid syndrome (APS), thromboembolic	Blank et al. (1999), <u>Proc. Natl. Acad. Sci. USA</u> 96: 5164-8



antibodies		phenomena, thrombocytopenia, and recurrent fetal loss	
linear	T Cell Receptor beta chain	diabetes	WO 96/11214, published April 18, 1996

Peptides identified by peptide library screening have been regarded as "leads" in development of therapeutic agents rather than as therapeutic agents themselves. Like other proteins and peptides, they would be rapidly removed in vivo either by renal filtration, cellular clearance mechanisms in the reticuloendothelial system, or proteolytic degradation. Francis (1992), Focus on Growth Factors 3: 4-11. As a result, the art presently uses the identified peptides to validate drug targets or as scaffolds for design of organic compounds that might not have been as easily or as quickly identified through chemical library screening. Lowman (1997), Ann. Rev. Biophys. Biomol. Struct. 26: 401-24; Kay et al. (1998), Drug Disc. Today 3: 370-8. The art would benefit from a process by which such peptides could more readily yield therapeutic agents.

### Summary of the Invention

The present invention concerns a process by which the in vivo half-life of one or more biologically active peptides is increased by fusion with a vehicle. In this invention, pharmacologically active compounds are prepared by a process comprising:

- a) selecting at least one peptide that modulates the activity of a protein of interest; and
- b) preparing a pharmacologic agent comprising at least one vehicle covalently linked to at least one amino acid sequence of the selected peptide.

The preferred vehicle is an Fc domain. The peptides screened in step (a) are preferably expressed in a phage display library. The vehicle and the peptide may be linked through the N- or C-terminus of the peptide or the

vehicle, as described further below. Derivatives of the above compounds (described below) are also encompassed by this invention.

The compounds of this invention may be prepared by standard synthetic methods, recombinant DNA techniques, or any other methods of preparing peptides and fusion proteins. Compounds of this invention that encompass non-peptide portions may be synthesized by standard organic chemistry reactions, in addition to standard peptide chemistry reactions when applicable.

The primary use contemplated is as therapeutic or prophylactic agents. The vehicle-linked peptide may have activity comparable to—or even greater than—the natural ligand mimicked by the peptide. In addition, certain natural ligand-based therapeutic agents might induce antibodies against the patient's own endogenous ligand; the vehicle-linked peptide avoids this pitfall by having little or typically no sequence identity with the natural ligand.

Although mostly contemplated as therapeutic agents, compounds of this invention may also be useful in screening for such agents. For example, one could use an Fc-peptide (e.g., Fc-SH2 domain peptide) in an assay employing anti-Fc coated plates. The vehicle, especially Fc, may make insoluble peptides soluble and thus useful in a number of assays.

The compounds of this invention may be used for therapeutic or prophylactic purposes by formulating them with appropriate pharmaceutical carrier materials and administering an effective amount to a patient, such as a human (or other mammal) in need thereof. Other related aspects are also included in the instant invention.

Numerous additional aspects and advantages of the present invention will become apparent upon consideration of the figures and detailed description of the invention.

### **Brief Description of the Figures**

Figure 1 shows a schematic representation of an exemplary process of the invention. In this preferred process, the vehicle is an Fc domain, which is linked to the peptide covalently by expression from a DNA construct encoding both the Fc domain and the peptide. As noted in

5 Figure 1, the Fc domains spontaneously form a dimer in this process.

Figure 2 shows exemplary Fc dimers that may be derived from an IgG1 antibody. "Fc" in the figure represents any of the Fc variants within the meaning of "Fc domain" herein. "X<sup>1</sup>" and "X<sup>2</sup>" represent peptides or linker-peptide combinations as defined hereinafter. The specific dimers are

10 as follows:

A, D: Single disulfide-bonded dimers. IgG1 antibodies typically have two disulfide bonds at the hinge region between the constant and variable domains. The Fc domain in Figures 2A and 2D may be formed by truncation between the two disulfide bond sites or by substitution of a cysteinyl residue with an unreactive residue (e.g., alanyl). In Figure 2A, the Fc domain is linked at the amino terminus of the peptides; in 2D, at the

15 carboxyl terminus.

B, E: Doubly disulfide-bonded dimers. This Fc domain may be formed by truncation of the parent antibody to retain both cysteinyl residues in the Fc domain chains or by expression from a construct including a sequence encoding such an Fc domain. In Figure 2B, the Fc domain is linked at the amino terminus of the peptides; in 2E, at the

20 carboxyl terminus.

C, F: Noncovalent dimers. This Fc domain may be formed by elimination of the cysteinyl residues by either truncation or substitution. One may desire to eliminate the cysteinyl residues to avoid impurities formed by reaction of the cysteinyl residue with cysteinyl residues of other proteins present in the host cell. The noncovalent bonding of the Fc domains is sufficient to hold together the dimer.

Other dimers may be formed by using Fc domains derived from different types of antibodies (e.g., IgG2, IgM).

Figure 3 shows the structure of preferred compounds of the invention that feature tandem repeats of the pharmacologically active peptide. Figure 3A shows a single chain molecule and may also represent the DNA construct for the molecule. Figure 3B shows a dimer in which the linker-peptide portion is present on only one chain of the dimer. Figure 3C shows a dimer having the peptide portion on both chains. The dimer of Figure 3C will form spontaneously in certain host cells upon expression of a DNA construct encoding the single chain shown in Figure 3A. In other host cells, the cells could be placed in conditions favoring formation of dimers or the dimers can be formed in vitro.

Figure 4 shows exemplary nucleic acid and amino acid sequences (SEQ ID NOS: 1 and 2, respectively) of human IgG1 Fc that may be used in this invention.

Figure 5 shows a synthetic scheme for the preparation of PEGylated peptide 19 (SEQ ID NO: 3).

Figure 6 shows a synthetic scheme for the preparation of PEGylated peptide 20 (SEQ ID NO: 4).

Figure 7 shows the nucleotide and amino acid sequences (SEQ ID NOS: 5 and 6, respectively) of the molecule identified as "Fc-TMP" in Example 2 hereinafter.

Figure 8 shows the nucleotide and amino acid sequences (SEQ. ID. NOS: 7 and 8, respectively) of the molecule identified as "Fc-TMP-TMP" in Example 2 hereinafter.

Figure 9 shows the nucleotide and amino acid sequences (SEQ. ID. NOS: 9 and 10, respectively) of the molecule identified as "TMP-TMP-Fc" in Example 2 hereinafter.

Figure 10 shows the nucleotide and amino acid sequences (SEQ. ID. NOS: 11 and 12, respectively) of the molecule identified as “TMP-Fc” in Example 2 hereinafter.

Figure 11 shows the number of platelets generated in vivo in normal female BDF1 mice treated with one 100 µg/kg bolus injection of various compounds, with the terms defined as follows.

PEG-MGDF: 20 kD average molecular weight PEG attached by reductive amination to the N-terminal amino group of amino acids 1-163 of native human TPO, which is expressed in E. coli (so that it is not glycosylated);

TMP: the TPO-mimetic peptide having the amino acid sequence IEGPTLRQWLAARA (SEQ ID NO: 13);

TMP-TMP: the TPO-mimetic peptide having the amino acid sequence IEGPTLRQWLAARA-GGGGGGGG-IEGPTLRQWLAARA (SEQ ID NO: 14);

PEG-TMP-TMP: the peptide of SEQ ID NO: 14, wherein the PEG group is a 5 kD average molecular weight PEG attached as shown in Figure 6;

Fc-TMP-TMP: the compound of SEQ ID NO: 8 (Figure 8) dimerized with an identical second monomer (i.e., Cys residues 7 and 10 are bound to the corresponding Cys residues in the second monomer to form a dimer, as shown in Figure 2); and

TMP-TMP-Fc is the compound of SEQ ID NO: 10 (Figure 9) dimerized in the same way as TMP-TMP-Fc except that the Fc domain is attached at the C-terminal end rather than the N-terminal end of the TMP-TMP peptide.

Figure 12 shows the number of platelets generated in vivo in normal BDF1 mice treated with various compounds delivered via

implanted osmotic pumps over a 7-day period. The compounds are as defined for Figure 7.

Figure 13 shows the nucleotide and amino acid sequences (SEQ. ID. NOS: 15 and 16, respectively) of the molecule identified as "Fc-EMP" in

5 Example 3 hereinafter.

Figure 14 shows the nucleotide and amino acid sequences (SEQ ID NOS: 17 and 18, respectively) of the molecule identified as "EMP-Fc" in Example 3 hereinafter.

Figure 15 shows the nucleotide and amino acid sequences (SEQ ID NOS: 19 and 20, respectively) of the molecule identified as "EMP-EMP-Fc" in Example 3 hereinafter.

Figure 16 shows the nucleotide and amino acid sequences (SEQ ID NOS: 21 and 22, respectively) of the molecule identified as "Fc-EMP-EMP" in Example 3 hereinafter.

15 Figures 17A and 17B show the DNA sequence (SEQ ID NO: 23) inserted into pCFM1656 between the unique AatII (position #4364 in pCFM1656) and SacII (position #4585 in pCFM1656) restriction sites to form expression plasmid pAMG21 (ATCC accession no. 98113).

Figure 18A shows the hemoglobin, red blood cells, and hematocrit generated in vivo in normal female BDF1 mice treated with one 100 µg/kg bolus injection of various compounds. Figure 18B shows the same results with mice treated with 100 µg/kg per day delivered ~~the same dose~~ by 7-day micro-osmotic pump with the EMPs delivered at 100 µg/kg, rhEPO at 30U/mouse. (In both experiments, neutrophils, lymphocytes, and platelets were unaffected.) In these figures, the terms are defined as follows.

25 Fc-EMP: the compound of SEQ ID NO: 16 (Figure 13) dimerized with an identical second monomer (i.e., Cys residues 7 and 10 are bound to the corresponding Cys residues in the second monomer to form a dimer, as shown in Figure 2);

EMP-Fc: the compound of SEQ ID NO: 18 (Figure 14) dimerized in the same way as Fc-EMP except that the Fc domain is attached at the C-terminal end rather than the N-terminal end of the EMP peptide.

5 "EMP-EMP-Fc" refers to a tandem repeat of the same peptide (SEQ ID NO: 20) attached to the same Fc domain by the carboxyl terminus of the peptides. "Fc-EMP-EMP" refers to the same tandem repeat of the peptide but with the same Fc domain attached at the amino terminus of the tandem repeat. All molecules are expressed  
10 in E. coli and so are not glycosylated.

Figures 19A and 19B show the nucleotide and amino acid sequences (SEQ ID NOS: 1055 and 1056) of the Fc-TNF- $\alpha$  inhibitor fusion molecule described in Example 4 hereinafter.

15 Figures 20A and 20B show the nucleotide and amino acid sequences (SEQ ID NOS: 1057 and 1058) of the TNF- $\alpha$  inhibitor-Fc fusion molecule described in Example 4 hereinafter.

Figures 21A and 21B show the nucleotide and amino acid sequences (SEQ ID NOS: 1059 and 1060) of the Fc-IL-1 antagonist fusion molecule described in Example 5 hereinafter.

20 Figures 22A and 22B show the nucleotide and amino acid sequences (SEQ ID NOS: 1061 and 1062) of the IL-1 antagonist-Fc fusion molecule described in Example 5 hereinafter.

Figures 23A, 23B, and 23C show the nucleotide and amino acid sequences (SEQ ID NOS: 1063 and 1064) of the Fc-VEGF antagonist fusion  
25 molecule described in Example 6 hereinafter.

Figures 24A and 24B show the nucleotide and amino acid sequences (SEQ ID NOS: 1065 and 1066) of the VEGF antagonist-Fc fusion molecule described in Example 6 hereinafter.

Figures 25A and 25B show the nucleotide and amino acid sequences (SEQ ID NOS: 1067 and 1068) of the Fc-MMP inhibitor fusion molecule described in Example 7 hereinafter.

Figures 26A and 26B show the nucleotide and amino acid sequences (SEQ ID NOS: 1069 and 1070) of the MMP inhibitor-Fc fusion molecule described in Example 7 hereinafter.

### Detailed Description of the Invention

#### Definition of Terms

The terms used throughout this specification are defined as follows, unless otherwise limited in specific instances.

The term "comprising" means that a compound may include additional amino acids on either or both of the N- or C- termini of the given sequence. Of course, these additional amino acids should not significantly interfere with the activity of the compound.

The term "vehicle" refers to a molecule that prevents degradation and/or increases half-life, reduces toxicity, reduces immunogenicity, or increases biological activity of a therapeutic protein. Exemplary vehicles include an Fc domain (which is preferred) as well as a linear polymer (e.g., polyethylene glycol (PEG), polylysine, dextran, etc.); a branched-chain polymer (see, for example, U.S. Patent No. 4,289,872 to Denkenwalter et al., issued September 15, 1981; 5,229,490 to Tam, issued July 20, 1993; WO 93/21259 by Frechet et al., published 28 October 1993); a lipid; a cholesterol group (such as a steroid); a carbohydrate or oligosaccharide; or any natural or synthetic protein, polypeptide or peptide that binds to a salvage receptor. Vehicles are further described hereinafter.

The term "native Fc" refers to molecule or sequence comprising the sequence of a non-antigen-binding fragment resulting from digestion of whole antibody, whether in monomeric or multimeric form. The original immunoglobulin source of the native Fc is preferably of human origin and



may be any of the immunoglobulins, although IgG1 and IgG2 are preferred. Native Fc's are made up of monomeric polypeptides that may be linked into dimeric or multimeric forms by covalent (i.e., disulfide bonds) and non-covalent association. The number of intermolecular

5 disulfide bonds between monomeric subunits of native Fc molecules ranges from 1 to 4 depending on class (e.g., IgG, IgA, IgE) or subclass (e.g., IgG1, IgG2, IgG3, IgA1, IgGA2). One example of a native Fc is a disulfide-bonded dimer resulting from papain digestion of an IgG (see Ellison *et al.* (1982), Nucleic Acids Res. 10: 4071-9). The term "native Fc" as used herein

10 is generic to the monomeric, dimeric, and multimeric forms.

The term "Fc variant" refers to a molecule or sequence that is modified from a native Fc but still comprises a binding site for the salvage receptor, FcRn. International applications WO 97/34631 (published 25 September 1997) and WO 96/32478 describe exemplary Fc variants, as

15 well as interaction with the salvage receptor, and are hereby incorporated by reference. Thus, the term "Fc variant" comprises a molecule or sequence that is humanized from a non-human native Fc. Furthermore, a native Fc comprises sites that may be removed because they provide structural features or biological activity that are not required for the fusion

20 molecules of the present invention. Thus, the term "Fc variant" comprises a molecule or sequence that lacks one or more native Fc sites or residues that affect or are involved in (1) disulfide bond formation, (2) incompatibility with a selected host cell (3) N-terminal heterogeneity upon expression in a selected host cell, (4) glycosylation, (5) interaction with

25 complement, (6) binding to an Fc receptor other than a salvage receptor, or (7) antibody-dependent cellular cytotoxicity (ADCC). Fc variants are described in further detail hereinafter.

The term "Fc domain" encompasses native Fc and Fc variant molecules and sequences as defined above. As with Fc variants and native

Fc's, the term "Fc domain" includes molecules in monomeric or multimeric form, whether digested from whole antibody or produced by other means.

The term "multimer" as applied to Fc domains or molecules comprising Fc domains refers to molecules having two or more polypeptide chains associated covalently, noncovalently, or by both covalent and non-covalent interactions. IgG molecules typically form dimers; IgM, pentamers; IgD, dimers; and IgA, monomers, dimers, trimers, or tetramers. Multimers may be formed by exploiting the sequence and resulting activity of the native Ig source of the Fc or by derivatizing (as defined below) such a native Fc.

The term "dimer" as applied to Fc domains or molecules comprising Fc domains refers to molecules having two polypeptide chains associated covalently or non-covalently. Thus, exemplary dimers within the scope of this invention are as shown in Figure 2.

The terms "derivatizing" and "derivative" or "derivatized" comprise processes and resulting compounds respectively in which (1) the compound has a cyclic portion; for example, cross-linking between cysteinyl residues within the compound; (2) the compound is cross-linked or has a cross-linking site; for example, the compound has a cysteinyl residue and thus forms cross-linked dimers in culture or *in vivo*; (3) one or more peptidyl linkage is replaced by a non-peptidyl linkage; (4) the N-terminus is replaced by  $-NRR^1$ ,  $NRC(O)R^1$ ,  $-NRC(O)OR^1$ ,  $-NRS(O)_2R^1$ ,  $-NHC(O)NHR$ , a succinimide group, or substituted or unsubstituted benzyloxycarbonyl-NH-, wherein R and  $R^1$  and the ring substituents are as defined hereinafter; (5) the C-terminus is replaced by  $-C(O)R^2$  or  $-NR^3R^4$  wherein  $R^2$ ,  $R^3$  and  $R^4$  are as defined hereinafter; and (6) compounds in which individual amino acid moieties are modified through treatment

with agents capable of reacting with selected side chains or terminal residues. Derivatives are further described hereinafter.

The term "peptide" refers to molecules of 2 to 40 amino acids, with molecules of 3 to 20 amino acids preferred and those of 6 to 15 amino acids most preferred. Exemplary peptides may be randomly generated by any of the methods cited above, carried in a peptide library (e.g., a phage display library), or derived by digestion of proteins.

The term "randomized" as used to refer to peptide sequences refers to fully random sequences (e.g., selected by phage display methods) and sequences in which one or more residues of a naturally occurring molecule is replaced by an amino acid residue not appearing in that position in the naturally occurring molecule. Exemplary methods for identifying peptide sequences include phage display, *E. coli* display, ribosome display, RNA-peptide screening, chemical screening, and the like.

The term "pharmacologically active" means that a substance so described is determined to have activity that affects a medical parameter (e.g., blood pressure, blood cell count, cholesterol level) or disease state (e.g., cancer, autoimmune disorders). Thus, pharmacologically active peptides comprise agonistic or mimetic and antagonistic peptides as defined below.

The terms "-mimetic peptide" and "-agonist peptide" refer to a peptide having biological activity comparable to a protein (e.g., EPO, TPO, G-CSF) that interacts with a protein of interest. These terms further include peptides that indirectly mimic the activity of a protein of interest, such as by potentiating the effects of the natural ligand of the protein of interest; see, for example, the G-CSF-mimetic peptides listed in Tables 2 and 7. Thus, the term "EPO-mimetic peptide" comprises any peptides that can be identified or derived as described in Wrighton *et al.* (1996), *Science* 273: 458-63, Naranda *et al.* (1999), *Proc. Natl. Acad. Sci. USA* 96: 7569-74,

or any other reference in Table 2 identified as having EPO-mimetic subject matter. Those of ordinary skill in the art appreciate that each of these references enables one to select different peptides than actually disclosed therein by following the disclosed procedures with different peptide  
5 libraries.

The term "TPO-mimetic peptide" comprises peptides that can be identified or derived as described in Cwirla et al. (1997), Science 276: 1696-9, U.S. Pat. Nos. 5,869,451 and 5,932,946 and any other reference in Table 2 identified as having TPO-mimetic subject matter, as well as the U.S. patent  
10 application, "Thrombopoietic Compounds," filed on even date herewith and hereby incorporated by reference. Those of ordinary skill in the art appreciate that each of these references enables one to select different peptides than actually disclosed therein by following the disclosed procedures with different peptide libraries.

The term "G-CSF-mimetic peptide" comprises any peptides that can be identified or described in Paukovits et al. (1984), Hoppe-Seylers Z. Physiol. Chem. 365: 303-11 or any of the references in Table 2 identified as having G-CSF-mimetic subject matter. Those of ordinary skill in the art appreciate that each of these references enables one to select different  
15 peptides than actually disclosed therein by following the disclosed procedures with different peptide libraries.

The term "CTLA4-mimetic peptide" comprises any peptides that can be identified or derived as described in Fukumoto et al. (1998), Nature Biotech. 16: 267-70. Those of ordinary skill in the art appreciate that each of  
20 these references enables one to select different peptides than actually disclosed therein by following the disclosed procedures with different peptide libraries.

The term "-antagonist peptide" or "inhibitor peptide" refers to a peptide that blocks or in some way interferes with the biological activity of

the associated protein of interest, or has biological activity comparable to a known antagonist or inhibitor of the associated protein of interest. Thus, the term "TNF-antagonist peptide" comprises peptides that can be identified or derived as described in Takasaki *et al.* (1997), Nature Biotech.

5 15: 1266-70 or any of the references in Table 2 identified as having TNF-antagonistic subject matter. Those of ordinary skill in the art appreciate that each of these references enables one to select different peptides than actually disclosed therein by following the disclosed procedures with different peptide libraries.

10 The terms "IL-1 antagonist" and "IL-1ra-mimetic peptide" comprises peptides that inhibit or down-regulate activation of the IL-1 receptor by IL-1. IL-1 receptor activation results from formation of a complex among IL-1, IL-1 receptor, and IL-1 receptor accessory protein. IL-1 antagonist or IL-1ra-mimetic peptides bind to IL-1, IL-1 receptor, or  
15 IL-1 receptor accessory protein and obstruct complex formation among any two or three components of the complex. Exemplary IL-1 antagonist or IL-1ra-mimetic peptides can be identified or derived as described in U.S. Pat. Nos. 5,608,035, 5,786,331, 5,880,096, or any of the references in Table 2 identified as having IL-1ra-mimetic or IL-1 antagonistic subject  
20 matter. Those of ordinary skill in the art appreciate that each of these references enables one to select different peptides than actually disclosed therein by following the disclosed procedures with different peptide libraries.

The term "VEGF-antagonist peptide" comprises peptides that can  
25 be identified or derived as described in Fairbrother (1998), Biochem. 37: 17754-64, and in any of the references in Table 2 identified as having VEGF-antagonistic subject matter. Those of ordinary skill in the art appreciate that each of these references enables one to select different

peptides than actually disclosed therein by following the disclosed procedures with different peptide libraries.


The term "MMP inhibitor peptide" comprises peptides that can be identified or derived as described in Koivunen (1999), Nature Biotech. 17: 768-74 and in any of the references in Table 2 identified as having MMP inhibitory subject matter. Those of ordinary skill in the art appreciate that each of these references enables one to select different peptides than actually disclosed therein by following the disclosed procedures with different peptide libraries.

10 Additionally, physiologically acceptable salts of the compounds of this invention are also encompassed herein. By "physiologically acceptable salts" is meant any salts that are known or later discovered to be pharmaceutically acceptable. Some specific examples are: acetate; trifluoroacetate; hydrohalides, such as hydrochloride and hydrobromide; sulfate; citrate; tartrate; glycolate; and oxalate.

#### Structure of compounds

In General. In the compositions of matter prepared in accordance with this invention, the peptide may be attached to the vehicle through the peptide's N-terminus or C-terminus. Thus, the vehicle-peptide molecules of this invention may be described by the following formula I:

I



wherein:

$F^1$  is a vehicle (preferably an Fc domain);

25  $X^1$  and  $X^2$  are each independently selected from  $-(L^1)_c-P^1$ ,  $-(L^1)_c-P^1-(L^2)_d-P^2$ ,  $-(L^1)_c-P^1-(L^2)_d-P^2-(L^3)_e-P^3$ , and  $-(L^1)_c-P^1-(L^2)_d-P^2-(L^3)_e-P^3-(L^4)_f-P^4$

$P^1$ ,  $P^2$ ,  $P^3$ , and  $P^4$  are each independently sequences of pharmacologically active peptides;

$L^1$ ,  $L^2$ ,  $L^3$ , and  $L^4$  are each independently linkers; and

a, b, c, d, e, and f are each independently 0 or 1, provided that at least one of a and b is 1.

Thus, compound I comprises preferred compounds of the formulae

II

5



and multimers thereof wherein  $F^1$  is an Fc domain and is attached at the C-terminus of  $X^1$ ;


III



10

and multimers thereof wherein  $F^1$  is an Fc domain and is attached at the N-terminus of  $X^2$ ;


IV



15

and multimers thereof wherein  $F^1$  is an Fc domain and is attached at the N-terminus of  $-(L^1)_c-P^1$ ; and

V



and multimers thereof wherein  $F^1$  is an Fc domain and is attached at the N-terminus of  $-L^1-P^1-L^2-P^2$ .

20

Peptides. Any number of peptides may be used in conjunction with the present invention. Of particular interest are peptides that mimic the activity of EPO, TPO, growth hormone, G-CSF, GM-CSF, IL-1ra, leptin, CTLA4, TRAIL, TGF- $\alpha$ , and TGF- $\beta$ . Peptide antagonists are also of interest, particularly those antagonistic to the activity of TNF, leptin, any of the interleukins (IL-1, 2, 3, ...), and proteins involved in complement activation (e.g., C3b). Targeting peptides are also of interest, including tumor-homing peptides, membrane-transporting peptides, and the like. All of these classes of peptides may be discovered by methods described in the references cited in this specification and other references.

25

Phage display, in particular, is useful in generating peptides for use in the present invention. It has been stated that affinity selection from libraries of random peptides can be used to identify peptide ligands for any site of any gene product. Dedman *et al.* (1993), *J. Biol. Chem.* 268:

- 5 23025-30. Phage display is particularly well suited for identifying peptides that bind to such proteins of interest as cell surface receptors or any proteins having linear epitopes. Wilson *et al.* (1998), *Can. J. Microbiol.* 44: 313-29; Kay *et al.* (1998), *Drug Disc. Today* 3: 370-8. Such proteins are extensively reviewed in Herz *et al.* (1997), *J. Receptor & Signal*  
10 *Transduction Res.* 17(5): 671-776, which is hereby incorporated by reference. Such proteins of interest are preferred for use in this invention.

- A particularly preferred group of peptides are those that bind to cytokine receptors. Cytokines have recently been classified according to their receptor code. See Inglot (1997), *Archivum Immunologiae et*  
15 *Therapiae Experimentalis* 45: 353-7, which is hereby incorporated by reference. Among these receptors, most preferred are the CKRs (family I in Table 3). The receptor classification appears in Table 3.



Table 3—Cytokine Receptors Classified by Receptor Code

Cytokines (ligands)		Receptor Type	
family	subfamily	family	subfamily
I. Hematopoietic cytokines	1. IL-2, IL-4, IL-7, IL-9, IL-13, IL-15 2. IL-3, IL-5, GM-CSF 3. IL-6, IL-11, IL-12, LIF, OSM, CNTF, leptin (OB) 4. G-CSF, EPO, TPO, PRL, GH 5. IL-17, HVS-IL-17	I. Cytokine R (CKR)	1. shared $\gamma$ Cr 2. shared GP 140 $\beta$ R 3. shared RP 130 4. "single chain" R 5. other R <sup>c</sup>
II. IL-10 ligands	IL-10, BCRF-1, HSV-IL-10	II. IL-10 R	
III. Interferons	1. IFN- $\alpha$ , $\alpha$ 2, $\alpha$ 4, m, t, IFN- $\beta$ <sup>d</sup> 2. IFN- $\gamma$	III. Interferon R	1. IFNAR 2. IFNGR
IV. IL-1 ligands	1. IL-1 $\alpha$ , IL-1 $\beta$ , IL-1Ra	IV. IL-1R	
V. TNF ligands	1. TNF- $\alpha$ , TNF- $\beta$ (LT), FAS1, CD40 L, CD30L, CD27 L	V. NGF/TNF R <sup>e</sup>	
VI. Chemokines	1. $\alpha$ chemokines: IL-8, GRO $\alpha$ , $\beta$ , $\gamma$ , IF-10, PF-4, SDF-1 2. $\beta$ chemokines: MIP1 $\alpha$ , MIP1 $\beta$ , MCP-1,2,3,4, RANTES, eotaxin 3. $\gamma$ chemokines: lymphotactin	VI. Chemokine R	1. CXCR 2. CCR 3. CR 4. DARC <sup>f</sup>

<sup>c</sup> IL-17R belongs to the CKR family but is not assigned to any of the 4 indicated subfamilies.

<sup>d</sup> Other IFN type I subtypes remain unassigned. Hematopoietic cytokines, IL-10 ligands and interferons do not possess functional intrinsic protein kinases. The signaling molecules for the cytokines are JAK's, STATs and related non-receptor molecules. IL-14, IL-16 and IL-18 have been cloned but according to the receptor code they remain unassigned.

<sup>e</sup> TNF receptors use multiple, distinct intracellular molecules for signal transduction including "death domain" of FAS R and 55 kDa TNF- $\alpha$ R that participates in their cytotoxic effects. NGF/TNF R can bind both NGF and related factors as well as TNF ligands. Chemokine receptors are G protein-coupled, seven transmembrane (7TM, serpentine) domain receptors.

<sup>f</sup> The Duffy blood group antigen (DARC) is an erythrocyte receptor that can bind several different chemokines. It belongs to the immunoglobulin superfamily but characteristics of its signal transduction events remain unclear.

VII. Growth factors	VII. RKF	1. TK sub-family
1.1 SCF, M-CSF, PDGF-AA, AB, BB, FLT-3L, VEGF, SSV-PDGF		1.1 IgTK III R
1.2 FGF $\alpha$ , FGF $\beta$		1.2 IgTK IV R
1.3 EGF, TGF- $\alpha$ , VV-F19 (EGF-like)		1.3 Cysteine-rich TK-I
1.4 IGF-I, IGF-II, Insulin		1.4 Cysteine rich TK-II
1.5 NGF, BDNF, NT-3, NT-4 <sup>g</sup>		1.5 Cysteine knot TK V
2. TGF- $\beta$ 1, $\beta$ 2, $\beta$ 3		2. STK subfamily <sup>h</sup>

Exemplary peptides for this invention appear in Tables 4 through 20 below. These peptides may be prepared by methods disclosed in the art. Single letter amino acid abbreviations are used. The X in these sequences (and throughout this specification, unless specified otherwise in a particular instance) means that any of the 20 naturally occurring amino acid residues may be present. Any of these peptides may be linked in tandem (i.e., sequentially), with or without linkers, and a few tandem-linked examples are provided in the table. Linkers are listed as "Λ" and may be any of the linkers described herein. Tandem repeats and linkers are shown separated by dashes for clarity. Any peptide containing a cysteinyl residue may be cross-linked with another Cys-containing peptide, either or both of which may be linked to a vehicle. A few cross-linked examples are provided in the table. Any peptide having more than one Cys residue may form an intrapeptide disulfide bond, as well; see, for example, EPO-mimetic peptides in Table 5. A few examples of intrapeptide disulfide-bonded peptides are specified in the table. Any of these peptides may be derivatized as described herein, and a few derivatized examples are provided in the table. Derivatized peptides in

<sup>g</sup> The neurotrophic cytokines can associate with NGF/TNF receptors also.

the tables are exemplary rather than limiting, as the associated underivatized peptides may be employed in this invention, as well. For derivatives in which the carboxyl terminus may be capped with an amino group, the capping amino group is shown as  $-NH_2$ . For derivatives in

5 which amino acid residues are substituted by moieties other than amino acid residues, the substitutions are denoted by  $\sigma$ , which signifies any of the moieties described in Bhatnagar *et al.* (1996), *J. Med. Chem.* 39: 3814-9 and Cuthbertson *et al.* (1997), *J. Med. Chem.* 40: 2876-82, which are incorporated by reference. The J substituent and the Z substituents ( $Z_5$ ,  $Z_6$ ,  
 10 ... $Z_{40}$ ) are as defined in U.S. Pat. Nos. 5,608,035, 5,786,331, and 5,880,096, which are incorporated by reference. For the EPO-mimetic sequences (Table 5), the substituents  $X_2$  through  $X_{11}$  and the integer "n" are as defined in WO 96/40772, which is incorporated by reference. The substituents " $\Psi$ ," " $\Theta$ ," and "+" are as defined in Sparks *et al.* (1996), *Proc. Natl. Acad. Sci.* 93:  
 15 1540-4, which is hereby incorporated by reference.  $X_4$ ,  $X_5$ ,  $X_6$ , and  $X_7$  are as defined in U.S. Pat. No. 5,773,569, which is hereby incorporated by reference, except that: for integrin-binding peptides,  $X_1$ ,  $X_2$ ,  $X_3$ ,  $X_4$ ,  $X_5$ ,  $X_6$ ,  $X_7$ , and  $X_8$  are as defined in International applications WO 95/14714, published June 1, 1995 and WO 97/08203, published March 6, 1997, which  
 20 are also incorporated by reference; and for VIP-mimetic peptides,  $X_1$ ,  $X_1'$ ,  $X_1''$ ,  $X_2$ ,  $X_3$ ,  $X_4$ ,  $X_5$ ,  $X_6$  and Z and the integers m and n are as defined in WO 97/40070, published October 30, 1997, which is also incorporated by reference. Xaa and Yaa below are as defined in WO 98/09985, published March 12, 1998, which is incorporated by reference.  $AA_1$ ,  $AA_2$ ,  $AB_1$ ,  $AB_2$ ,  
 25 and AC are as defined in International application WO 98/53842, published December 3, 1998, which is incorporated by reference.  $X^1$ ,  $X^2$ ,  $X^3$ , and  $X^4$  in Table 17 only are as defined in European application EP 0 911

---

<sup>h</sup> STKS may encompass many other TGF- $\beta$ -related factors that remain unassigned. The protein kinases are intrinsic part of the intracellular domain of receptor kinase family (RKF). The enzymes participate in the signals transmission via the receptors.

393, published April 28, 1999. Residues appearing in boldface are D-amino acids. All peptides are linked through peptide bonds unless otherwise noted. Abbreviations are listed at the end of this specification. In the "SEQ ID NO." column, "NR" means that no sequence listing is required for the given sequence.

Table 4—IL-1 antagonist peptide sequences

Sequence/structure	SEQ ID NO:
Z <sub>11</sub> Z <sub>7</sub> Z <sub>9</sub> QZ <sub>5</sub> YZ <sub>6</sub> Z <sub>9</sub> Z <sub>10</sub>	212
XXQZ <sub>5</sub> YZ <sub>6</sub> XX	907
Z <sub>7</sub> XQZ <sub>5</sub> YZ <sub>6</sub> XX	908
Z <sub>7</sub> Z <sub>9</sub> QZ <sub>5</sub> YZ <sub>6</sub> Z <sub>9</sub> Z <sub>10</sub>	909
Z <sub>11</sub> Z <sub>7</sub> Z <sub>9</sub> QZ <sub>5</sub> YZ <sub>6</sub> Z <sub>9</sub> Z <sub>10</sub>	910
Z <sub>12</sub> <sub>13</sub> <sub>14</sub> Z <sub>15</sub> Z <sub>16</sub> Z <sub>17</sub> Z <sub>18</sub> Z <sub>19</sub> Z <sub>20</sub> Z <sub>21</sub> Z <sub>22</sub> <sub>11</sub> Z <sub>7</sub> Z <sub>8</sub> QZ <sub>5</sub> YZ <sub>6</sub> Z <sub>9</sub> Z <sub>10</sub> L	917
Z <sub>23</sub> NZ <sub>24</sub> Z <sub>35</sub> Z <sub>25</sub> Z <sub>26</sub> Z <sub>27</sub> Z <sub>28</sub> Z <sub>29</sub> Z <sub>30</sub> Z <sub>40</sub>	979
TANVSSFEWTPYYWQPYALPL	213
SWTDYGYWQPYALPISGL	214
ETPFTWEESNAYYWQPYALPL	215
ENTYSPNWADSMYWQPYALPL	216
SGEDHNFWTSEYWQPYALPL	217
DGYDRWRQSGERYWQPYALPL	218
FEWTPGYWQPY	219
FEWTPGYWQH Y	220
FEWTPGWYQJY	221
AcFEWTPGWYQJY	222
FEWTPGWpYQJY	223
FAWTPGYWQJY	224
FEWAPGYWQJY	225
FEWVPGYWQJY	226
FEWTPGYWQJY	227
AcFEWTPGYWQJY	228
FEWTPaWYQJY	229
FEWTPSarWYQJY	230
FEWTPGYYQPY	231
FEWTPGWWQPY	232
FEWTPNYWQPY	233
FEWTPvYWQJY	234
FEWTPecGYWQJY	235
FEWTPAibYWQJY	236
FEWTSarGYWQJY	237
FEWTPGYWQPY	238
FEWTPGYWQH Y	239
FEWTPGWYQJY	240

AcFEWTPGWYQJY	241
FEWTPGW-pY-QJY	242
FAWTPGYWQJY	243
FEWAPGYWQJY	244
FEWVPGYWQJY	245
FEWTPGYWQJY	246
AcFEWTPGYWQJY	247
FEWTPAWYQJY	248
FEWTPSarWYQJY	249
FEWTPGYYQPY	250
FEWTPGWWQPY	251
FEWTPNYWQPY	252
FEWTPVYWQJY	253
FEWTPecGYWQJY	254
FEWTPAibYWQJY	255
FEWTSarGYWQJY	256
FEWTPGYWQPYALPL	257
1NapEWTPGYYQJY	258
YEWTPGYYQJY	259
FEWVPGYYQJY	260
FEWTPSYYQJY	261
FEWTPNYYQJY	262
TKPR	263
RKSSK	264
RKQDK	265
NRKQDK	266
RKQDKR	267
ENRKQDKRF	268
VTKFYF	269
VTKFY	270
VTDFY	271
SHLYWQPYSVQ	671
TLVYWQPYSLQT	672
RGDYWQPYSVQS	673
VHVVYWQPYSVQT	674
RLVYWQPYSVQT	675
SRVWFQPYSLQS	676
NMVYWQPYSIQT	677
SVVFWQPYSVQT	678
TFVYWQPYALPL	679
TLVYWQPYSIQR	680
RLVYWQPYSVQR	681
SPVFWQPYSIQI	682
WIEWWQPYSVQS	683
SLIYWQPYSLQM	684
TRLYWQPYSVQR	685
RCDYWQPYSVQT	686
MRVFWQPYSVQN	687
KIVYWQPYSVQT	688
RHLYWQPYSVQR	689

ALVWWQPYSEI	690
SRVWFQPYSLQS	691
WEQPYALPLE	692
QLVWWQPYSVQR	693
DLRYWQPYSVQV	694
ELVWWQPYSLQL	695
DLVWWQPYSVQW	696
NGNYWQPYSFQV	697
ELVYWQPYSIQR	698
ELMYWQPYSVQE	699
NLLYWQPYSMQD	700
GVEYWQPYSVQR	701
SRVWYQPYSVQR	702
LSEQYQPYSVQR	703
GGGWWQPYSVQR	704
VGRWYQPYSVQR	705
VHVVWQPYSVQR	706
QARWYQPYSVQR	707
VHVVWQPYSVQT	708
RSVWYQPYSVQR	709
TRVWFQPYSVQR	710
GRIWFQPYSVQR	711
GRVWFQPYSVQR	712
ARTWYQPYSVQR	713
ARVWWQPYSVQM	714
RLMFYQPYSVQR	715
ESMWYQPYSVQR	716
HFGWWQPYSVHM	717
ARFWWQPYSVQR	718
RLVYWQ PYAPIY	719
RLVYWQ PYSYQT	720
RLVYWQ PYSLPI	721
RLVYWQ PYSVQA	722
SRVWYQ PYAKGL	723
SRVWYQ PYAQGL	724
SRVWYQ PYAMPL	725
SRVWYQ PYSVQA	726
SRVWYQ PYSLGL	727
SRVWYQ PYAREL	728
SRVWYQ PYSRQP	729
SRVWYQ PYFVQP	730
EVEWYQ PYALPL	731
IPEYWQ PYALPL	732
SRIWWQ PYALPL	733
DPLFWQ PYALPL	734
SRQWVQ PYALPL	735
IRSWWQ PYALPL	736
RGYWQ PYALPL	737
RLLWVQ PYALPL	738
EYRWFQ PYALPL	739

DAYWVQ PYALPL	740
WSGYFQ PYALPL	741
NIEFWQ PYALPL	742
TRDWVQ PYALPL	743
DSSWYQ PYALPL	744
IGNWYQ PYALPL	745
NLRWDQ PYALPL	746
LPEFWQ PYALPL	747
DSYWWQ PYALPL	748
RSQYYQ PYALPL	749
ARFWLQ PYALPL	750
NSYFWQ PYALPL	751
RFMYWQPYSVQR	752
AHLFWQPYSVQR	753
WWQPYALPL	754
YYQPYALPL	755
YFQPYALGL	756
YWYQPYALPL	757
RWWQPYATPL	758
GWYQPYALGF	759
YWYQPYALGL	760
IWYQPYAMPL	761
SNMQPYQRLS	762
TFVYWQPY AVGLPAAETACN	763
TFVYWQPY SVQMTITGKVTM	764
TFVYWQPY SSHXXVPXGFPL	765
TFVYWQPY YGNPQWAIHVRH	766
TFVYWQPY VLLELPEGAVRA	767
TFVYWQPY VDYVWPIPIAQV	768
GWYQPYVDGWR	769
RWEQPYVKDGWS	770
EWYQPYALGWAR	771
GWWQPYARGL	772
LFEQPYAKALGL	773
GWEQPYARGLAG	774
AWVQPYATPLDE	775
MWYQPYSSQPAE	776
GWTQPYSQQGEV	777
DWFQPYSIQSDE	778
PWIQPYARGFG	779
RPLYWQPYSVQV	780
TLIYWQPYSVQI	781
RFDYWQPYSQDT	782
WHQFVQPYALPL	783
EWDS VYWQPYSVQ TLLR	784
WEQN VYWQPYSVQ SFAD	785
SDV VYWQPYSVQ SLEM	786
YYDG VYWQPYSVQ VMPA	787
SDIWWQ PYALPL	788
QRIWWQ PYALPL	789

SRIWWQ PYALPL	790
RSLYWQ PYALPL	791
TIIWEQ PYALPL	792
WETWYQ PYALPL	793
SYDWEQ PYALPL	794
SRIWCQ PYALPL	795
EIMFWQ PYALPL	796
DYVWQQ PYALPL	797
MDLLVQ WYQPYALPL	798
GSKVIL WYQPYALPL	799
RQGANI WYQPYALPL	800
GGGDEP WYQPYALPL	801
SQLERT WYQPYALPL	802
ETWVRE WYQPYALPL	803
KKGSTQ WYQPYALPL	804
LQARMN WYQPYALPL	805
EPRSQK WYQPYALPL	806
VKQKWR WYQPYALPL	807
LRRHDV WYQPYALPL	808
RSTASI WYQPYALPL	809
ESKEDQ WYQPYALPL	810
EGLTMK WYQPYALPL	811
EGSREG WYQPYALPL	812
VIEWWQ PYALPL	813
VWYWEQ PYALPL	814
ASEWWQ PYALPL	815
FYEWVQ PYALPL	816
EGWWVQ PYALPL	817
WGEWLQ PYALPL	818
DYVWEQ PYALPL	819
AHTWWQ PYALPL	820
FIEWFQ PYALPL	821
WLAWEQ PYALPL	822
VMEWWQ PYALPL	823
ERMWQ PYALPL	824
NXXWXX PYALPL	825
WGNWYQ PYALPL	826
TLYWEQ PYALPL	827
VWRWEQ PYALPL	828
LLWTQ PYALPL	829
SRIWXX PYALPL	830
SDIWYQ PYALPL	831
WGYXX PYALPL	832
TSGWYQ PYALPL	833
VHPYXX PYALPL	834
EHSYFQ PYALPL	835
XXIWYQ PYALPL	836
AQLHSQ PYALPL	837
WANWFQ PYALPL	838
SRLYSQ PYALPL	839





GVTF SQ PYALPL	840
SIVWSQ PYALPL	841
SRDLVQ PYALPL	842
HWGH VYWQPYSVQ DDLG	843
SWHS VYWQPYSVQ SVPE	844
WRDS VYWQPYSVQ PESA	845
TWDA VYWQPYSVQ KWLD	846
TPPW VYWQPYSVQ SLDP	847
YWSS VYWQPYSVQ SVHS	848
YWY QPY ALGL	849
YWY QPY ALPL	850
EWI QPY ATGL	851
NWE QPY AKPL	852
AFY QPY ALPL	853
FLY QPY ALPL	854
VCK QPY LEWC	855
ETPFTWEESNAYYWQPYALPL	856
QGWLTWQDSVDMYWQPYALPL	857
FSEAGYTWPE NTYWQPYALPL	858
TESPGGLDWAKIYWQPYALPL	859
DGYDRWRQSGERYYWQPYALPL	860
TANVSSF EWTPGYWQPYALPL	861
SVGEDHNFWTSE YWQPYALPL	862
MNDQTSEVSTFP YWQPYALPL	863
SWSEAFEQPRNL YWQPYALPL	864
QYAEPSALNDWG YWQPYALPL	865
NGDWATADWSNY YWQPYALPL	866
THDEHI YWQPYALPL	867
MLEKTYTTWTPG YWQPYALPL	868
WSDPLTRDADL YWQPYALPL	869
SDAFTTQDSQAM YWQPYALPL	870
GDDAAWRTDSL T YWQPYALPL	871
AIIRQLYRWSEM YWQPYALPL	872
ENTYSPNWADSM YWQPYALPL	873
MNDQTSEVSTFP YWQPYALPL	874
SVGEDHNFWTSE YWQPYALPL	875
QTPFTWEESNAY YWQPYALPL	876
ENPFTWQESNAY YWQPYALPL	877
VTPFTWEDSNVF YWQPYALPL	878
QIPFTWEQSNAY YWQPYALPL	879
QAPLTWQESAAY YWQPYALPL	880
EPTFTWEESKAT YWQPYALPL	881
TTTLTWEESNAY YWQPYALPL	882
ESPLTWEESAL YWQPYALPL	883
ETPLTWEESNAY YWQPYALPL	884
EATFTWAESNAY YWQPYALPL	885
EALFTWKESTAY YWQPYALPL	886
STP-TWEESNAY YWQPYALPL	887
ETPFTWEESNAY YWQPYALPL	888
KAPFTWEESQAY YWQPYALPL	889

STSFTWEESNAY YWQPYALPL	890
DSTFTWEESNAY YWQPYALPL	891
YIPFTWEESNAY YWQPYALPL	892
QTAFTWEESNAY YWQPYALPL	893
ETLFTWEESNAT YWQPYALPL	894
VSSFTWEESNAY YWQPYALPL	895
QPYALPL	896
Py-1-NapPYQJYALPL	897
TANVSSFEWTPG YWQPYALPL	898
FEWTPGYWQPYALPL	899
FEWTPGYWQJYALPL	900
FEWTPGYYQJYALPL	901
ETPFTWEESNAYYWQPYALPL	902
FTWEESNAYYWQJYALPL	903
ADVL YWQPYA PVTWV	904
GDVAE YWQPYA LPLTSL	905
SWTDYG YWQPYA LPISGL	906
FEWTPGYWQPYALPL	911
FEWTPGYWQJYALPL	912
FEWTPGWYQPYALPL	913
FEWTPGWYQJYALPL	914
FEWTPGYYQPYALPL	915
FEWTPGYYQJYALPL	916
TANVSSFEWTPGYWQPYALPL	918
SWTDYGYWQPYALPISGL	919
ETPFTWEESNAYYWQPYALPL	920
ENTYSPNWADSMYWQPYALPL	921
SVGEDHNFWTSEYWQPYALPL	922
DGYDRWRQSGERYWQPYALPL	923
FEWTPGYWQPYALPL	924
FEWTPGYWQPY	925
FEWTPGYWQJY	926
EWTPGYWQPY	927
FEWTPGWYQJY	928
AEWTPGYWQJY	929
FAWTPGYWQJY	930
FEATPGYWQJY	931
FEWAPGYWQJY	932
FEWTAGYWQJY	933
FEWTPAYWQJY	934
FEWTPGAWQJY	935
FEWTPGYAQJY	936
FEWTPGYWQJA	937
FEWTGGYWQJY	938
FEWTPGYWQJY	939
FEWTJGYWQJY	940
FEWTPeGYWQJY	941
FEWTPAibYWQJY	942
FEWTPSarWYQJY	943
FEWTSarGYWQJY	944

FEWTPNYWQJY	945
FEWTPVYWQJY	946
FEWTPPYWQJY	947
AcFEWTPGWYQJY	948
AcFEWTPGYWQJY	949
INap-EWTPGYYQJY	950
YEWTPGYYQJY	951
FEWVPGYYQJY	952
FEWTPGYYQJY	953
FEWTPsYYQJY	954
FEWTPnYYQJY	955
SHLY-Nap-QPYSVQM	956
TLVY-Nap-QPYSLQT	957
RGDY-Nap-QPYSVQS	958
NMVY-Nap-QPYSIQT	959
VYWQPYSVQ	960
VY-Nap-QPYSVQ	961
TFVYWQJYALPL	962
FEWTPGYYQJ-Bpa	963
XaaFEWTPGYYQJ-Bpa	964
FEWTPGY-Bpa-QJY	965
AcFEWTPGY-Bpa-QJY	966
FEWTPG-Bpa-YQJY	967
AcFEWTPG-Bpa-YQJY	968
AcFE-Bpa-TPGYYQJY	969
AcFE-Bpa-TPGYYQJY	970
Bpa-EWTPGYYQJY	971
AcBpa-EWTPGYYQJY	972
VYWQPYSVQ	973
RLVYWQPYSVQR	974
RLVY-Nap-QPYSVQR	975
RLDYWQPYSVQR	976
RLVWFQPYSVQR	977
RLVYWQPYSIQR	978
DNSSWYDSFLL	980
DNTAWYESFLA	981
DNTAWYENFLL	982
PARE DNTAWYDSFLI WC	983
TSEY DNTTWYKFLA SQ	984
SQIP DNTAWYQSFLH HG	985
SPFI DNTAWYENFLL TY	986
EQIY DNTAWYDHFLL SY	987
TPFI DNTAWYENFLL TY	988
TYTY DNTAWYERFLM SY	989
TMTQ DNTAWYENFLL SY	990
TI DNTAWYANLVQ TYPQ	991
TI DNTAWYERFLA QYPD	992
HI DNTAWYENFLL TYTP	993
SQ DNTAWYENFLL SYKA	994
QI DNTAWYERFLL QYNA	995

NQ DNTAWYESFLL QYNT	996
TI DNTAWYENFLL NHNL	997
HY DNTAWYERFLQ QGWH	998
ETPFTWEESNAYYWQPYALPL	999
YIPFTWEESNAYYWQPYALPL	1000
DGYDRWRQSGERYWQPYALPL	1001
pY-INap-pY-QJYALPL	1002
TANVSSFEWTPGYWQPYALPL	1003
FEWTPGYWQJYALPL	1004
FEWTPGYWQPYALPLSD	1005
FEWTPGYYQJYALPL	1006
FEWTPGYWQJY	1007
AcFEWTPGYWQJY	1008
AcFEWTPGWYQJY	1009
AcFEWTPGYYQJY	1010
AcFEWTPaYWQJY	1011
AcFEWTPaWYQJY	1012
AcFEWTPaYYQJY	1013
FEWTPGYYQJYALPL	1014
FEWTPGYWQJYALPL	1015
FEWTPGWYQJYALPL	1016
TANVSSFEWTPGYWQPYALPL	1017
AcFEWTPGYWQJY	1018
AcFEWTPGWYQJY	1019
AcFEWTPGYYQJY	1020
AcFEWTPaYWQJY	1021
AcFEWTPaWYQJY	1022
AcFEWTPaYYQJY	1023

Table 5—EPO-mimetic peptide sequences

Sequence/structure	SEQ ID NO:
YXCXXGPXTWXCXP	83
YXCXXGPXTWXCXP-YXCXXGPXTWXCXP	84
YXCXXGPXTWXCXP- $\Lambda$ -YXCXXGPXTWXCXP	85
YXCXXGPXTWXCXP- $\Lambda$ -  (epsilon-amine) K beta A (alpha-amine) YXCXXGPXTWXCXP- $\Lambda$ -	86
GGTYSCHFGPLTWVCKPQGG	87
GGDYHCRMGPLTWVCKPLGG	88
GGVYACRMGPITWVCSPGG	89
VGNYMCHFGPITWVCRPGGG	90
GGLYLCRFGPVTWDCGYKGG	91
GGTYSCHFGPLTWVCKPQGG- GGTYSCHFGPLTWVCKPQGG	92
GGTYSCHFGPLTWVCKPQGG - $\Lambda$ - GGTYSCHFGPLTWVCKPQGG	93
GGTYSCHFGPLTWVCKPQGGSSK	94
GGTYSCHFGPLTWVCKPQGGSSK- GGTYSCHFGPLTWVCKPQGGSSK	95
GGTYSCHFGPLTWVCKPQGGSSK- $\Lambda$ - GGTYSCHFGPLTWVCKPQGGSSK	96
GGTYSCHFGPLTWVCKPQGGSS  (epsilon-amine) K beta A (alpha-amine) GGTYSCHFGPLTWVCKPQGGSS	97
GGTYSCHFGPLTWVCKPQGGSS(- $\Lambda$ -biotin)	98
CX <sub>4</sub> X <sub>5</sub> GPX <sub>6</sub> TWX <sub>7</sub> C	421
GGTYSCHGPLTWVCKPQGG	422
VGNYMAHMGPIWVCRPGG	423
GGPHHVYACRMGPLTWIC	424
GGTYSCHFGPLTWVCKPQ	425
GGLYACHMGPMTWVCQPLRG	426
TIAQYICYMGPETWECRPSKA	427
YSCHFGPLTWVCK	428
YCHFGPLTWVC	429
X <sub>3</sub> X <sub>4</sub> X <sub>5</sub> GPX <sub>6</sub> TWX <sub>7</sub> X <sub>8</sub>	124
YX <sub>2</sub> X <sub>3</sub> X <sub>4</sub> X <sub>5</sub> GPX <sub>6</sub> TWX <sub>7</sub> X <sub>8</sub>	461

$X_1 Y X_2 X_3 X_4 X_5 G P X_6 T W X_7 X_8 X_9 X_{10} X_{11}$	419
$X_1 Y X_2 C X_3 X_4 G P X_5 T W X_6 C X_7 X_8 X_9 X_{10} X_{11}$	420
GGLYLCRFGPVTWDCGYKGG	1024
GGTYSCHFGPLTWVCKPQGG	1025
GGDYHCRMGPITWVCKPLGG	1026
VGNYMCHFGPITWVCRPGGG	1029
GGVYACRMGPITWVCSPLGG	1030
VGNYMAHMGPIWVCRPGG	1035
GGTYSCHFGPLTWVCKPQ	1036
GGLYACHMGPMWVWCQPLRG	1037
TIAQYICYMGPETWECRPSKA	1038
YSCHFGPLTWVCK	1039
YCHFGPLTWVC	1040
SCHFGPLTWVCK	1041
$(A X_2) X_3 X_4 X_5 G P X_6 T W X_7 X_8$	1042

Table 6—TPO-mimetic peptide sequences

Sequence/structure	SEQ ID NO:
IEGPTLRQWLAARA	13
IEGPTLRQWLAACA	24
IEGPTLRQWLAARA	25
IEGPTLRQWLAARA- $\Delta$ -IEGPTLRQWLAARA	26
IEGPTLRQWLAACA- $\Delta$ -IEGPTLRQWLAACA	27
IEGPTLRQCLAARA- $\Delta$ -IEGPTLRQCLAARA	28
IEGPTLRQWLAARA- $\Delta$ -K(BrAc)- $\Delta$ -IEGPTLRQWLAARA	29
IEGPTLRQWLAARA- $\Delta$ -K(PEG)- $\Delta$ -IEGPTLRQWLAARA	30
IEGPTLRQCLAARA- $\Delta$ -IEGPTLRQWLAARA	31
IEGPTLRQCLAARA- $\Delta$ -IEGPTLRQWLAARA	31
IEGPTLRQWLAARA- $\Delta$ -IEGPTLRQCLAARA	32
IEGPTLRQWLAARA- $\Delta$ -IEGPTLRQCLAARA	32
VRDQIXXXL	33
TLREWL	34
GRVRDQVAGW	35
GRVKDQIAQL	36
GVRDQVSWAL	37
ESVREQVMKY	38
SVRSQISASL	39
GVRETYYRHM	40
GVREVIVMHML	41
GRVRDQIWAAL	42
AGVRDQILIWL	43
GRVRDQIMLSL	44
GRVRDQI(X) <sub>3</sub> L	45
CLRQWLQGC	46
CLQEFLEG	47
CTRTEWLHGC	48
CLREWLHGGFC	49
CLREWVFAGLC	50
CLRQWLILLGMC	51
CLAEFLASGVEQC	52
CSLQEFSLHGGYVC	53
CLREFLDPTTAVC	54
CLKEWLVSHEVWC	55
CLREWL(X) <sub>2-6</sub> C	56-60
REGPTLRQWM	61
EGPTLRQWLA	62
ERGPFWAKAC	63
REGPRCVMWM	64
CGTEGPTLSTWLDC	65

CEQDGPTLLEWLKC	66
CELVGPSLMSWLTC	67
CLTGPFVTQWLYEC	68
CRAGPTLLEWLTLC	69
CADGPTLREWISFC	70
$C(X)_{1,2}EGPTLREWL(X)_{1,2}C$	71-74
GGCTLREWLHGGFCGG	75
GGCADGPTLREWISFCGG	76
GNADGPTLRQWLEGRRPKN	77
LAIEGPTLRQWLHGNGRDT	78
HGRVGPTLREWKTQVATKK	79
TIKGPTLRQWLKSREHTS	80
ISDGPTLKEWLSVTRGAS	81
SIEGPTLREWLTSTRTPHS	82



Table 7—G-CSF-mimetic peptide sequences

Sequence/structure	SEQ ID NO:
EEDCK	99
EEDCK	99
 EEDCK	99
EEDσK	100
EEDσK	100
 EEDσK	100
pGluEDσK	101
pGluEDσK	101
 pGluEDσK	101
PicSDσK	102
PicSDσK	102
 PicSDσK	102
EEDCK-Λ-EEDCK	103
EEDXK-Λ-EEDXK	104

Table 8—TNF-antagonist peptide sequences

Sequence/structure	SEQ ID NO:
YCFTASENHCY	106
YCFTNSENHCY	107
YCFTRSENHCY	108
FCASENHCY	109
YCASENHCY	110
FCNSENHCY	111
FCNSENRCY	112
FCNSVENRCY	113
YCSQSVSND CF	114
FCVSNDRCY	115
YCRKELGQVCY	116
YCKEPGQCY	117
YCRKEMGCV	118
FCRKEMGCV	119
YCWSQNLCY	120
YCELSQYLCY	121
YCWSQNYCY	122
YCWSQYLCY	123
DFLPHYKNTSLGHRP	1085
$AA_1-AB_1$ $\quad \quad \quad \backslash$ $\quad \quad \quad AC$ $\quad \quad \quad /$ $AA_2-AB_2$	NR

Table 9—Integrin-binding peptide sequences

Sequence/structure	SEQ ID NO:
RX <sub>1</sub> ETX <sub>2</sub> WX <sub>3</sub>	441
RX <sub>1</sub> ETX <sub>2</sub> WX <sub>3</sub>	442
RGDGX	443
CRGDGXC	444
CX <sub>1</sub> X <sub>2</sub> RLDX <sub>3</sub> X <sub>4</sub> C	445
CARRLDAPC	446
CPSRLDSPC	447
X <sub>1</sub> X <sub>2</sub> X <sub>3</sub> RGDX <sub>4</sub> X <sub>5</sub> X <sub>6</sub>	448
CX <sub>2</sub> CRGDCX <sub>5</sub> C	449
CDCRGDCFC	450
CDCRGDCLC	451
CLCRGDCIC	452
X <sub>1</sub> X <sub>2</sub> DDX <sub>3</sub> X <sub>4</sub> X <sub>5</sub> X <sub>6</sub>	453
X <sub>1</sub> X <sub>2</sub> X <sub>3</sub> DDX <sub>4</sub> X <sub>5</sub> X <sub>6</sub> X <sub>7</sub> X <sub>8</sub>	454
CWDDGWLC	455
CWDDLWWLC	456
CWDDGLMC	457
CWDDGWMC	458
CSWDDGWLC	459
CPDDLWWLC	460
NGR	NR
GSL	NR
RGD	NR
CGRECPRLCQSSC	1071
CNGRCVSGCAGRC	1072
CLSGSLSC	1073
RGD	NR
NGR	NR
GSL	NR
NGRAHA	1074
CNGRC	1075
CDCRGDCFC	1076
CGSLVRC	1077
DLXXL	1043
RTDLDSLRTYTL	1044
RTDLDSLRTY	1053
RTDLDSLRT	1054
RTDLDSLRL	1078
GDLDLLKLRLTL	1079
GDHLHLRQLLSR	1080
RDDLHMLRLQLW	1081
SSDLHALKKRYG	1082
RGDLKQLSELTW	1083
RGDLAALSAPPV	1084

**Table 10—Selectin antagonist peptide sequences**

<b>Sequence/structure</b>	<b>SEQ ID NO:</b>
DITWDQLWDLMK	147
DITWDELWKIMN	148
DYTWFELWDMMQ	149
QITWAQLWNMMK	150
DMTWHDLWTLMS	151
DYSWHDLWEMMS	152
EITWDQLWEVMN	153
HVSWEQLWDIMN	154
HITWDQLWRIMT	155
RNMSWLELWEHMK	156
AEWTWDQLWHVMNPAESQ	157
HRAEWLALWEQMSP	158
KKEDWLALWRIMSV	159
ITWDQLWDLMK	160
DITWDQLWDLMK	161
DITWDQLWDLMK	162
DITWDQLWDLMK	163
CQNRVYDLVAIQNKNE	462
AENWADNEPNKRNED	463
RKNNKTWTWVGTKKALTNE	464
KKALTNEAENWAD	465
CQXRYTDLVAIQNKXE	466
RKXNXXWTWVGTXKXLTEE	467
AENWADGEPNNKXNXED	468
CXXXYTXLVAIQNKXE	469
RKXXXXWXWVGTXKXLTXE	470
AXNWXNXXEPNNXXNED	471
XKXKTXEAXNWXX	472

Table 11—Antipathogenic peptide sequences

Sequence/structure	SEQ ID NO:
GFFALIPKIISSPLFKTLLSAVGSALSSSSGGQQ	503
GFFALIPKIISSPLFKTLLSAVGSALSSSSGGQE	504
GFFALIPKIISSPLFKTLLSAV	505
GFFALIPKIISSPLFKTLLSAV	506
KGFFALIPKIISSPLFKTLLSAV	507
KKGFFALIPKIISSPLFKTLLSAV	508
KKGFFALIPKIISSPLFKTLLSAV	509
GFFALIPKIIIS	510
GIGAVLKVLTTGLPALISWIKRKRQQ	511
GIGAVLKVLTTGLPALISWIKRKRQQ	512
GIGAVLKVLTTGLPALISWIKRKRQQ	513
GIGAVLKVLTTGLPALISWIKR	514
AVLKVLTTGLPALISWIKR	515
KLLLLLKLKLLK	516
KLLKLKLLKLLK	517
KLLKLKLLKLLK	518
KKLLKLKLLKLLK	519
KLLKLKLLKLLK	520
KLLKLKLLKLLK	521
KLLKLK	522
KLLKLKLLK	523
KLLKLKLLKLLK	524
KLLKLKLLKLLK	525
KLLKLKLLKLLK	526
KAAAKAAAKAAK	527
KVVVKVVVKVVK	528
KVVVKVKVKVVK	529
KVVVKVKVKVK	530
KVVVKVKVKVVK	531
KLILKL	532
KVLHLL	533
LKLRL	534
KPLHLL	535
KLILKLVR	536
KVFHLLHL	537
HKFRILKL	538
KPFHILHL	539
KIIKIKIKIK	540
KIIKIKIKIK	541
KIIKIKIKIK	542
KIPIKIKIKIPK	543
KIPIKIKIKIVK	544
RIIRIRIRIR	545
RIIRIRIRIR	546
RIIRIRIRIR	547
RIVIRIRIRLIR	548

RIIVRIRLRIIR	549
RIGIRLRVRIIR	550
KIVIRIRIRLIR	551
RIAVKWRLRFIK	552
KIGWKLRVRIIR	553
KKIGWLIIRVRR	554
RIVIRIRIRLIRIR	555
RIIVRIRLRIIRVR	556
RIGIRLRVRIIRRV	557
KIVIRIRARLIRIRIR	558
RIIVKIRLRIIKKIRL	559
KIGIKARVRIIRVKII	560
RIIVHIRLRIIHHIRL	561
HIGIKAHVRIIRVHII	562
RIYVKIHLRYIKKIRL	563
KIGHKARVHIIRYKII	564
RIYVKPHPRYIKKIRL	565
KPGHKARPHIIRYKII	566
KIVIRIRIRLIRIRIRKIV	567
RIIVKIRLRIIKKIRLIKK	568
KIGWKLRVRIIRVKIGRLR	569
KIVIRIRIRLIRIRIRKIVKVKRIR	570
RFAVKIRLRIIKKIRLIKKIRKRVIK	571
KAGWKLRVRIIRVKIGRLRKIGWKKRVRIRK	572
RIYVKPHPRYIKKIRL	573
KPGHKARPHIIRYKII	574
KIVIRIRIRLIRIRIRKIV	575
RIIVKIRLRIIKKIRLIKK	576
RIYVSKISYIKKIRL	577
KIVIFTRIRLTSIRIRSIV	578
KPIHKARPTIIRYKMI	579
cyclicCKGFFALIPKIISSPLFKTLLSAVC	580
CKKGFFALIPKIISSPLFKTLLSAVC	581
CKKKGFFALIPKIISSPLFKTLLSAVC	582
CyclicCRIVIRIRIRLIRIRC	583
CyclicCKPGHKARPHIIRYKIIC	584
CyclicCRFAVKIRLRIIKKIRLIKKIRKRVIKC	585
KLLLKLLL KLLKC	586
KLLLKLLLKLLK	587
KLLLKLKLKLLKC	588
KLLLKLLLKLLK	589

Table 12—VIP-mimetic peptide sequences

Sequence/structure	SEQ ID NO:
HSDAVFYDNYTR LRKQMAVKKYLN SILN	590
Nle HSDAVFYDNYTR LRKQMAVKKYLN SILN	591
X <sub>1</sub> X <sub>1</sub> ' X <sub>1</sub> " X <sub>2</sub>	592
X <sub>3</sub> S X <sub>4</sub> LN	593
NH CH CO KKYX5 NH CH CO X6     (CH2)m Z (CH2)n	594
KKYL	595
NSILN	596
KKYL	597
KKYA	598
AVKKYL	599
NSILN	600
KKYV	601
SILauN	602
KKYLNle	603
NSYLN	604
NSIYN	605
KKYLPPNSILN	606
LauKKYL	607
CapKKYL	608
KYL	NR
KKYNle	609
VKKYL	610
LNSILN	611
YLNSILN	612
KKYLN	613
KKYLNS	614
KKYLNSI	615
KKYLNSIL	616
KKYL	617
KKYDA	618
AVKKYL	619
NSILN	620
KKYV	621
SILauN	622
NSYLN	623
NSIYN	624
KKYLNle	625
KKYLPPNSILN	626
KKYL	627
KKYDA	628
AVKKYL	629
NSILN	630
KKYV	631
SILauN	632

LauKKYL	633
CapKKYL	634
KYL	NR
KYL	NR
KKYNle	635
VKKYL	636
LNSILN	637
YLNSILN	638
KKYLNle	639
KKYLN	640
KKYLNS	641
KKYLNSI	642
KKYLNSIL	643
KKKYLD	644
cyclicCKKYL	645
CKKYLK	646
$\begin{array}{c}   \quad   \\ \text{S-CH}_2\text{-CO} \end{array}$	
KKYA	647
WWTDTGLW	648
WWTDDGLW	649
WWDTRGLWVWTI	650
FWGNDGIWLESG	651
DWDQFGLWRGAA	652
RWDDNGLWVVVL	653
SGMWSHYGIWMG	654
GGRWDQAGLWVA	655
KLWSEQGIWMGE	656
CWSMHGLWLC	657
GCWDNTGIWVPC	658
DWDTRGLWVY	659
SLWDENGAWI	660
KWDDRGLWMH	661
QAWNERGLWT	662
QWDTRGLWVA	663
WNVHGIWQE	664
SWDTRGLWVE	665
DWDTRGLWVA	666
SWGRDGLWIE	667
EWTDNGLWAL	668
SWDEKGLWSA	669
SWDSSGLWMD	670



**Table 13—Mdm/hdm antagonist peptide sequences**

<b>Sequence/structure</b>	<b>SEQ ID NO:</b>
TFSDLW	130
QETFSDLWKLLP	131
QPTFSDLWKLLP	132
QETFSDYWKLLP	133
QPTFSDYWKLLP	134
MPRFMDYWEGLN	135
VQNFIDYWTQQF	136
TGPAFTHYWATF	137
IDRAPTFRDHWFALV	138
PRPALVFADYWETLY	139
PAFSRFWSDLSAGAH	140
PAFSRFWSKLSAGAH	141
PXFXDYWXXL	142
QETFSDLWKLLP	143
QPTFSDLWKLLP	144
QETFSDYWKLLP	145
QPTFSDYWKLLP	146

**Table 14—Calmodulin antagonist peptide sequences**

<b>Sequence/structure</b>	<b>SEQ ID NO:</b>
SCVKWKGKKEFCGS	164
SCWKYWGKECGS	165
SCYEWGKLRWCGS	166
SCLRWGKWSNCGS	167
SCWRWGKYQICGS	168
SCVSWGALKLCGS	169
SCIRWGQNTFCGS	170
SCWQWGNLKICGS	171
SCVRWGQLSICGS	172
LKKFNARRKLKGAILTTMLAK	173
RRWKKNFIAVSAANRFKK	174
RKWQKTGHAVRAIGRLSS	175
INLKALAALAKKIL	176
KIWSILAPLGTTLVKLVA	177
LKKLLKLLKLLKL	178
LKWKKLLKLLKLLKLL	179
AEWPSLTEIKTLSHFSV	180
AEWPSPTRVISTTYFGS	181
AELAHWPPVKTVLRST	182
AEGSWLQLLNLMKQMNN	183
AEWPSLTEIK	184

**Table 15—Mast cell antagonists/Mast cell protease inhibitor  
peptide sequences**

<b>Sequence/structure</b>	<b>SEQ ID NO:</b>
SGSGVLKRPLPILPVTR	272
RWLSSRPLPPLPRT	273
GSGSYDTLALPSLPLHPMSS	274
GSGSYDTRALPSLPLHPMSS	275
GSGSSGVTMYPKLPPHWSMA	276
GSGSSGVRMYPKLPPHWSMA	277
GSGSSSMRMVPTIPGSAKHG	278
RNR	NR
QT	NR
RQK	NR
NRQ	NR
RQK	NR
RNRQKT	436
RNRQ	437
RNRQK	438
NRQKT	439
RQKT	440

Table 16—SH3 antagonist peptide sequences

Sequence/structure	SEQ ID NO:
RPLPPLP	282
RELPPLP	283
SPLPPLP	284
GPLPPLP	285
RPLPIPP	286
RPLPIPP	287
RRLPPTP	288
RQLPPTP	289
RPLPSRP	290
RPLPTRP	291
SRLPPLP	292
RALPSPP	293
RRLPRTP	294
RPVPPIT	295
ILAPPVP	296
RPLPMLP	297
RPLPILP	298
RPLPSLP	299
RPLPSLP	300
RPLPMIP	301
RPLPLIP	302
RPLPPTP	303
RSLPPLP	304
RPQPPPP	305
RQLPIPP	306
XXXRPLPPLPXP	307
XXXRPLPPIPXX	308
XXXRPLPPLPXX	309
RXXRPLPPLPXP	310
RXXRPLPPLPPP	311
PPPYPPPIPXX	312
PPPYPPPVXX	313
LXXRPLPXΨP	314
ΨXXRPLPXL	315
PPXΘXPPPΨP	316
+PPΨPXKPXWL	317
RPXΨPΨR+SXP	318
PPVPPRPXXTL	319
ΨPΨLPΨK	320
+ΘDXPLPXL	321

Table 17—Somatostatin or cortistatin mimetic peptide sequences

Sequence/structure	SEQ ID NO:
X <sup>1</sup> -X <sup>2</sup> -Asn-Phe-Phe-Trp-Lys-Thr-Phe-X <sup>3</sup> -Ser-X <sup>4</sup>	473
Asp Arg Met Pro Cys Arg Asn Phe Phe Trp Lys Thr Phe Ser Ser Cys Lys	474
Met Pro Cys Arg Asn Phe Phe Trp Lys Thr Phe Ser Ser Cys Lys	475
Cys Arg Asn Phe Phe Trp Lys Thr Phe Ser Ser Cys Lys	476
Asp Arg Met Pro Cys Arg Asn Phe Phe Trp Lys Thr Phe Ser Ser Cys	477
Met Pro Cys Arg Asn Phe Phe Trp Lys Thr Phe Ser Ser Cys	478
Cys Arg Asn Phe Phe Trp Lys Thr Phe Ser Ser Cys	479
Asp Arg Met Pro Cys Lys Asn Phe Phe Trp Lys Thr Phe Ser Ser Cys	480
Met Pro Cys Lys Asn Phe Phe Trp Lys Thr Phe Ser Ser Cys Lys	481
Cys Lys Asn Phe Phe Trp Lys Thr Phe Ser Ser Cys Lys	482
Asp Arg Met Pro Cys Lys Asn Phe Phe Trp Lys Thr Phe Ser Ser Cys	483
Met Pro Cys Lys Asn Phe Phe Trp Lys Thr Phe Ser Ser Cys	484
Cys Lys Asn Phe Phe Trp Lys Thr Phe Ser Ser Cys	485
Asp Arg Met Pro Cys Arg Asn Phe Phe Trp Lys Thr Phe Thr Ser Cys Lys	486
Met Pro Cys Arg Asn Phe Phe Trp Lys Thr Phe Thr Ser Cys Lys	487
Cys Arg Asn Phe Phe Trp Lys Thr Phe Thr Ser Cys Lys	488
Asp Arg Met Pro Cys Arg Asn Phe Phe Trp Lys Thr Phe Thr Ser Cys	489
Met Pro Cys Arg Asn Phe Phe Trp Lys Thr Phe Thr Ser Cys	490
Cys Arg Asn Phe Phe Trp Lys Thr Phe Thr Ser Cys	491
Asp Arg Met Pro Cys Lys Asn Phe Phe Trp Lys Thr Phe Thr Ser Cys Lys	492
Met Pro Cys Lys Asn Phe Phe Trp Lys Thr Phe Thr Ser Cys Lys	493
Cys Lys Asn Phe Phe Trp Lys Thr Phe Thr Ser Cys Lys	494
Asp Arg Met Pro Cys Lys Asn Phe Phe Trp Lys Thr Phe Thr Ser Cys	495
Met Pro Cys Lys Asn Phe Phe Trp Lys Thr Phe Thr Ser Cys	496
Cys Lys Asn Phe Phe Trp Lys Thr Phe Thr Ser Cys	497

Table 18—UKR antagonist peptide sequences

Sequence/structure	SEQ ID NO:
AEPMPHSLNFSQYLWYT	196
AEHTYSSLWDTYSPLAF	197
AELDLWMRHYPLSFSNR	198
AESSLWTRYAWPSMPSY	199
AEWHPGLSFGSYLWSKT	200
AEPALLNWSFFNPGLH	201
AEWSFYNLHLPEPQTIF	202
AEPLDLWSLYSLPPLAM	203
AEPTLWQLYQFPLRLSG	204
AEISFSELMWLRSTPAF	205
AELSEADLWTTWFGMGS	206
AESSLWRIFSPSALMMS	207
AESLPTLTSILWGKESV	208
AETLFMDLWHDKHILLT	209
AEILNFPLWHEPLWSTE	210
AESQTGTLNTLFWNTLR	211
AEPVYQYELDSYLRSY	430
AELDLSTFYDIQYLLRT	431
AEFFKLGPNGYVYLHSA	432
FKLXXXGYVYL	433
AESTYHHLSLGYMYTLN	434
YHXLXXGYMYT	435

**Table 19—Macrophage and/or  
T-cell inhibiting peptide sequences**

<b>Sequence/structure</b>	<b>SEQ ID NO:</b>
Xaa-Yaa-Arg	NR
Arg-Yaa-Xaa	NR
Xaa-Arg-Yaa	NR
Yaa-Arg-Xaa	NR
Ala-Arg	NR
Arg-Arg	NR
Asn-Arg	NR
Asp-Arg	NR
Cys-Arg	NR
Gln-Arg	NR
Glu-Arg	NR
Gly-Arg	NR
His-arg	NR
Ile-Arg	NR
Leu-Arg	NR
Lys-Arg	NR
Met-Arg	NR
Phe-Arg	NR
Ser-Arg	NR
Thr-Arg	NR
Trp-Arg	NR
Tyr-Arg	NR
Val-Arg	NR
Ala-Glu-Arg	NR
Arg-Glu-Arg	NR
Asn-Glu-Arg	NR
Asp-Glu-Arg	NR
Cys-Glu-Arg	NR
Gln-Glu-Arg	NR
Glu-Glu-Arg	NR
Gly-Glu-Arg	NR
His-Glu-Arg	NR
Ile-Glu-Arg	NR
Leu-Glu-Arg	NR
Lys-Glu-Arg	NR
Met-Glu-Arg	NR
Phe-Glu-Arg	NR
Pro-Glu-Arg	NR
Ser-Glu-Arg	NR
Thr-Glu-Arg	NR
Trp-Glu-Arg	NR
Tyr-Glu-Arg	NR
Val-Glu-Arg	NR
Arg-Ala	NR

Arg-Asp	NR
Arg-Cys	NR
Arg-Gln	NR
Arg-Glu	NR
Arg-Gly	NR
Arg-His	NR
Arg-Ile	NR
Arg-Leu	NR
Arg-Lys	NR
Arg-Met	NR
Arg-Phe	NR
Arg-Pro	NR
Arg-Ser	NR
Arg-Thr	NR
Arg-Trp	NR
Arg-Tyr	NR
Arg-Val	NR
Arg-Glu-Ala	NR
Arg-Glu-Asn	NR
Arg-Glu-Asp	NR
Arg-Glu-Cys	NR
Arg-Glu-Gln	NR
Arg-Glu-Glu	NR
Arg-Glu-Gly	NR
Arg-Glu-His	NR
Arg-Glu-Ile	NR
Arg-Glu-Leu	NR
Arg-Glu-Lys	NR
Arg-Glu-Met	NR
Arg-Glu-Phe	NR
Arg-Glu-Pro	NR
Arg-Glu-Ser	NR
Arg-Glu-Thr	NR
Arg-Glu-Trp	NR
Arg-Glu-Tyr	NR
Arg-Glu-Val	NR
Ala-Arg-Glu	NR
Arg-Arg-Glu	NR
Asn-Arg-Glu	NR
Asp-Arg-Glu	NR
Cys-Arg-Glu	NR
Gln-Arg-Glu	NR
Glu-Arg-Glu	NR
Gly-Arg-Glu	NR
His-Arg-Glu	NR
Ile-Arg-Glu	NR
Leu-Arg-Glu	NR
Lys-Arg-Glu	NR
Met-Arg-Glu	NR
Phe-Arg-Glu	NR

Pro-Arg-Glu	NR
Ser-Arg-Glu	NR
Thr-Arg-Glu	NR
Trp-Arg-Glu	NR
Tyr-Arg-Glu	NR
Val-Arg-Glu	NR
Glu-Arg-Ala,	NR
Glu-Arg-Arg	NR
Glu-Arg-Asn	NR
Glu-Arg-Asp	NR
Glu-Arg-Cys	NR
Glu-Arg-Gln	NR
Glu-Arg-Gly	NR
Glu-Arg-His	NR
Glu-Arg-Ile	NR
Glu-Arg-Leu	NR
Glu-Arg-Lys	NR
Glu-Arg-Met	NR
Glu-Arg-Phe	NR
Glu-Arg-Pro	NR
Glu-Arg-Ser	NR
Glu-Arg-Thr	NR
Glu-Arg-Trp	NR
Glu-Arg-Tyr	NR
Glu-Arg-Val	NR



**Table 20—Additional Exemplary Pharmacologically Active Peptides**

Sequence/structure	SEQ ID NO:	Activity
VEPNCDIHVMWEWECFERL	1027	VEGF-antagonist
GERWCFDGPLTWVCGEES	1084	VEGF-antagonist
RGWVEICVADDNGMCVTEAQ	1085	VEGF-antagonist
GWDECDVARMWEWECFAGV	1086	VEGF- antagonist
GERWCFDGPRAWVCGWEI	501	VEGF- antagonist
EELWCFDGPRAWVCGYVK	502	VEGF- antagonist
RGWVEICAADDYGRCLTEAQ	1031	VEGF- antagonist
RGWVEICESDVWGRCL	1087	VEGF- antagonist
RGWVEICESDVWGRCL	1088	VEGF- antagonist
GGNECDIARMWEWECFERL	1089	VEGF- antagonist
RGWVEICAADDYGRCL	1090	VEGF-antagonist
CTTHWGFTLC	1028	MMP inhibitor
CLRSGXGC	1091	MMP inhibitor
CXXHWGFXXC	1092	MMP inhibitor
CXPXC	1093	MMP inhibitor
CRRHWGFEEC	1094	MMP inhibitor
STTHWGFTLS	1095	MMP inhibitor
CSLHWGFWWC	1096	CTLA4-mimetic
GFVCSGIFAVGVGRC	125	CTLA4-mimetic
APGVRLGCAVLGRYC	126	CTLA4-mimetic
LLGRMK	105	Antiviral (HBV)
ICVVQDWGHHRCTAGHMANLTSHASAI	127	C3b antagonist
ICVVQDWGHHRCT	128	C3b antagonist
CVVQDWGHHAC	129	C3b antagonist
STGGFDDVYDWARGVSSALTTTLVATR	185	Vinculin-binding
STGGFDDVYDWARRVSSALTTTLVATR	186	Vinculin-binding
SRGVNFSEWLYDMSAAMKEASNVFSPRRSR	187	Vinculin-binding
SSQNWDMEAGVEDLTAAMLGLLSTIHSSSR	188	Vinculin-binding
SSPSLYTQFLVNYESAATRIQDLLIASRPSR	189	Vinculin-binding
SSTGWVDLLGALQRAADATRTSIPPSLQNSR	190	Vinculin-binding
DVYTKKELIECARRVSEK	191	Vinculin-binding
EKGSYYPGSGIAQFHIDYNNVS	192	C4BP-binding
SGIAQFHIDYNNVSSAEGWHVN	193	C4BP-binding
LVTVEKGSYYPGSGIAQFHIDYNNVSSAEGWHVN	194	C4BP-binding
SGIAQFHIDYNNVS	195	C4BP-binding
LLGRMK	279	anti-HBV
ALLGRMKG	280	anti-HBV
LDPAFR	281	anti-HBV
CXXRGDC	322	Inhibition of platelet aggregation
RPLPPLP	323	Src antagonist
PPVPPR	324	Src antagonist
XFXDXWXXLXX	325	Anti-cancer (particularly for

		sarcomas)
KACRRFLFGPVDSEQLSRDCD	326	p16-mimetic
RERWNFDFTVTETPLEGDFAW	327	p16-mimetic
KRRQTSMTDFYHSKRRLIFS	328	p16-mimetic
TSMTDFYHSKRRLIFSKRKP	329	p16-mimetic
RRLIF	330	p16-mimetic
KRRQTSATDFYHSKRRLIFSRQIKIWFQNRMMKWKK	331	p16-mimetic
KRRLIFSKRQIKIWFQNRMMKWKK	332	p16-mimetic
Asn Gln Gly Arg His Phe Cys Gly Gly Ala Leu Ile His Ala Arg Phe Val Met Thr Ala Ala Ser Cys Phe Gln	498	CAP37 mimetic/LPS binding
Arg His Phe Cys Gly Gly Ala Leu Ile His Ala Arg Phe Val Met Thr Ala Ala Ser Cys	499	CAP37 mimetic/LPS binding
Gly Thr Arg Cys Gln Val Ala Gly Trp Gly Ser Gln Arg Ser Gly Gly Arg Leu Ser Arg Phe Pro Arg Phe Val Asn Val	500	CAP37 mimetic/LPS binding
WHWRHRIPLQLAAGR	1097	carbohydrate (GD1 alpha) mimetic
LKTDRV	1098	$\beta$ 2GPI Ab binding
NLTKTDRV	1099	$\beta$ 2GPI Ab binding
NLTKTDRVGGC	1100	$\beta$ 2GPI Ab binding
KDKATF	1101	$\beta$ 2GPI Ab binding
KDKATFGCHD	1102	$\beta$ 2GPI Ab binding
KDKATFGCHDGC	1103	$\beta$ 2GPI Ab binding
TLRVYK	1104	$\beta$ 2GPI Ab binding
ATLRVYKGG	1105	$\beta$ 2GPI Ab binding
CATLRVYKGG	1106	$\beta$ 2GPI Ab binding
INLKALAALAKKIL	1107	Membrane- transporting
GWT	NR	Membrane- transporting
GWTLNSAGYLLG	1108	Membrane- transporting
GWTLNSAGYLLGKINLKALAALAKKIL	1109	Membrane- transporting

The present invention is also particularly useful with peptides having activity in treatment of:

- cancer, wherein the peptide is a VEGF-mimetic or a VEGF receptor antagonist, a HER2 agonist or antagonist, a CD20 antagonist and the like;
- asthma, wherein the protein of interest is a CKR3 antagonist, an IL-5 receptor antagonist, and the like;
- thrombosis, wherein the protein of interest is a GPIIb antagonist, a GPIIIa antagonist, and the like;

- autoimmune diseases and other conditions involving immune modulation, wherein the protein of interest is an IL-2 receptor antagonist, a CD40 agonist or antagonist, a CD40L agonist or antagonist, a thymopoietin mimetic and the like.

5        Vehicles. This invention requires the presence of at least one vehicle ( $F^1$ ,  $F^2$ ) attached to a peptide through the N-terminus, C-terminus or a sidechain of one of the amino acid residues. Multiple vehicles may also be used; e.g., Fc's at each terminus or an Fc at a terminus and a PEG group at the other terminus or a sidechain.

10        An Fc domain is the preferred vehicle. The Fc domain may be fused to the N or C termini of the peptides or at both the N and C termini. For the TPO-mimetic peptides, molecules having the Fc domain fused to the N terminus of the peptide portion of the molecule are more bioactive than other such fusions, so fusion to the N terminus is preferred.

15        As noted above, Fc variants are suitable vehicles within the scope of this invention. A native Fc may be extensively modified to form an Fc variant in accordance with this invention, provided binding to the salvage receptor is maintained; see, for example WO 97/34631 and WO 96/32478. In such Fc variants, one may remove one or more sites of a native Fc that  
20        provide structural features or functional activity not required by the fusion molecules of this invention. One may remove these sites by, for example, substituting or deleting residues, inserting residues into the site, or truncating portions containing the site. The inserted or substituted residues may also be altered amino acids, such as peptidomimetics or D-  
25        amino acids. Fc variants may be desirable for a number of reasons, several of which are described below. Exemplary Fc variants include molecules and sequences in which:

1. Sites involved in disulfide bond formation are removed. Such removal may avoid reaction with other cysteine-containing proteins present in

- the host cell used to produce the molecules of the invention. For this purpose, the cysteine-containing segment at the N-terminus may be truncated or cysteine residues may be deleted or substituted with other amino acids (e.g., alanyl, seryl). In particular, one may truncate the N-terminal 20-amino acid segment of SEQ ID NO: 2 or delete or substitute the cysteine residues at positions 7 and 10 of SEQ ID NO: 2. Even when cysteine residues are removed, the single chain Fc domains can still form a dimeric Fc domain that is held together non-covalently.
2. A native Fc is modified to make it more compatible with a selected host cell. For example, one may remove the PA sequence near the N-terminus of a typical native Fc, which may be recognized by a digestive enzyme in E. coli such as proline iminopeptidase. One may also add an N-terminal methionine residue, especially when the molecule is expressed recombinantly in a bacterial cell such as E. coli. The Fc domain of SEQ ID NO: 2 (Figure 4) is one such Fc variant.
  3. A portion of the N-terminus of a native Fc is removed to prevent N-terminal heterogeneity when expressed in a selected host cell. For this purpose, one may delete any of the first 20 amino acid residues at the N-terminus, particularly those at positions 1, 2, 3, 4 and 5.
  4. One or more glycosylation sites are removed. Residues that are typically glycosylated (e.g., asparagine) may confer cytolytic response. Such residues may be deleted or substituted with unglycosylated residues (e.g., alanine).
  5. Sites involved in interaction with complement, such as the C1q binding site, are removed. For example, one may delete or substitute the EKK sequence of human IgG1. Complement recruitment may not be advantageous for the molecules of this invention and so may be avoided with such an Fc variant.

6. Sites are removed that affect binding to Fc receptors other than a salvage receptor. A native Fc may have sites for interaction with certain white blood cells that are not required for the fusion molecules of the present invention and so may be removed.
- 5 7. The ADCC site is removed. ADCC sites are known in the art; see, for example, Molec. Immunol. 29 (5): 633-9 (1992) with regard to ADCC sites in IgG1. These sites, as well, are not required for the fusion molecules of the present invention and so may be removed.
- 10 8. When the native Fc is derived from a non-human antibody, the native Fc may be humanized. Typically, to humanize a native Fc, one will substitute selected residues in the non-human native Fc with residues that are normally found in human native Fc. Techniques for antibody humanization are well known in the art.

Preferred Fc variants include the following. In SEQ ID NO: 2  
15 (Figure 4) the leucine at position 15 may be substituted with glutamate; the glutamate at position 99, with alanine; and the lysines at positions 101 and 103, with alanines. In addition, one or more tyrosine residues can be replaced by phenylalanine residues.

An alternative vehicle would be a protein, polypeptide, peptide,  
20 antibody, antibody fragment, , or small molecule (e.g., a peptidomimetic compound) capable of binding to a salvage receptor. For example, one could use as a vehicle a polypeptide as described in U.S. Pat. No. 5,739,277, issued April 14, 1998 to Presta et al. Peptides could also be selected by phage display for binding to the FcRn salvage receptor. Such salvage  
25 receptor-binding compounds are also included within the meaning of "vehicle" and are within the scope of this invention. Such vehicles should be selected for increased half-life (e.g., by avoiding sequences recognized by proteases) and decreased immunogenicity (e.g., by favoring non-immunogenic sequences, as discovered in antibody humanization).

As noted above, polymer vehicles may also be used for F<sup>1</sup> and F<sup>2</sup>.

Various means for attaching chemical moieties useful as vehicles are currently available, see, e.g., Patent Cooperation Treaty ("PCT")

International Publication No. WO 96/11953, entitled "N-Terminally

- 5 Chemically Modified Protein Compositions and Methods," herein incorporated by reference in its entirety. This PCT publication discloses, among other things, the selective attachment of water soluble polymers to the N-terminus of proteins.

- 10 A preferred polymer vehicle is polyethylene glycol (PEG). The PEG group may be of any convenient molecular weight and may be linear or branched. The average molecular weight of the PEG will preferably range from about 2 kiloDalton ("kD") to about 100 kDa, more preferably from about 5 kDa to about 50 kDa, most preferably from about 5 kDa to about 10 kDa. The PEG groups will generally be attached to the compounds of
- 15 the invention via acylation or reductive alkylation through a reactive group on the PEG moiety (e.g., an aldehyde, amino, thiol, or ester group) to a reactive group on the inventive compound (e.g., an aldehyde, amino, or ester group).

- 20 A useful strategy for the PEGylation of synthetic peptides consists of combining, through forming a conjugate linkage in solution, a peptide and a PEG moiety, each bearing a special functionality that is mutually reactive toward the other. The peptides can be easily prepared with conventional solid phase synthesis (see, for example, Figures 5 and 6 and the accompanying text herein). The peptides are "preactivated" with an
- 25 appropriate functional group at a specific site. The precursors are purified and fully characterized prior to reacting with the PEG moiety. Ligation of the peptide with PEG usually takes place in aqueous phase and can be easily monitored by reverse phase analytical HPLC. The PEGylated peptides can be easily purified by preparative HPLC and characterized by

analytical HPLC, amino acid analysis and laser desorption mass spectrometry.

Polysaccharide polymers are another type of water soluble polymer which may be used for protein modification. Dextrans are polysaccharide polymers comprised of individual subunits of glucose predominantly linked by  $\alpha$ 1-6 linkages. The dextran itself is available in many molecular weight ranges, and is readily available in molecular weights from about 1 kD to about 70 kD. Dextran is a suitable water soluble polymer for use in the present invention as a vehicle by itself or in combination with another vehicle (e.g., Fc). See, for example, WO 96/11953 and WO 96/05309. The use of dextran conjugated to therapeutic or diagnostic immunoglobulins has been reported; see, for example, European Patent Publication No. 0 315 456, which is hereby incorporated by reference. Dextran of about 1 kD to about 20 kD is preferred when dextran is used as a vehicle in accordance with the present invention.

Linkers. Any "linker" group is optional. When present, its chemical structure is not critical, since it serves primarily as a spacer. The linker is preferably made up of amino acids linked together by peptide bonds. Thus, in preferred embodiments, the linker is made up of from 1 to 20 amino acids linked by peptide bonds, wherein the amino acids are selected from the 20 naturally occurring amino acids. Some of these amino acids may be glycosylated, as is well understood by those in the art. In a more preferred embodiment, the 1 to 20 amino acids are selected from glycine, alanine, proline, asparagine, glutamine, and lysine. Even more preferably, a linker is made up of a majority of amino acids that are sterically unhindered, such as glycine and alanine. Thus, preferred linkers are polyglycines (particularly (Gly)<sub>4</sub>, (Gly)<sub>5</sub>), poly(Gly-Ala), and polyalanines. Other specific examples of linkers are:

(Gly)<sub>3</sub>Lys(Gly)<sub>4</sub> (SEQ ID NO: 333);

(Gly)<sub>3</sub>AsnGlySer(Gly)<sub>2</sub> (SEQ ID NO: 334);


(Gly)<sub>3</sub>Cys(Gly)<sub>4</sub> (SEQ ID NO: 335); and

GlyProAsnGlyGly (SEQ ID NO: 336).

To explain the above nomenclature, for example, (Gly)<sub>3</sub>Lys(Gly)<sub>4</sub> means  
 5 Gly-Gly-Gly-Lys-Gly-Gly-Gly-Gly. Combinations of Gly and Ala are also preferred. The linkers shown here are exemplary; linkers within the scope of this invention may be much longer and may include other residues.

Non-peptide linkers are also possible. For example, alkyl linkers such as -NH-(CH<sub>2</sub>)<sub>s</sub>-C(O)-, wherein s = 2-20 could be used. These alkyl  
 10 linkers may further be substituted by any non-sterically hindering group such as lower alkyl (e.g., C<sub>1</sub>-C<sub>6</sub>) lower acyl, halogen (e.g., Cl, Br), CN, NH<sub>2</sub>, phenyl, etc. An exemplary non-peptide linker is a PEG linker,

VI



15

wherein n is such that the linker has a molecular weight of 100 to 5000 kD, preferably 100 to 500 kD. The peptide linkers may be altered to form derivatives in the same manner as described above.

Derivatives. The inventors also contemplate derivatizing the  
 20 peptide and/or vehicle portion of the compounds. Such derivatives may improve the solubility, absorption, biological half life, and the like of the compounds. The moieties may alternatively eliminate or attenuate any undesirable side-effect of the compounds and the like. Exemplary derivatives include compounds in which:

- 25 1. The compound or some portion thereof is cyclic. For example, the peptide portion may be modified to contain two or more Cys residues (e.g., in the linker), which could cyclize by disulfide bond formation.





having any of SEQ ID NOS: 504 to 508 at the C-terminus. Likewise, one may use methods described in the art to add  $\text{-NH}_2$  to compounds of this invention having any of SEQ ID NOS: 924 to 955, 963 to 972, 1005 to 1013, or 1018 to 1023 at the C-terminus. Exemplary C-terminal derivative groups include, for example,  $\text{-C(O)R}^2$  wherein  $\text{R}^2$  is lower alkoxy or  $\text{-NR}^3\text{R}^4$  wherein  $\text{R}^3$  and  $\text{R}^4$  are independently hydrogen or  $\text{C}_1\text{-C}_8$  alkyl (preferably  $\text{C}_1\text{-C}_4$  alkyl).

7. A disulfide bond is replaced with another, preferably more stable, cross-linking moiety (e.g., an alkylene). See, e.g., Bhatnagar et al. (1996), J. Med. Chem. 39: 3814-9; Alberts et al. (1993) Thirteenth Am. Pep. Symp., 357-9.

8. One or more individual amino acid residues is modified. Various derivatizing agents are known to react specifically with selected sidechains or terminal residues, as described in detail below.

Lysinyl residues and amino terminal residues may be reacted with succinic or other carboxylic acid anhydrides, which reverse the charge of the lysinyl residues. Other suitable reagents for derivatizing alpha-amino-containing residues include imidoesters such as methyl picolinimide; pyridoxal phosphate; pyridoxal; chloroborohydride; trinitrobenzenesulfonic acid; O-methylisourea; 2,4 pentanedione; and transaminase-catalyzed reaction with glyoxylate.

Arginyl residues may be modified by reaction with any one or combination of several conventional reagents, including phenylglyoxal, 2,3-butanedione, 1,2-cyclohexanedione, and ninhydrin. Derivatization of arginyl residues requires that the reaction be performed in alkaline conditions because of the high pKa of the guanidine functional group. Furthermore, these reagents may react with the groups of lysine as well as the arginine epsilon-amino group.

Specific modification of tyrosyl residues has been studied extensively, with particular interest in introducing spectral labels into tyrosyl residues by reaction with aromatic diazonium compounds or tetranitromethane. Most commonly, N-acetylimidazole and tetranitromethane are used to form O-acetyl  
5 tyrosyl species and 3-nitro derivatives, respectively.

Carboxyl sidechain groups (aspartyl or glutamyl) may be selectively modified by reaction with carbodiimides ( $R'-N=C=N-R'$ ) such as 1-cyclohexyl-3-(2-morpholinyl-(4-ethyl) carbodiimide or 1-ethyl-3-(4-azonia-4,4-dimethylpentyl) carbodiimide. Furthermore, aspartyl and glutamyl residues  
10 may be converted to asparaginyl and glutaminyl residues by reaction with ammonium ions.

Glutaminyl and asparaginyl residues may be deamidated to the corresponding glutamyl and aspartyl residues. Alternatively, these residues are deamidated under mildly acidic conditions. Either form of these residues  
15 falls within the scope of this invention.

Cysteinyl residues can be replaced by amino acid residues or other moieties either to eliminate disulfide bonding or, conversely, to stabilize cross-linking. See, e.g., Bhatnagar *et al.* (1996), *J. Med. Chem.* 39: 3814-9.

Derivatization with bifunctional agents is useful for cross-linking the  
20 peptides or their functional derivatives to a water-insoluble support matrix or to other macromolecular vehicles. Commonly used cross-linking agents include, e.g., 1,1-bis(diazoacetyl)-2-phenylethane, glutaraldehyde, N-hydroxysuccinimide esters, for example, esters with 4-azidosalicylic acid, homobifunctional imidoesters, including disuccinimidyl esters such as 3,3'-  
25 dithiobis(succinimidylpropionate), and bifunctional maleimides such as bis-N-maleimido-1,8-octane. Derivatizing agents such as methyl-3-[(p-azidophenyl)dithio]propioimide yield photoactivatable intermediates that are capable of forming crosslinks in the presence of light. Alternatively, reactive water-insoluble matrices such as cyanogen bromide-activated carbohydrates

and the reactive substrates described in U.S. Pat. Nos. 3,969,287; 3,691,016; 4,195,128; 4,247,642; 4,229,537; and 4,330,440 are employed for protein immobilization.

Carbohydrate (oligosaccharide) groups may conveniently be  
5 attached to sites that are known to be glycosylation sites in proteins. Generally, O-linked oligosaccharides are attached to serine (Ser) or threonine (Thr) residues while N-linked oligosaccharides are attached to asparagine (Asn) residues when they are part of the sequence Asn-X-Ser/Thr, where X can be any amino acid except proline. X is preferably  
10 one of the 19 naturally occurring amino acids other than proline. The structures of N-linked and O-linked oligosaccharides and the sugar residues found in each type are different. One type of sugar that is commonly found on both is N-acetylneuraminic acid (referred to as sialic acid). Sialic acid is usually the terminal residue of both N-linked and O-  
15 linked oligosaccharides and, by virtue of its negative charge, may confer acidic properties to the glycosylated compound. Such site(s) may be incorporated in the linker of the compounds of this invention and are preferably glycosylated by a cell during recombinant production of the polypeptide compounds (e.g., in mammalian cells such as CHO, BHK,  
20 COS). However, such sites may further be glycosylated by synthetic or semi-synthetic procedures known in the art.

Other possible modifications include hydroxylation of proline and lysine, phosphorylation of hydroxyl groups of seryl or threonyl residues, oxidation of the sulfur atom in Cys, methylation of the alpha-amino  
25 groups of lysine, arginine, and histidine side chains. Creighton, Proteins: Structure and Molecule Properties (W. H. Freeman & Co., San Francisco), pp. 79-86 (1983).

Compounds of the present invention may be changed at the DNA level, as well. The DNA sequence of any portion of the compound may be

changed to codons more compatible with the chosen host cell. For E. coli, which is the preferred host cell, optimized codons are known in the art. Codons may be substituted to eliminate restriction sites or to include silent restriction sites, which may aid in processing of the DNA in the selected  
5 host cell. The vehicle, linker and peptide DNA sequences may be modified to include any of the foregoing sequence changes.

### Methods of Making

The compounds of this invention largely may be made in transformed host cells using recombinant DNA techniques. To do so, a  
10 recombinant DNA molecule coding for the peptide is prepared. Methods of preparing such DNA molecules are well known in the art. For instance, sequences coding for the peptides could be excised from DNA using suitable restriction enzymes. Alternatively, the DNA molecule could be synthesized using chemical synthesis techniques, such as the  
15 phosphoramidate method. Also, a combination of these techniques could be used.

The invention also includes a vector capable of expressing the peptides in an appropriate host. The vector comprises the DNA molecule that codes for the peptides operatively linked to appropriate expression  
20 control sequences. Methods of effecting this operative linking, either before or after the DNA molecule is inserted into the vector, are well known. Expression control sequences include promoters, activators, enhancers, operators, ribosomal binding sites, start signals, stop signals, cap signals, polyadenylation signals, and other signals involved with the  
25 control of transcription or translation.

The resulting vector having the DNA molecule thereon is used to transform an appropriate host. This transformation may be performed using methods well known in the art.

Any of a large number of available and well-known host cells may be used in the practice of this invention. The selection of a particular host is dependent upon a number of factors recognized by the art. These include, for example, compatibility with the chosen expression vector,  
5 toxicity of the peptides encoded by the DNA molecule, rate of transformation, ease of recovery of the peptides, expression characteristics, bio-safety and costs. A balance of these factors must be struck with the understanding that not all hosts may be equally effective for the expression of a particular DNA sequence. Within these general guidelines,  
10 useful microbial hosts include bacteria (such as E. coli sp.), yeast (such as Saccharomyces sp.) and other fungi, insects, plants, mammalian (including human) cells in culture, or other hosts known in the art.

Next, the transformed host is cultured and purified. Host cells may be cultured under conventional fermentation conditions so that the  
15 desired compounds are expressed. Such fermentation conditions are well known in the art. Finally, the peptides are purified from culture by methods well known in the art.

The compounds may also be made by synthetic methods. For example, solid phase synthesis techniques may be used. Suitable  
20 techniques are well known in the art, and include those described in Merrifield (1973), Chem. Polypeptides, pp. 335-61 (Katsoyannis and Panayotis eds.); Merrifield (1963), J. Am. Chem. Soc. 85: 2149; Davis et al. (1985), Biochem. Intl. 10: 394-414; Stewart and Young (1969), Solid Phase Peptide Synthesis; U.S. Pat. No. 3,941,763; Finn et al. (1976), The Proteins  
25 (3rd ed.) 2: 105-253; and Erickson et al. (1976), The Proteins (3rd ed.) 2: 257-527. Solid phase synthesis is the preferred technique of making individual peptides since it is the most cost-effective method of making small peptides.

Compounds that contain derivatized peptides or which contain non-peptide groups may be synthesized by well-known organic chemistry techniques.

### Uses of the Compounds

In general. The compounds of this invention have pharmacologic activity resulting from their ability to bind to proteins of interest as agonists, mimetics or antagonists of the native ligands of such proteins of interest. The utility of specific compounds is shown in Table 2. The activity of these compounds can be measured by assays known in the art. For the TPO-mimetic and EPO-mimetic compounds, in vivo assays are further described in the Examples section herein.

In addition to therapeutic uses, the compounds of the present invention are useful in diagnosing diseases characterized by dysfunction of their associated protein of interest. In one embodiment, a method of detecting in a biological sample a protein of interest (e.g., a receptor) that is capable of being activated comprising the steps of: (a) contacting the sample with a compound of this invention; and (b) detecting activation of the protein of interest by the compound. The biological samples include tissue specimens, intact cells, or extracts thereof. The compounds of this invention may be used as part of a diagnostic kit to detect the presence of their associated proteins of interest in a biological sample. Such kits employ the compounds of the invention having an attached label to allow for detection. The compounds are useful for identifying normal or abnormal proteins of interest. For the EPO-mimetic compounds, for example, presence of abnormal protein of interest in a biological sample may be indicative of such disorders as Diamond Blackfan anemia, where it is believed that the EPO receptor is dysfunctional.

Therapeutic uses of EPO-mimetic compounds. The EPO-mimetic compounds of the invention are useful for treating disorders characterized by low red blood cell levels. Included in the invention are methods of modulating the endogenous activity of an EPO receptor in a mammal, preferably methods of increasing the activity of an EPO receptor. In



general, any condition treatable by erythropoietin, such as anemia, may also be treated by the EPO-mimetic compounds of the invention. These compounds are administered by an amount and route of delivery that is appropriate for the nature and severity of the condition being treated and  
5 may be ascertained by one skilled in the art. Preferably, administration is by injection, either subcutaneous, intramuscular, or intravenous.

Therapeutic uses of TPO-mimetic compounds. For the TPO-mimetic compounds, one can utilize such standard assays as those described in WO95/26746 entitled "Compositions and Methods for  
10 Stimulating Megakaryocyte Growth and Differentiation". In vivo assays also appear in the Examples hereinafter.

The conditions to be treated are generally those that involve an existing megakaryocyte/platelet deficiency or an expected megakaryocyte/platelet deficiency (e.g., because of planned surgery or  
15 platelet donation). Such conditions will usually be the result of a deficiency (temporary or permanent) of active Mpl ligand in vivo. The generic term for platelet deficiency is thrombocytopenia, and hence the methods and compositions of the present invention are generally available for treating thrombocytopenia in patients in need thereof.

20 Thrombocytopenia (platelet deficiencies) may be present for various reasons, including chemotherapy and other therapy with a variety of drugs, radiation therapy, surgery, accidental blood loss, and other specific disease conditions. Exemplary specific disease conditions that involve thrombocytopenia and may be treated in accordance with this  
25 invention are: aplastic anemia, idiopathic thrombocytopenia, metastatic tumors which result in thrombocytopenia, systemic lupus erythematosus, splenomegaly, Fanconi's syndrome, vitamin B12 deficiency, folic acid deficiency, May-Hegglin anomaly, Wiskott-Aldrich syndrome, and paroxysmal nocturnal hemoglobinuria. Also, certain treatments for AIDS

result in thrombocytopenia (e.g., AZT). Certain wound healing disorders might also benefit from an increase in platelet numbers.

With regard to anticipated platelet deficiencies, e.g., due to future surgery, a compound of the present invention could be administered  
5 several days to several hours prior to the need for platelets. With regard to acute situations, e.g., accidental and massive blood loss, a compound of this invention could be administered along with blood or purified platelets.

The TPO-mimetic compounds of this invention may also be useful in  
10 stimulating certain cell types other than megakaryocytes if such cells are found to express Mpl receptor. Conditions associated with such cells that express the Mpl receptor, which are responsive to stimulation by the Mpl ligand, are also within the scope of this invention.

The TPO-mimetic compounds of this invention may be used in any  
15 situation in which production of platelets or platelet precursor cells is desired, or in which stimulation of the c-Mpl receptor is desired. Thus, for example, the compounds of this invention may be used to treat any condition in a mammal wherein there is a need of platelets, megakaryocytes, and the like. Such conditions are described in detail in the following exemplary sources:  
20 WO95/26746; WO95/21919; WO95/18858; WO95/21920 and are incorporated herein.

The TPO-mimetic compounds of this invention may also be useful in maintaining the viability or storage life of platelets and/or megakaryocytes and related cells. Accordingly, it could be useful to include an effective amount of  
25 one or more such compounds in a composition containing such cells.

The therapeutic methods, compositions and compounds of the present invention may also be employed, alone or in combination with other cytokines, soluble Mpl receptor, hematopoietic factors, interleukins, growth factors or antibodies in the treatment of disease states

characterized by other symptoms as well as platelet deficiencies. It is anticipated that the inventive compound will prove useful in treating some forms of thrombocytopenia in combination with general stimulators of hematopoiesis, such as IL-3 or GM-CSF. Other megakaryocytic stimulatory factors, i.e., meg-CSF, stem cell factor (SCF), leukemia inhibitory factor (LIF), oncostatin M (OSM), or other molecules with megakaryocyte stimulating activity may also be employed with Mpl ligand. Additional exemplary cytokines or hematopoietic factors for such co-administration include IL-1 alpha, IL-1 beta, IL-2, IL-3, IL-4, IL-5, IL-6, IL-11, colony stimulating factor-1 (CSF-1), SCF, GM-CSF, granulocyte colony stimulating factor (G-CSF), EPO, interferon-alpha (IFN-alpha), consensus interferon, IFN-beta, or IFN-gamma. It may further be useful to administer, either simultaneously or sequentially, an effective amount of a soluble mammalian Mpl receptor, which appears to have an effect of causing megakaryocytes to fragment into platelets once the megakaryocytes have reached mature form. Thus, administration of an inventive compound (to enhance the number of mature megakaryocytes) followed by administration of the soluble Mpl receptor (to inactivate the ligand and allow the mature megakaryocytes to produce platelets) is expected to be a particularly effective means of stimulating platelet production. The dosage recited above would be adjusted to compensate for such additional components in the therapeutic composition. Progress of the treated patient can be monitored by conventional methods.

In cases where the inventive compounds are added to compositions of platelets and/or megakaryocytes and related cells, the amount to be included will generally be ascertained experimentally by techniques and assays known in the art. An exemplary range of amounts is 0.1  $\mu$ g—1 mg inventive compound per  $10^6$  cells.

### Pharmaceutical Compositions

In General. The present invention also provides methods of using pharmaceutical compositions of the inventive compounds. Such pharmaceutical compositions may be for administration for injection, or for oral, pulmonary, nasal, transdermal or other forms of administration. In general, the invention encompasses pharmaceutical compositions comprising effective amounts of a compound of the invention together with pharmaceutically acceptable diluents, preservatives, solubilizers, emulsifiers, adjuvants and/or carriers. Such compositions include diluents of various buffer content (*e.g.*, Tris-HCl, acetate, phosphate), pH and ionic strength; additives such as detergents and solubilizing agents (*e.g.*, Tween 80, Polysorbate 80), anti-oxidants (*e.g.*, ascorbic acid, sodium metabisulfite), preservatives (*e.g.*, Thimersol, benzyl alcohol) and bulking substances (*e.g.*, lactose, mannitol); incorporation of the material into particulate preparations of polymeric compounds such as polylactic acid, polyglycolic acid, etc. or into liposomes. Hyaluronic acid may also be used, and this may have the effect of promoting sustained duration in the circulation. Such compositions may influence the physical state, stability, rate of in vivo release, and rate of in vivo clearance of the present proteins and derivatives. See, *e.g.*, Remington's Pharmaceutical Sciences, 18th Ed. (1990, Mack Publishing Co., Easton, PA 18042) pages 1435-1712 which are herein incorporated by reference. The compositions may be prepared in liquid form, or may be in dried powder, such as lyophilized form. Implantable sustained release formulations are also contemplated, as are transdermal formulations.

Oral dosage forms. Contemplated for use herein are oral solid dosage forms, which are described generally in Chapter 89 of Remington's Pharmaceutical Sciences (1990), 18th Ed., Mack Publishing Co. Easton PA 18042, which is herein incorporated by reference. Solid dosage forms include tablets, capsules, pills, troches or lozenges, cachets or pellets. Also,

liposomal or proteinoid encapsulation may be used to formulate the present compositions (as, for example, proteinoid microspheres reported in U.S. Patent No. 4,925,673). Liposomal encapsulation may be used and the liposomes may be derivatized with various polymers (e.g., U.S. Patent  
5 No. 5,013,556). A description of possible solid dosage forms for the therapeutic is given in Chapter 10 of Marshall, K., Modern Pharmaceutics (1979), edited by G. S. Banker and C. T. Rhodes, herein incorporated by reference. In general, the formulation will include the inventive compound, and inert ingredients which allow for protection against the  
10 stomach environment, and release of the biologically active material in the intestine.

Also specifically contemplated are oral dosage forms of the above inventive compounds. If necessary, the compounds may be chemically modified so that oral delivery is efficacious. Generally, the chemical  
15 modification contemplated is the attachment of at least one moiety to the compound molecule itself, where said moiety permits (a) inhibition of proteolysis; and (b) uptake into the blood stream from the stomach or intestine. Also desired is the increase in overall stability of the compound and increase in circulation time in the body. Moieties useful as covalently  
20 attached vehicles in this invention may also be used for this purpose. Examples of such moieties include: PEG, copolymers of ethylene glycol and propylene glycol, carboxymethyl cellulose, dextran, polyvinyl alcohol, polyvinyl pyrrolidone and polyproline. See, for example, Abuchowski and Davis, Soluble Polymer-Enzyme Adducts, Enzymes as Drugs (1981),  
25 Hocenberg and Roberts, eds., Wiley-Interscience, New York, NY, , pp 367-83; Newmark, et al. (1982), J. Appl. Biochem. 4:185-9. Other polymers that could be used are poly-1,3-dioxolane and poly-1,3,6-tioxocane. Preferred for pharmaceutical usage, as indicated above, are PEG moieties.

For oral delivery dosage forms, it is also possible to use a salt of a modified aliphatic amino acid, such as sodium N-(8-[2-hydroxybenzoyl] amino) caprylate (SNAC), as a carrier to enhance absorption of the therapeutic compounds of this invention. The clinical efficacy of a heparin  
5 formulation using SNAC has been demonstrated in a Phase II trial conducted by Emisphere Technologies. See US Patent No. 5,792,451, "Oral drug delivery composition and methods".

The compounds of this invention can be included in the formulation as fine multiparticulates in the form of granules or pellets of  
10 particle size about 1 mm. The formulation of the material for capsule administration could also be as a powder, lightly compressed plugs or even as tablets. The therapeutic could be prepared by compression.

Colorants and flavoring agents may all be included. For example, the protein (or derivative) may be formulated (such as by liposome or  
15 microsphere encapsulation) and then further contained within an edible product, such as a refrigerated beverage containing colorants and flavoring agents.

One may dilute or increase the volume of the compound of the invention with an inert material. These diluents could include  
20 carbohydrates, especially mannitol,  $\alpha$ -lactose, anhydrous lactose, cellulose, sucrose, modified dextrans and starch. Certain inorganic salts may also be used as fillers including calcium triphosphate, magnesium carbonate and sodium chloride. Some commercially available diluents are Fast-Flo, Emdex, STA-Rx 1500, Emcompress and Avicell.

25 Disintegrants may be included in the formulation of the therapeutic into a solid dosage form. Materials used as disintegrants include but are not limited to starch including the commercial disintegrant based on starch, Explotab. Sodium starch glycolate, Amberlite, sodium carboxymethylcellulose, ultramylopectin, sodium alginate, gelatin, orange

peel, acid carboxymethyl cellulose, natural sponge and bentonite may all be used. Another form of the disintegrants are the insoluble cationic exchange resins. Powdered gums may be used as disintegrants and as binders and these can include powdered gums such as agar, Karaya or tragacanth. Alginic acid and its sodium salt are also useful as disintegrants.

Binders may be used to hold the therapeutic agent together to form a hard tablet and include materials from natural products such as acacia, tragacanth, starch and gelatin. Others include methyl cellulose (MC), ethyl cellulose (EC) and carboxymethyl cellulose (CMC). Polyvinyl pyrrolidone (PVP) and hydroxypropylmethyl cellulose (HPMC) could both be used in alcoholic solutions to granulate the therapeutic.

An antifrictional agent may be included in the formulation of the therapeutic to prevent sticking during the formulation process. Lubricants may be used as a layer between the therapeutic and the die wall, and these can include but are not limited to; stearic acid including its magnesium and calcium salts, polytetrafluoroethylene (PTFE), liquid paraffin, vegetable oils and waxes. Soluble lubricants may also be used such as sodium lauryl sulfate, magnesium lauryl sulfate, polyethylene glycol of various molecular weights, Carbowax 4000 and 6000.

Glidants that might improve the flow properties of the drug during formulation and to aid rearrangement during compression might be added. The glidants may include starch, talc, pyrogenic silica and hydrated silicoaluminate.

To aid dissolution of the compound of this invention into the aqueous environment a surfactant might be added as a wetting agent. Surfactants may include anionic detergents such as sodium lauryl sulfate, dioctyl sodium sulfosuccinate and dioctyl sodium sulfonate. Cationic detergents might be used and could include benzalkonium chloride or

benzethonium chloride. The list of potential nonionic detergents that could be included in the formulation as surfactants are lauromacrogol 400, polyoxyl 40 stearate, polyoxyethylene hydrogenated castor oil 10, 50 and 60, glycerol monostearate, polysorbate 40, 60, 65 and 80, sucrose fatty acid ester, methyl cellulose and carboxymethyl cellulose. These surfactants could be present in the formulation of the protein or derivative either alone or as a mixture in different ratios.

Additives may also be included in the formulation to enhance uptake of the compound. Additives potentially having this property are for instance the fatty acids oleic acid, linoleic acid and linolenic acid.

Controlled release formulation may be desirable. The compound of this invention could be incorporated into an inert matrix which permits release by either diffusion or leaching mechanisms e.g., gums. Slowly degenerating matrices may also be incorporated into the formulation, e.g., alginates, polysaccharides. Another form of a controlled release of the compounds of this invention is by a method based on the Oros therapeutic system (Alza Corp.), i.e., the drug is enclosed in a semipermeable membrane which allows water to enter and push drug out through a single small opening due to osmotic effects. Some enteric coatings also have a delayed release effect.

Other coatings may be used for the formulation. These include a variety of sugars which could be applied in a coating pan. The therapeutic agent could also be given in a film coated tablet and the materials used in this instance are divided into 2 groups. The first are the nonenteric materials and include methyl cellulose, ethyl cellulose, hydroxyethyl cellulose, methylhydroxy-ethyl cellulose, hydroxypropyl cellulose, hydroxypropyl-methyl cellulose, sodium carboxy-methyl cellulose, providone and the polyethylene glycols. The second group consists of the enteric materials that are commonly esters of phthalic acid.



A mix of materials might be used to provide the optimum film coating. Film coating may be carried out in a pan coater or in a fluidized bed or by compression coating.

Pulmonary delivery forms. Also contemplated herein is pulmonary  
5 delivery of the present protein (or derivatives thereof). The protein (or  
derivative) is delivered to the lungs of a mammal while inhaling and  
traverses across the lung epithelial lining to the blood stream. (Other  
reports of this include Adjei *et al.*, Pharma. Res. (1990) 7: 565-9; Adjei *et al.*  
(1990), Internatl. J. Pharmaceutics 63: 135-44 (leuprolide acetate); Braquet  
10 *et al.* (1989), J. Cardiovasc. Pharmacol. 13 (suppl.5): s.143-146 (endothelin-  
1); Hubbard *et al.* (1989), Annals Int. Med. 3: 206-12 ( $\alpha$ 1-antitrypsin); Smith  
*et al.* (1989), J. Clin. Invest. 84: 1145-6 ( $\alpha$ 1-proteinase); Oswein *et al.* (March  
1990), "Aerosolization of Proteins", Proc. Symp. Resp. Drug Delivery II,  
Keystone, Colorado (recombinant human growth hormone); Debs *et al.*  
15 (1988), J. Immunol. 140: 3482-8 (interferon- $\gamma$  and tumor necrosis factor  $\alpha$ )  
and Platz *et al.*, U.S. Patent No. 5,284,656 (granulocyte colony stimulating  
factor).

Contemplated for use in the practice of this invention are a wide  
range of mechanical devices designed for pulmonary delivery of  
20 therapeutic products, including but not limited to nebulizers, metered  
dose inhalers, and powder inhalers, all of which are familiar to those  
skilled in the art. Some specific examples of commercially available  
devices suitable for the practice of this invention are the Ultravent  
nebulizer, manufactured by Mallinckrodt, Inc., St. Louis, Missouri; the  
25 Acorn II nebulizer, manufactured by Marquest Medical Products,  
Englewood, Colorado; the Ventolin metered dose inhaler, manufactured  
by Glaxo Inc., Research Triangle Park, North Carolina; and the Spinhaler  
powder inhaler, manufactured by Fisons Corp., Bedford, Massachusetts.

All such devices require the use of formulations suitable for the dispensing of the inventive compound. Typically, each formulation is specific to the type of device employed and may involve the use of an appropriate propellant material, in addition to diluents, adjuvants

5 and/or carriers useful in therapy.

The inventive compound should most advantageously be prepared in particulate form with an average particle size of less than 10  $\mu\text{m}$  (or microns), most preferably 0.5 to 5  $\mu\text{m}$ , for most effective delivery to the distal lung.

10 Pharmaceutically acceptable carriers include carbohydrates such as trehalose, mannitol, xylitol, sucrose, lactose, and sorbitol. Other ingredients for use in formulations may include DPPC, DOPE, DSPC and DOPC. Natural or synthetic surfactants may be used. PEG may be used (even apart from its use in derivatizing the protein or analog). Dextran,  
15 such as cyclodextran, may be used. Bile salts and other related enhancers may be used. Cellulose and cellulose derivatives may be used. Amino acids may be used, such as use in a buffer formulation.

Also, the use of liposomes, microcapsules or microspheres, inclusion complexes, or other types of carriers is contemplated.

20 Formulations suitable for use with a nebulizer, either jet or ultrasonic, will typically comprise the inventive compound dissolved in water at a concentration of about 0.1 to 25 mg of biologically active protein per mL of solution. The formulation may also include a buffer and a simple sugar (e.g., for protein stabilization and regulation of osmotic  
25 pressure). The nebulizer formulation may also contain a surfactant, to reduce or prevent surface induced aggregation of the protein caused by atomization of the solution in forming the aerosol.

Formulations for use with a metered-dose inhaler device will generally comprise a finely divided powder containing the inventive

compound suspended in a propellant with the aid of a surfactant. The propellant may be any conventional material employed for this purpose, such as a chlorofluorocarbon, a hydrochlorofluorocarbon, a hydrofluorocarbon, or a hydrocarbon, including trichlorofluoromethane, 5 dichlorodifluoromethane, dichlorotetrafluoroethanol, and 1,1,1,2-tetrafluoroethane, or combinations thereof. Suitable surfactants include sorbitan trioleate and soya lecithin. Oleic acid may also be useful as a surfactant.

Formulations for dispensing from a powder inhaler device will 10 comprise a finely divided dry powder containing the inventive compound and may also include a bulking agent, such as lactose, sorbitol, sucrose, mannitol, trehalose, or xylitol in amounts which facilitate dispersal of the powder from the device, e.g., 50 to 90% by weight of the formulation.

Nasal delivery forms. Nasal delivery of the inventive compound is 15 also contemplated. Nasal delivery allows the passage of the protein to the blood stream directly after administering the therapeutic product to the nose, without the necessity for deposition of the product in the lung. Formulations for nasal delivery include those with dextran or cyclodextran. Delivery via transport across other mucous membranes is 20 also contemplated.

Dosages. The dosage regimen involved in a method for treating the above-described conditions will be determined by the attending physician, considering various factors which modify the action of drugs, e.g. the age, condition, body weight, sex and diet of the patient, the severity of any infection, 25 time of administration and other clinical factors. Generally, the daily regimen should be in the range of 0.1-1000 micrograms of the inventive compound per kilogram of body weight, preferably 0.1-150 micrograms per kilogram.

### Specific preferred embodiments

- The inventors have determined preferred peptide sequences for molecules having many different kinds of activity. The inventors have further determined preferred structures of these preferred peptides
- 5 combined with preferred linkers and vehicles. Preferred structures for these preferred peptides listed in Table 21 below.

**Table 21—Preferred embodiments**

Sequence/structure	SEQ ID NO:	Activity
F <sup>1</sup> -(G) <sub>5</sub> -IEGPTLRQWLAARA-(G) <sub>5</sub> -IEGPTLRQWLAARA	337	TPO-mimetic
IEGPTLRQWLAARA-(G) <sub>5</sub> -IEGPTLRQWLAARA-(G) <sub>5</sub> -F <sup>1</sup>	338	TPO-mimetic
F <sup>1</sup> -(G) <sub>5</sub> -IEGPTLRQWLAARA	1032	TPO-mimetic
IEGPTLRQWLAARA -(G) <sub>5</sub> -F <sup>1</sup>	1033	TPO-mimetic
F <sup>1</sup> -(G) <sub>5</sub> -GGTYSCHFGPLTWVCKPQGG-(G) <sub>4</sub> -GGTYSCHFGPLTWVCKPQGG	339	EPO-mimetic
GGTYSCHFGPLTWVCKPQGG-(G) <sub>4</sub> -GGTYSCHFGPLTWVCKPQGG-(G) <sub>5</sub> -F <sup>1</sup>	340	EPO-mimetic
GGTYSCHFGPLTWVCKPQGG-(G) <sub>5</sub> -F <sup>1</sup>	1034	EPO-mimetic
F <sup>1</sup> -(G) <sub>5</sub> -DFLPHYKNTSLGHRP	1045	TNF- $\alpha$ inhibitor
DFLPHYKNTSLGHRP-(G) <sub>5</sub> -F <sup>1</sup>	1046	TNF- $\alpha$ inhibitor
F <sup>1</sup> -(G) <sub>5</sub> -FEWTPGYWQPYALPL	1047	IL-1 R antagonist
FEWTPGYWQPYALPL-(G) <sub>5</sub> -F <sup>1</sup>	1048	IL-1 R antagonist
F <sup>1</sup> -(G) <sub>5</sub> -VEPNCDIHVMWEWECFERL	1049	VEGF-antagonist
VEPNCDIHVMWEWECFERL-(G) <sub>5</sub> -F <sup>1</sup>	1050	VEGF-antagonist
F <sup>1</sup> -(G) <sub>5</sub> -CTTHWGFTLC	1051	MMP inhibitor
CTTHWGFTLC-(G) <sub>5</sub> -F <sup>1</sup>	1052	MMP inhibitor

"F<sup>1</sup>" is an Fc domain as defined previously herein.

### Working examples

The compounds described above may be prepared as described below. These examples comprise preferred embodiments of the invention and are illustrative rather than limiting.

### Example 1

#### TPO-Mimetics

The following example uses peptides identified by the numbers appearing in Table A hereinafter.

Preparation of peptide 19. Peptide 17b (12 mg) and MeO-PEG-SH 5000 (30 mg, 2 equiv.) were dissolved in 1 ml aqueous buffer (pH 8). The mixture was incubated at RT for about 30 minutes and the reaction was checked by analytical HPLC, which showed a > 80% completion of the reaction. The pegylated material was isolated by preparative HPLC.

Preparation of peptide 20. Peptide 18 (14 mg) and MeO-PEG-maleimide (25 mg) were dissolved in about 1.5 ml aqueous buffer (pH 8). The mixture was incubated at RT for about 30 minutes, at which time about 70% transformation was complete as monitored with analytical HPLC by applying an aliquot of sample to the HPLC column. The pegylated material was purified by preparative HPLC.

Bioactivity assay. The TPO in vitro bioassay is a mitogenic assay utilizing an IL-3 dependent clone of murine 32D cells that have been transfected with human mpl receptor. This assay is described in greater detail in WO 95/26746. Cells are maintained in MEM medium containing 10% Fetal Clone II and 1 ng/ml mIL-3. Prior to sample addition, cells are prepared by rinsing twice with growth medium lacking mIL-3. An extended twelve point TPO standard curve is prepared, ranging from 33 to 39 pg/ml. Four dilutions, estimated to fall within the linear portion of the standard curve, (100 to 125 pg/ml), are prepared for each sample and run in triplicate. A volume of 100  $\mu$ l of each dilution of sample or standard is added to appropriate wells of a 96 well microtiter plate

containing 10,000 cells/well. After forty-four hours at 37 °C and 10% CO<sub>2</sub>, MTS (a tetrazolium compound which is bio-reduced by cells to a formazan) is added to each well. Approximately six hours later, the optical density is read on a plate reader at 490 nm. A dose response curve (log TPO

- 5 concentration vs. O.D.- Background) is generated and linear regression analysis of points which fall in the linear portion of the standard curve is performed. Concentrations of unknown test samples are determined using the resulting linear equation and a correction for the dilution factor.

- TMP tandem repeats with polyglycine linkers. Our design of
- 10 sequentially linked TMP repeats was based on the assumption that a dimeric form of TMP was required for its effective interaction with c-Mpl (the TPO receptor) and that depending on how they were wound up against each other in the receptor context, the two TMP molecules could be tethered together in the C- to N-terminus configuration in a way that
- 15 would not perturb the global dimeric conformation. Clearly, the success of the design of tandem linked repeats depends on proper selection of the length and composition of the linker that joins the C- and N-termini of the two sequentially aligned TMP monomers. Since no structural information of the TMP bound to c-Mpl was available, a series of repeated peptides
- 20 with linkers composed of 0 to 10 and 14 glycine residues (Table A) were synthesized. Glycine was chosen because of its simplicity and flexibility, based on the rationale that a flexible polyglycine peptide chain might allow for the free folding of the two tethered TMP repeats into the required conformation, while other amino acid sequences may adopt
- 25 undesired secondary structures whose rigidity might disrupt the correct packing of the repeated peptide in the receptor context.

The resulting peptides are readily accessible by conventional solid phase peptide synthesis methods (Merrifield (1963), J. Amer. Chem. Soc. 85: 2149) with either Fmoc or t-Boc chemistry. Unlike the synthesis of the

C-terminally linked parallel dimer which required the use of an orthogonally protected lysine residue as the initial branch point to build the two peptide chains in a pseudosymmetrical way (Cwirla *et al.* (1997), *Science* 276: 1696-9), the synthesis of these tandem repeats was a straightforward, stepwise assembly of the continuous peptide chains from the C- to N-terminus. Since dimerization of TMP had a more dramatic effect on the proliferative activity than binding affinity as shown for the C-terminal dimer (Cwirla *et al.* (1997)), the synthetic peptides were tested directly for biological activity in a TPO-dependent cell-proliferation assay using an IL-3 dependent clone of murine 32D cells transfected with the full-length c-Mpl (Palacios *et al.*, Cell 41:727 (1985)). As the test results showed, all the polyglycine linked tandem repeats demonstrated >1000 fold increases in potency as compared to the monomer, and were even more potent than the C-terminal dimer in this cell proliferation assay. The absolute activity of the C-terminal dimer in our assay was lower than that of the native TPO protein, which is different from the previously reported findings in which the C-terminal dimer was found to be as active as the natural ligand (Cwirla *et al.* (1997)). This might be due to differences in the conditions used in the two assays. Nevertheless, the difference in activity between tandem (C terminal of first monomer linked to N terminal of second monomer) and C-terminal (C terminal of first monomer linked to C terminal of second monomer; also referred to as parallel) dimers in the same assay clearly demonstrated the superiority of tandem repeat strategy over parallel peptide dimerization. It is interesting to note that a wide range of length is tolerated by the linker. The optimal linker between tandem peptides with the selected TMP monomers apparently is composed of 8 glycines.

Other tandem repeats. Subsequent to this first series of TMP tandem repeats, several other molecules were designed either with

different linkers or containing modifications within the monomer itself. The first of these molecules, peptide 13, has a linker composed of GPNG, a sequence known to have a high propensity to form a  $\beta$ -turn-type secondary structure. Although still about 100-fold more potent than the monomer, this peptide was found to be >10-fold less active than the equivalent GGGG-linked analog. Thus, introduction of a relatively rigid  $\beta$ -turn at the linker region seemed to have caused a slight distortion of the optimal agonist conformation in this short linker form.

The Trp9 in the TMP sequence is a highly conserved residue among the active peptides isolated from random peptide libraries. There is also a highly conserved Trp in the consensus sequences of EPO mimetic peptides and this Trp residue was found to be involved in the formation of a hydrophobic core between the two EMPs and contributed to hydrophobic interactions with the EPO receptor. Livnah *et al.* (1996), *Science* 273: 464-71). By analogy, the Trp9 residue in TMP might have a similar function in dimerization of the peptide ligand, and as an attempt to modulate and estimate the effects of noncovalent hydrophobic forces exerted by the two indole rings, several analogs were made resulting from mutations at the Trp. So in peptide 14, the Trp residue was replaced in each of the two TMP monomers with a Cys, and an intramolecular disulfide bond was formed between the two cysteines by oxidation which was envisioned to mimic the hydrophobic interactions between the two Trp residues in peptide dimerization. Peptide 15 is the reduced form of peptide 14. In peptide 16, the two Trp residues were replaced by Ala. As the assay data show, all three analogs were inactive. These data further demonstrated that Trp is critical for the activity of the TPO mimetic peptide, not just for dimer formation.

The next two peptides (peptide 17a, and 18) each contain in their 8-amino acid linker a Lys or Cys residue. These two compounds are



precursors to the two PEGylated peptides (peptide 19 and 20) in which the side chain of the Lys or Cys is modified by a PEG moiety. A PEG moiety was introduced at the middle of a relatively long linker, so that the large PEG component (5 kDa) is far enough away from the critical binding sites in the peptide molecule. PEG is a known biocompatible polymer which is increasingly used as a covalent modifier to improve the pharmacokinetic profiles of peptide- and protein-based therapeutics.

A modular, solution-based method was devised for convenient PEGylation of synthetic or recombinant peptides. The method is based on the now well established chemoselective ligation strategy which utilizes the specific reaction between a pair of mutually reactive functionalities. So, for pegylated peptide 19, the lysine side chain was preactivated with a bromoacetyl group to give peptide 17b to accommodate reaction with a thiol-derivatized PEG. To do that, an orthogonal protecting group, Dde, was employed for the protection of the lysine  $\epsilon$ -amine. Once the whole peptide chain was assembled, the N-terminal amine was reprotected with t-Boc. Dde was then removed to allow for the bromoacetylation. This strategy gave a high quality crude peptide which was easily purified using conventional reverse phase HPLC. Ligation of the peptide with the thiol-modified PEG took place in aqueous buffer at pH 8 and the reaction completed within 30 minutes. MALDI-MS analysis of the purified, pegylated material revealed a characteristic, bell-shaped spectrum with an increment of 44 Da between the adjacent peaks. For PEG-peptide 20, a cysteine residue was placed in the linker region and its side chain thiol group would serve as an attachment site for a maleimide-containing PEG. Similar conditions were used for the pegylation of this peptide. As the assay data revealed, these two pegylated peptides had even higher in vitro bioactivity as compared to their unpegylated counterparts.

Peptide 21 has in its 8-amino acid linker a potential glycosylation motif, NGS. Since our exemplary tandem repeats are made up of natural amino acids linked by peptide bonds, expression of such a molecule in an appropriate eukaryotic cell system should produce a glycopeptide with the carbohydrate moiety added on the side chain carboxamide of Asn. Glycosylation is a common post-translational modification process which can have many positive impacts on the biological activity of a given protein by increasing its aqueous solubility and *in vivo* stability. As the assay data show, incorporation of this glycosylation motif into the linker maintained high bioactivity. The synthetic precursor of the potential glycopeptide had in effect an activity comparable to that of the  $-(G)_8$ -linked analog. Once glycosylated, this peptide is expected to have the same order of activity as the pegylated peptides, because of the similar chemophysical properties exhibited by a PEG and a carbohydrate moiety.

The last peptide is a dimer of a tandem repeat. It was prepared by oxidizing peptide 18, which formed an intermolecular disulfide bond between the two cysteine residues located at the linker. This peptide was designed to address the possibility that TMP was active as a tetramer. The assay data showed that this peptide was not more active than an average tandem repeat on an adjusted molar basis, which indirectly supports the idea that the active form of TMP is indeed a dimer, otherwise dimerization of a tandem repeat would have a further impact on the bioactivity.

In order to confirm the *in vitro* data in animals, one pegylated TMP tandem repeat (compound 20 in Table A) was delivered subcutaneously to normal mice via osmotic pumps. Time and dose-dependent increases were seen in platelet numbers for the duration of treatment. Peak platelet levels over 4-fold baseline were seen on day 8. A dose of 10  $\mu\text{g}/\text{kg}/\text{day}$  of the pegylated TMP repeat produced a similar response to rHuMGDF (non-pegylated) at 100  $\mu\text{g}/\text{kg}/\text{day}$  delivered by the same route.

Table A—TPO-mimetic Peptides

Peptide No.	Compound	SEQ ID NO:	Relative Potency
	TPO		++++
	TMP monomer	13	+
	TMP C-C dimer		+++-
TMP-(G) <sub>n</sub> -TMP:			
1	n = 0	341	++++-
2	n = 1	342	++++
3	n = 2	343	++++
4	n = 3	344	++++
5	n = 4	345	++++
6	n = 5	346	++++
7	n = 6	347	++++
8	n = 7	348	++++
9	n = 8	349	++++-
10	n = 9	350	++++
11	n = 10	351	++++
12	n = 14	352	++++
13	TMP-GPNG-TMP	353	+++
14	IEGPTLRQCLAARA-GGGGGGGG-IEGPTLRQCLAARA (cyclic)	354	-
15	IEGPTLRQCLAARA-GGGGGGGG- IEGPTLRQCLAARA (linear)	355	-
16	IEGPTLRQALAARA-GGGGGGGG- IEGPTLRQALAARA	356	-
17a	TMP-GGGKGGGG-TMP	357	++++
17b	TMP-GGGK(BrAc)GGGG-TMP	358	ND
18	TMP-GGGCGGGG-TMP	359	++++
19	TMP-GGGK(PEG)GGGG-TMP	360	+++++
20	TMP-GGGC(PEG)GGGG-TMP	361	+++++
21	TMP-GGGN*GSGG-TMP	362	++++
22	TMP-GGGCGGGG-TMP	363	++++
	TMP-GGGCGGGG-TMP	363	++++

Discussion. It is well accepted that MGDF acts in a way similar to hGH, i.e., one molecule of the protein ligand binds two molecules of the receptor for its activation. Wells et al.(1996), Ann. Rev. Biochem. 65: 609-34. Now, this interaction is mimicked by the action of a much smaller peptide, TMP. However, the present studies suggest that this mimicry requires the concerted action of two TMP molecules, as covalent dimerization of TMP in either a C-C parallel or C-N sequential fashion increased the in vitro biological potency of the original monomer by a factor of greater than  $10^3$ . The relatively low biopotency of the monomer is probably due to inefficient formation of the noncovalent dimer. A preformed covalent repeat has the ability to eliminate the entropy barrier for the formation of a noncovalent dimer which is exclusively driven by weak, noncovalent interactions between two molecules of the small, 14-residue peptide.

It is intriguing that this tandem repeat approach had a similar effect on enhancing bioactivity as the reported C-C dimerization is intriguing. These two strategies brought about two very different molecular configurations. The C-C dimer is a quasi-symmetrical molecule, while the tandem repeats have no such symmetry in their linear structures. Despite this difference in their primary structures, these two types of molecules appeared able to fold effectively into a similar biologically active conformation and cause the dimerization and activation of c-Mpl. These experimental observations provide a number of insights into how the two TMP molecules may interact with one another in binding to c-Mpl. First, the two C-termini of the two bound TMP molecules must be in relatively close proximity with each other, as suggested by data on the C-terminal dimer. Second, the respective N- and C-termini of the two TMP molecules in the receptor complex must also be very closely aligned with each other, such that they can be directly tethered together with a single peptide bond

to realize the near maximum activity-enhancing effect brought about by the tandem repeat strategy. Insertion of one or more (up to 14) glycine residues at the junction did not increase (or decrease) significantly the activity any further. This may be due to the fact that a flexible polyglycine peptide chain is able to loop out easily from the junction without causing any significant changes in the overall conformation. This flexibility seems to provide the freedom of orientation for the TMP peptide chains to fold into the required conformation in interacting with the receptor and validate it as a site of modification. Indirect evidence supporting this came from the study on peptide 13, in which a much more rigid b-turn-forming sequence as the linker apparently forced a deviation of the backbone alignment around the linker which might have resulted in a slight distortion of the optimal conformation, thus resulting in a moderate (10-fold) decrease in activity as compared with the analogous compound with a 4-Gly linker. Third, Trp9 in TMP plays a similar role as Trp13 in EMP, which is involved not only in peptide:peptide interaction for the formation of dimers but also is important for contributing hydrophobic forces in peptide:receptor interaction. Results obtained with the W to C mutant analog, peptide 14, suggest that a covalent disulfide linkage is not sufficient to approximate the hydrophobic interactions provided by the Trp pair and that, being a short linkage, it might bring the two TMP monomers too close, therefore perturbing the overall conformation of the optimal dimeric structure.

An analysis of the possible secondary structure of the TMP peptide can provide further understanding on the interaction between TMP and c-Mpl. This can be facilitated by making reference to the reported structure of the EPO mimetic peptide. Livnah *et al.* (1996), *Science* 273:464-75 The receptor-bound EMP has a b-hairpin structure with a b-turn formed by the highly consensus Gly-Pro-Leu-Thr at the center of its sequence. Instead of

5 GPLT, TMP has a highly selected GPTL sequence which is likely to form a similar turn. However, this turn-like motif is located near the N-terminal part in TMP. Secondary structure prediction using Chau-Fasman method suggests that the C-terminal half of the peptide has a tendency to adopt a helical conformation. Together with the highly conserved Trp at position 9, this C-terminal helix may contribute to the stabilization of the dimeric structure. It is interesting to note that most of our tandem repeats are more potent than the C-terminal parallel dimer. Tandem repeats seem to give the molecule a better fit conformation than does the C-C parallel dimerization. The seemingly asymmetric feature of a tandem repeat might have brought it closer to the natural ligand which, as an asymmetric molecule, uses two different sites to bind two identical receptor molecules.

10 Introduction of a PEG moiety was envisaged to enhance the in vivo activity of the modified peptide by providing it a protection against proteolytic degradation and by slowing down its clearance through renal filtration. It was unexpected that pegylation could further increase the in vitro bioactivity of a tandem repeated TMP peptide in the cell-based proliferation assay.

## 20 Example 2

### Fc-TMP fusions

20 TMPs (and EMPs as described in Example 3) were expressed in either monomeric or dimeric form as either N-terminal or C-terminal fusions to the Fc region of human IgG1. In all cases, the expression construct utilized the luxPR promoter promoter in the plasmid expression vector pAMG21.

25 Fc-TMP. A DNA sequence coding for the Fc region of human IgG1 fused in-frame to a monomer of the TPO-mimetic peptide was constructed using standard PCR technology. Templates for PCR reactions were the pFc-A3 vector and a synthetic TMP gene. The synthetic gene was

constructed from the 3 overlapping oligonucleotides (SEQ ID NOS: 364, 365, and 366, respectively) shown below:

```

1842-97      AAA AAA GGA TCC TCG AGA TTA AGC ACG AGC AGC CAG CCA
              CTG ACG CAG AGT CGG ACC
1842-98      AAA GGT GGA GGT GGT GGT ATC GAA GGT CCG ACT CTG CGT
1842-99      CAG TGG CTG GCT GCT CGT GCT TAA TCT CGA GGA TCC TTT
              TTT

```

These oligonucleotides were annealed to form the duplex encoding an amino acid sequence (SEQ ID NOS: 367 and 368, respectively) shown below:

```

15      1 AAAGGTGGAGGTGGTGGTATCGAAGGTCCGACTCTGCGTCAGTGGCTGGCTGCTCGTGCT
          -----+-----+-----+-----+-----+ 60
a      K G G G G G I E G P T L R Q W L A A R A -
20      61 TAATCTCGAGGATCCTTTTTT
          -----+-----+ 81
a      * ATTAGAGCTCCTAGGAAAAAA

```

This duplex was amplified in a PCR reaction using 1842-98 and 1842-97 as the sense and antisense primers.

The Fc portion of the molecule was generated in a PCR reaction with pFc-A3 using the primers shown below (SEQ ID NOS: 369 and 370):

```

1216-52      AAC ATA AGT ACC TGT AGG ATC G
1830-51      TTCGATACCA CCACCTCCAC CTTTACCCGG AGACAGGGAG AGGCTCTTCTGC

```

The oligonucleotides 1830-51 and 1842-98 contain an overlap of 24 nucleotides, allowing the two genes to be fused together in the correct reading frame by combining the above PCR products in a third reaction using the outside primers, 1216-52 and 1842-97.

The final PCR gene product (the full length fusion gene) was digested with restriction endonucleases XbaI and BamHI, and then ligated into the vector pAMG21 and transformed into competent E. coli strain 2596 cells as described for EMP-Fc herein. Clones were screened for the ability to produce the recombinant protein product and to possess the

gene fusion having the correct nucleotide sequence. A single such clone was selected and designated Amgen strain #3728.

The nucleotide and amino acid sequences (SEQ ID NOS: 5 and 6) of the fusion protein are shown in Figure 7.

5        Fc-TMP-TMP. A DNA sequence coding for the Fc region of human IgG1 fused in-frame to a dimer of the TPO-mimetic peptide was constructed using standard PCR technology. Templates for PCR reactions were the pFc-A3 vector and a synthetic TMP-TMP gene. The synthetic gene was constructed from the 4 overlapping oligonucleotides (SEQ ID NOS: 371 to 374, respectively) shown below:

1830-52        AAA GGT GGA GGT GGT GGT ATC GAA GGT CCG  
                  ACT CTG CGT CAG TGG CTG GCT GCT CGT GCT

15    1830-53        ACC TCC ACC ACC AGC ACG AGC AGC CAG  
                  CCA CTG ACG CAG AGT CGG ACC

1830-54        GGT GGT GGA GGT GGC GGC GGA GGT ATT GAG GGC CCA ACC  
                  CTT CGC CAA TGG CTT GCA GCA CGC GCA

20    1830-55        AAA AAA AGG ATC CTC GAG ATT ATG CGC GTG CTG CAA GCC  
                  ATT GGC GAA GGG TTG GGC CCT CAA TAC CTC CGC CGC C

The 4 oligonucleotides were annealed to form the duplex encoding an amino acid sequence (SEQ ID NOS: 375 and 376, respectively) shown below:

30        1    AAAGGTGGAGGTGGTGGTATCGAAGGTCCGACTCTGCGTCAGTGGCTGGCTGCTCGTGCT  
                  -----+-----+-----+-----+-----+ 60  
                  CCAGGCTGAGACGCAGTCACCGACCGACGAGCACGA  
a        K   G   G   G   G   G   I   E   G   P   T   L   R   Q   W   L   A   A   R   A   -

35        61    GGTGGTGGAGGTGGCGGCGAGGTATTGAGGGCCCAACCCTTCGCCAATGGCTTGCAGCA  
                  -----+-----+-----+-----+-----+ 120  
                  CCACCACCTCCACCGCCGCTCCATACTCCCGGGTTGGGAAGCGGTTACCGAACGTCGT  
a        G   G   G   G   G   G   G   I   E   G   P   T   L   R   Q   W   L   A   A   -  
                  CGCGCA

40        121    -----148  
                  GCGCGTATTAGAGCTCCTAGGAAAAAA  
a        R   A   \* -

This duplex was amplified in a PCR reaction using 1830-52 and 1830-55 as the sense and antisense primers.

The Fc portion of the molecule was generated in a PCR reaction with pFc-A3 using the primers 1216-52 and 1830-51 as described above for



Fc-TMP. The full length fusion gene was obtained from a third PCR reaction using the outside primers 1216-52 and 1830-55.

The final PCR gene product (the full length fusion gene) was digested with restriction endonucleases XbaI and BamHI, and then ligated into the vector pAMG21 and transformed into competent E. coli strain 2596 cells as described in example 1. Clones were screened for the ability to produce the recombinant protein product and to possess the gene fusion having the correct nucleotide sequence. A single such clone was selected and designated Amgen strain #3727.

The nucleotide and amino acid sequences (SEQ ID NOS: 7 and 8) of the fusion protein are shown in Figure 8.

TMP-TMP-Fc. A DNA sequence coding for a tandem repeat of the TPO-mimetic peptide fused in-frame to the Fc region of human IgG1 was constructed using standard PCR technology. Templates for PCR reactions were the EMP-Fc plasmid from strain #3688 (see Example 3) and a synthetic gene encoding the TMP dimer. The synthetic gene for the tandem repeat was constructed from the 7 overlapping oligonucleotides shown below (SEQ ID NOS: 377 to 383, respectively):

20	1885-52	TTT TTT CAT ATG ATC GAA GGT CCG ACT CTG CGT CAG TGG
	1885-53	AGC ACG AGC AGC CAG CCA CTG ACG CAG AGT CGG ACC TTC GAT CAT ATG
25	1885-54	CTG GCT GCT CGT GCT GGT GGA GGC GGT GGG GAC AAA ACT CAC ACA
	1885-55	CTG GCT GCT CGT GCT GGC GGT GGT GGC GGA GGG GGT GGC ATT GAG GGC CCA
30	1885-56	AAG CCA TTG GCG AAG GGT TGG GCC CTC AAT GCC ACC CCC TCC GCC ACC ACC GCC
35	1885-57	ACC CTT CGC CAA TGG CTT GCA GCA CGC GCA GGG GGA GGC GGT GGG GAC AAA ACT
	1885-58	CCC ACC GCC TCC CCC TGC GCG TGC TGC

These oligonucleotides were annealed to form the duplex shown encoding an amino acid sequence shown below (SEQ ID NOS 384 and 385):

```

1  TTTTTCATATGATCGAAGGTCCGACTCTGCGTCAGTGGCTGGCTGCTCGTGCTGGCGGT
   -----+-----+-----+-----+-----+-----+-----+-----+
5  a  GTATACTAGCTTCCAGGCTGAGACGCACTACCGACCGACGACGACGACCGCCA
      M I E G P T L R Q W L A A R A G G -
   -----+-----+-----+-----+-----+-----+-----+-----+
10 a  GGTGGCGGAGGGGGTGGCATTGAGGGCCCAACCCCTTCGCCAATGGCTGGCTGCTCGTGCT
      CCACCGCCTCCCCACCGTAACTCCCGGGTTGGGAAGCGGTTACCGAACGTCGTGCGCGT
      G G G G G G I E G P T L R Q W L A A R A -
   -----+-----+-----+-----+-----+-----+-----+-----+
15 a  GGTGGAGGCGGTGGGGACAAAACCTCTGCGTCTGCTGCTGGTGGAGGCGGTGGGGACAAA
      CCCCCCTCCGCCACCC
      G G G G G G D K T L A A R A G G G G G D K -
   -----+-----+-----+-----+-----+-----+-----+-----+
20 a  ACTCACACA
      181 ----- 189
      T H T -

```

This duplex was amplified in a PCR reaction using 1885-52 and 1885-58 as the sense and antisense primers.

The Fc portion of the molecule was generated in a PCR reaction with DNA from the EMP-Fc fusion strain #3688 (see Example 3) using the primers 1885-54 and 1200-54. The full length fusion gene was obtained from a third PCR reaction using the outside primers 1885-52 and 1200-54.

The final PCR gene product (the full length fusion gene) was digested with restriction endonucleases XbaI and BamHI, and then ligated into the vector pAMG21 and transformed into competent E. coli strain 2596 cells as described for Fc-EMP herein. Clones were screened for the ability to produce the recombinant protein product and to possess the gene fusion having the correct nucleotide sequence. A single such clone was selected and designated Amgen strain #3798.

The nucleotide and amino acid sequences (SEQ ID NOS: 9 and 10) of the fusion protein are shown in Figure 9.

TMP-Fc. A DNA sequence coding for a monomer of the TPO-mimetic peptide fused in-frame to the Fc region of human IgG1 was obtained fortuitously in the ligation in TMP-TMP-Fc, presumably due to the ability of primer 1885-54 to anneal to 1885-53 as well as to 1885-58. A single clone having the correct nucleotide sequence for the TMP-Fc construct was selected and designated Amgen strain #3788.

The nucleotide and amino acid sequences (SEQ ID NOS: 11 and 12) of the fusion protein are shown in Figure 10.

Expression in E. coli. Cultures of each of the pAMG21-Fc-fusion constructs in E. coli GM221 were grown at 37 °C in Luria Broth medium containing 50 mg/ml kanamycin. Induction of gene product expression from the luxPR promoter was achieved following the addition of the synthetic autoinducer N-(3-oxohexanoyl)-DL-homoserine lactone to the culture media to a final concentration of 20 ng/ml. Cultures were incubated at 37 °C for a further 3 hours. After 3 hours, the bacterial cultures were examined by microscopy for the presence of inclusion bodies and were then collected by centrifugation. Refractile inclusion bodies were observed in induced cultures indicating that the Fc-fusions were most likely produced in the insoluble fraction in E. coli. Cell pellets were lysed directly by resuspension in Laemmli sample buffer containing 10% b-mercaptoethanol and were analyzed by SDS-PAGE. In each case, an intense coomassie-stained band of the appropriate molecular weight was observed on an SDS-PAGE gel.

pAMG21. The expression plasmid pAMG21 can be derived from the Amgen expression vector pCFM1656 (ATCC #69576) which in turn be derived from the Amgen expression vector system described in US Patent No. 4,710,473. The pCFM1656 plasmid can be derived from the described pCFM836 plasmid (Patent No. 4,710,473) by:

- (a) destroying the two endogenous NdeI restriction sites by end filling with T4 polymerase enzyme followed by blunt end ligation;
- (b) replacing the DNA sequence between the unique AatII and ClaI restriction sites containing the synthetic P<sub>L</sub> promoter with a similar fragment obtained from pCFM636 (patent No. 4,710,473) containing the PL promoter (see SEQ ID NO: 386 below); and

- (c) substituting the small DNA sequence between the unique ClaI and KpnI restriction sites with the oligonucleotide having the sequence of SEQ ID NO: 388.

SEQ ID NO: 386:

5' AatII  
 5' CTAATTCGCTCTCACCTACCAAACAATGCCCCCTGCAAAAAATAAATTCATAT-  
 3' TGCAGATTAAGGCGAGAGTGGATGGTTGTACGGGGGACGTTTTTTATTTAAGTATA-  
 -AAAAACATACAGATAACCATCTGCGGTGATAAATTATCTCTGGCGGTGTTGACATAAA-  
 10 -TTTTTGTATGTCTATTGGTAGACGCCACTATTTAATAGAGACCGCCACAACGTGATTT-  
 -TACCACTGGCGGTGATACTGAGCACAT 3'  
 -ATGGTGACCGCCACTATGACTCGTGTAGC 5'  
ClaI

15  
 SEQ ID NO: 387:

5' CGATTTGATTCTAGAAGGAGGAATAACATATGGTTAACGCGTTGGAATTCGGTAC 3'  
 3' TAAACTAAGATCTTCCTCCTTATTGTATACCAATTGCGCAACCTTAAGC 5'  
ClaI KpnI

- 20 The expression plasmid pAMG21 can then be derived from pCFM1656 by making a series of site-directed base changes by PCR overlapping oligo mutagenesis and DNA sequence substitutions. Starting with the BglII site (plasmid bp # 180) immediately 5' to the plasmid replication promoter
- 25 P<sub>copB</sub> and proceeding toward the plasmid replication genes, the base pair changes are as shown in Table B below.

**Table B—Base pair changes resulting in pAMG21**

	<u>pAMG21 bp #</u>	<u>bp in pCFM1656</u>	<u>bp changed to in pAMG21</u>
5	# 204	T/A	C/G
	# 428	A/T	G/C
	# 509	G/C	A/T
	# 617	--	insert two G/C bp
	# 679	G/C	T/A
10	# 980	T/A	C/G
	# 994	G/C	A/T
	# 1004	A/T	C/G
	# 1007	C/G	T/A
	# 1028	A/T	T/A
15	# 1047	C/G	T/A
	# 1178	G/C	T/A
	# 1466	G/C	T/A
	# 2028	G/C	bp deletion
	# 2187	C/G	T/A
20	# 2480	A/T	T/A
	# 2499-2502	<u>AGTG</u>	<u>GTCA</u>
		TCAC	CAGT
25	# 2642	<u>TCCGAGC</u>	7 bp deletion
		AGGCTCG	
30	# 3435	G/C	A/T
	# 3446	G/C	A/T
	# 3643	A/T	T/A

The DNA sequence between the unique AatII (position #4364 in pCFM1656) and SacII (position #4585 in pCFM1656) restriction sites is substituted with the DNA sequence (SEQ ID NO: 23) shown in Figures 17A and 17B. During the ligation of the sticky ends of this substitution DNA sequence, the outside AatII and SacII sites are destroyed. There are unique AatII and SacII sites in the substituted DNA.

GM221 (Amgen #2596). The Amgen host strain #2596 is an E.coli K-12 strain derived from Amgen strain #393. It has been modified to contain both the temperature sensitive lambda repressor cI857s7 in the early ebg region and the lacI<sup>Q</sup> repressor in the late ebg region (68 minutes). The presence of these two repressor genes allows the use of this host with a variety of expression systems, however both of these repressors are irrelevant to the expression from luxP<sub>R</sub>. The untransformed host has no antibiotic resistances.

The ribosome binding site of the cI857s7 gene has been modified to include an enhanced RBS. It has been inserted into the ebg operon between nucleotide position 1170 and 1411 as numbered in Genbank accession number M64441Gb\_Ba with deletion of the intervening ebg sequence. The sequence of the insert is shown below with lower case letters representing the ebg sequences flanking the insert shown below (SEQ ID NO: 388):

```

ttatcttcgtgCGGCCGACCATTATCACCGCCAGAGGTAACTAGTCAACACGCACGGTGTAGATATTTAT
CCCTTGCGGTGATAGATTGAGCACATCGATTGATTCTAGAAGGAGGGATAATATATGAGCACAAAAAGAAA
CCATTAACACAAGAGCAGCTTGAGGACGCACGTCGCCTTAAAGCAATTTATGAAAAAAGAAAAATGAACCTG
GCTTATCCCAGGAATCTGTCGCAGACAAGATGGGGATGGGGCAGTCAGGCGTTGGTGCTTTATTTAATGGCAT
CAATGCATTAAATGCTTATAACGCCGCATTGCTTACAAAAATTCFAAAGTTAGCGTTGAAGAATTTAGCCCT
TCAATCGCCAGAGAATCTACGAGATGTATGAAGCGGTTAGTATGCAGCCGTCACCTAGAAGTGAGTATGAGTA
CCCTGTTTTTCTCATGTTTCAGGCAGGGATGTTCTCACCTAAGCTTAGAACCTTTACCAAAGGTGATGCGGAG
AGATGGGTAAGCACAAACCAAAAAAGCCAGTGATTCTGCATTCTGGCTTGAGGTTGAAGGTAATTCATGACCG
CACCACAGGCTCCAAGCCAAGCTTTTCCTGACGGAATGTTAATTCTCGTTGACCTGAGCAGGCTGTTGAGCC
AGGTGATTTCTGCATAGCCAGACTTGGGGGTGATGAGTTTACCTTCAAGAACTGATCAGGGATAGCGGTCAG
GTGTTTTTACAAACCACTAAACCCACAGTACCCAATGATCCCATGCAATGAGAGTTGTTCCGTTGTGGGGAAAG
TTATCGCTAGTCAGTGGCCTGAAGAGACGTTTGGCTGATAGACTAGTGGATCCACTAGTgtttctcgcc

```

The construct was delivered to the chromosome using a recombinant phage called MMEbg-cI857s7enhanced RBS #4 into F'tet/393. After recombination and resolution only the chromosomal insert described

above remains in the cell. It was renamed F'tet/GM101. F'tet/GM101 was then modified by the delivery of a *lacI*<sup>Q</sup> construct into the *ebg* operon between nucleotide position 2493 and 2937 as numbered in the Genbank accession number M64441Gb\_Ba with the deletion of the intervening *ebg* sequence. The sequence of the insert is shown below with the lower case letters representing the *ebg* sequences flanking the insert (SEQ ID NO: 389) shown below:

```

10  ggcggaaccGACGTCCATCGAATGGTGCAAAACCTTTCGCGGTATGGCATGATAGCGCCCGGAAGAGAGTCA
    ATTCAGGGTGGTGAATGTGAAACCAGTAACGTTATACGATGTCGCAGAGTATGCCGGTGTCTCTTATCAGACC
    GTTTCGCCGTGGTGAACCAGGCCAGCCACGTTTCTGCGAAAACGCGGGAAAAAGTCGAAGCGGCGATGGCGG
    AGCTGAATTACATTCCCAACCGCTGGCACAACAACCTGGCGGGCAAACAGTCGCTCCTGATTGGCGTTGCCAC
    CTCCAGTCTGGCCCTGCACGCGCGCTCGCAAATTGTGCGGGCGATTAAATCTCGCGCCGATCAACTGGGTGCC
    AGCGTGGTGGTGTGATGGTAGAACGAAGCGGCTCGAAGCCTGTAAAGCGGCGGTGCACAATCTTCTCGCGC
    AACGCGTCAGTGGGTGATCATTAACATCCGCTGGATGACCAGGATGCCATTGCTGTGGAAGCTGCCTGCAC
    15  TAATGTTCCGGCGTTATTCTTGTATGTCCTGACCAGACACCCATCAACAGTATTATTTCTCCCATGAAGAC
    GGTACGCGACTGGGCGTGGAGCATCTGGTTCGCTGGGTACCAGCAAATCGCGCTGTTAGCGGGGCCATTAA
    GTTCTGTCTCGGCGCGTCTGCGTCTGGCTGGCTGGCATAAATATCTCACTCGCAATCAAATTCAGCCGATAGC
    GGAACGGAAGGCGACTGGAGTGCCATGTCCGGTTTCAACAAACCATGCAAATGCTGAATGAGGGCATCGTT
    20  CCCACTCGATGCTGGTTGCCAACGATCAGATGGCGCTGGGCGCAATGCGCGCCATTACCGAGTCCGGGCTGC
    GCGTTGGTGCGGATATCTCGGTAGTGGGATACGACGATACCGAAGACAGCTCATGTTATATCCCGCCGTTAAC
    CACCATCAAACAGGATTTTCGCCTGCTGGGGCAAACAGCGTGGACCGCTTGCTGCAACTCTCTCAGGGCCAG
    GCGGTGAAGGGCAATCAGCTGTTGCCCCTCTCACTGGTGAAAAGAAAAACACCCTGGCGCCCAATACGCAAA
    CCGCCTCTCCCGCGCGTTGGCCGATTCAATATGCAGCTGGCAGACAGGTTTCCCGACTGGAAGCGGACA
    25  GTAAGGTACCATAGGATCCagggcacagga

```

The construct was delivered to the chromosome using a recombinant phage called AGebg-LacIQ#5 into F'tet/GM101. After recombination and resolution only the chromosomal insert described above remains in the cell. It was renamed F'tet/GM221. The F'tet episome was cured from the strain using acridine orange at a concentration of 25 µg/ml in LB. The cured strain was identified as tetracycline sensitive and was stored as GM221.

**Expression.** Cultures of pAMG21-Fc-TMP-TMP in *E. coli* GM221 in Luria Broth medium containing 50 µg/ml kanamycin were incubated at 37°C prior to induction. Induction of Fc-TMP-TMP gene product expression from the *luxPR* promoter was achieved following the addition of the synthetic autoinducer N-(3-oxohexanoyl)-DL-homoserine lactone to the culture media to a final concentration of 20 ng/ml and cultures were incubated at 37°C for a further 3 hours. After 3 hours, the bacterial

cultures were examined by microscopy for the presence of inclusion bodies and were then collected by centrifugation. Refractile inclusion bodies were observed in induced cultures indicating that the Fc-TMP-TMP was most likely produced in the insoluble fraction in *E. coli*. Cell pellets were lysed directly by resuspension in Laemmli sample buffer containing 10%  $\beta$ -mercaptoethanol and were analyzed by SDS-PAGE. An intense Coomassie stained band of approximately 30kDa was observed on an SDS-PAGE gel. The expected gene product would be 269 amino acids in length and have an expected molecular weight of about 29.5 kDa.

10 Fermentation was also carried out under standard batch conditions at the 10 L scale, resulting in similar expression levels of the Fc-TMP-TMP to those obtained at bench scale.

Purification of Fc-TMP-TMP. Cells are broken in water (1/10) by high pressure homogenization (2 passes at 14,000 PSI) and inclusion bodies are harvested by centrifugation (4200 RPM in J-6B for 1 hour). Inclusion bodies are solubilized in 6M guanidine, 50mM Tris, 8mM DTT, pH 8.7 for 1 hour at a 1/10 ratio. The solubilized mixture is diluted 20 times into 2M urea, 50 mM tris, 160mM arginine, 3mM cysteine, pH 8.5. The mixture is stirred overnight in the cold and then concentrated about 10 fold by ultrafiltration. It is then diluted 3 fold with 10mM Tris, 1.5M urea, pH 9. The pH of this mixture is then adjusted to pH 5 with acetic acid. The precipitate is removed by centrifugation and the supernatant is loaded onto a SP-Sepharose Fast Flow column equilibrated in 20mM NaAc, 100 mM NaCl, pH 5(10mg/ml protein load, room temperature).

20 The protein is eluted off using a 20 column volume gradient in the same buffer ranging from 100mM NaCl to 500mM NaCl. The pool from the column is diluted 3 fold and loaded onto a SP-Sepharose HP column in 20 mM NaAc, 150 mM NaCl, pH 5(10 mg/ml protein load, room temperature). The protein is eluted off using a 20 column volume gradient



in the same buffer ranging from 150 mM NaCl to 400 mM NaCl. The peak is pooled and filtered.

Characterization of Fc-TMP activity. The following is a summary of in vivo data in mice with various compounds of this invention.

5 Mice: Normal female BDF1 approximately 10-12 weeks of age.

Bleed schedule: Ten mice per group treated on day 0, two groups started 4 days apart for a total of 20 mice per group. Five mice bled at each time point, mice were bled a minimum of three times a week. Mice were anesthetized with isoflurane and a total volume of 140-160  $\mu$ l of blood was  
10 obtained by puncture of the orbital sinus. Blood was counted on a Technicon H1E blood analyzer running software for murine blood. Parameters measured were white blood cells, red blood cells, hematocrit, hemoglobin, platelets, neutrophils.

Treatments: Mice were either injected subcutaneously for a bolus  
15 treatment or implanted with 7-day micro-osmotic pumps for continuous delivery. Subcutaneous injections were delivered in a volume of 0.2 ml. Osmotic pumps were inserted into a subcutaneous incision made in the skin between the scapulae of anesthetized mice. Compounds were diluted in PBS with 0.1% BSA. All experiments included one control group,  
20 labeled "carrier" that were treated with this diluent only. The concentration of the test articles in the pumps was adjusted so that the calibrated flow rate from the pumps gave the treatment levels indicated in the graphs.

Compounds: A dose titration of the compound was delivered to  
25 mice in 7 day micro-osmotic pumps. Mice were treated with various compounds at a single dose of 100  $\mu$ g/kg in 7 day osmotic pumps. Some of the same compounds were then given to mice as a single bolus injection.

Activity test results: The results of the activity experiments are shown in Figures 11 and 12. In dose response assays using 7-day micro-

osmotic pumps, the maximum effect was seen with the compound of SEQ ID NO: 18 was at 100 µg/kg/day; the 10 µg/kg/day dose was about 50% maximally active and 1 µg/kg/day was the lowest dose at which activity could be seen in this assay system. The compound at 10 µg/kg/day dose  
5 was about equally active as 100 µg/kg/day unpegylated rHu-MGDF in the same experiment.

**Example 3****Fc-EMP fusions**

Fc-EMP. A DNA sequence coding for the Fc region of human IgG1 fused in-frame to a monomer of the EPO-mimetic peptide was constructed using standard PCR technology. Templates for PCR reactions were a vector containing the Fc sequence (pFc-A3, described in International application WO 97/23614, published July 3, 1997) and a synthetic gene encoding EPO monomer. The synthetic gene for the monomer was constructed from the 4 overlapping oligonucleotides (SEQ ID NOS: 390 to 393, respectively) shown below:

```

1798-2 TAT GAA AGG TGG AGG TGG TGG TGG AGG TAC TTA CTC TTG
      CCA CTT CGG CCC GCT GAC TTG G
1798-3 CGG TTT GCA AAC CCA AGT CAG CGG GCC GAA GTG GCA AGA
      GTA AGT ACC TCC ACC ACC ACC TCC ACC TTT CAT
1798-4 GTT TGC AAA CCG CAG GGT GGC GGC GGC GGC GGT GGT
      ACC TAT TCC TGT CAT TTT
1798-5 CCA GGT CAG CGG GCC AAA ATG ACA GGA ATA GGT ACC ACC
      GCC GCC GCC GCC GCC ACC CTG

```

The 4 oligonucleotides were annealed to form the duplex encoding an amino acid sequence (SEQ ID NOS: 394 and 395, respectively) shown below:

```

      TATGAAAGGTGGAGGTGGTGGAGGTACTTACTCTTGCCACTTCGGCCCGCTGACTTG
1  -----+-----+-----+-----+-----+ 60
30 TACTTTCCACCTCCACCACCCTCCATGAATGAGAACGGTGAAGCCGGGCGACTGAAC
b  M K G G G G G G G T Y S C H F G P L T W -
      GGTTTGCAAACCGCAGGGTGGCGGCGGCGGCGGCGGTGACCTATTCTGTCATTTT
61 -----+-----+-----+-----+-----+ 133
35 CCAAACGTTTGGCGTCCACCGCCGCGCCGCGCCACCATGGATAAGGACAGTAAACCGGGCGACTGGACC
b  V C K P Q G G G G G G G G T Y S C H F -

```

This duplex was amplified in a PCR reaction using

```

1798-18 GCA GAA GAG CCT CTC CCT GTC TCC GGG TAA
      AGG TGG AGG TGG TGG TGG AGG TAC TTA
      CTC T

```

and

```

1798-19 CTA ATT GGA TCC ACG AGA TTA ACC ACC
      CTG CGG TTT GCA A

```

as the sense and antisense primers (SEQ ID NOS: 396 and 397, respectively).

The Fc portion of the molecule was generated in a PCR reaction with pFc-A3 using the primers

5 1216-52 AAC ATA AGT ACC TGT AGG ATC G  
1798-17 AGA GTA AGT ACC TCC ACC ACC ACC TCC ACC TTT ACC CGG  
10 AGA CAG GGA GAG GCT CTT CTG C

15 which are SEQ ID NOS: 398 and 399, respectively. The oligonucleotides 1798-17 and 1798-18 contain an overlap of 61 nucleotides, allowing the two genes to be fused together in the correct reading frame by combining the above PCR products in a third reaction using the outside primers, 1216-52 and 1798-19.

20 The final PCR gene product (the full length fusion gene) was digested with restriction endonucleases XbaI and BamHI, and then ligated into the vector pAMG21 (described below), also digested with XbaI and BamHI. Ligated DNA was transformed into competent host cells of E. coli strain 2596 (GM221, described herein). Clones were screened for the ability to produce the recombinant protein product and to possess the gene fusion having the correct nucleotide sequence. A single such clone was selected and designated Amgen strain #3718.

25 The nucleotide and amino acid sequence of the resulting fusion protein (SEQ ID NOS: 15 and 16) are shown in Figure 13.

EMP-Fc. A DNA sequence coding for a monomer of the EPO-mimetic peptide fused in-frame to the Fc region of human IgG1 was constructed using standard PCR technology. Templates for PCR reactions were the pFC-A3a vector and a synthetic gene encoding EPO monomer.  
30 The synthetic gene for the monomer was constructed from the 4 overlapping oligonucleotides 1798-4 and 1798-5 (above) and 1798-6 and 1798-7 (SEQ ID NOS: 400 and 401, respectively) shown below:

1798-6 GGC CCG CTG ACC TGG GTA TGT AAG CCA CAA GGG GGT GGG  
GGA GGC GGG GGG TAA TCT CGA G

5 1798-7 GAT CCT CGA GAT TAC CCC CCG CCT CCC CCA CCC CCT TGT  
GGC TTA CAT AC

The 4 oligonucleotides were annealed to form the duplex encoding an amino acid sequence (SEQ ID NOS: 402 and 403, respectively) shown

10 below:

```

      GTTTGCAAACCGCAGGGTGGCGGCGGCGGGTGGTACCTATTCCTGTCATTTTGGC
1  -----+-----+-----+-----+-----+-----+-----+ 60
      GTCCACCGCCGCGCCGCGCCGCCACCATGGATAAGGACAGTAAAACCG
15 A   V C K P Q G G G G G G G G T Y S C H F G -
      CCGCTGACCTGGGTATGTAAGCCACAAGGGGGTGGGGGAGGCGGGGGTAATCTCGAG
61 -----+-----+-----+-----+-----+-----+ 122
      GCGGACTGGACCCATACATTTCGGTGTTCCTCCACCCCTCCGCCCCCATAGAGCTCCTAG
20 A   P L T W V C K P Q G G G G G G G G *

```

This duplex was amplified in a PCR reaction using

1798-21 TTA TTT CAT ATG AAA GGT GGT AAC TAT TCC TGT CAT TTT  
25 and

1798-22 TGG ACA TGT GTG AGT TTT GTC CCC CCC GCC TCC CCC ACC  
30 CCC T

as the sense and antisense primers (SEQ ID NOS: 404 and 405,  
respectively).

The Fc portion of the molecule was generated in a PCR reaction  
with pFc-A3 using the primers

1798-23 AGG GGG TGG GGG AGG CGG GGG GGA CAA AAC TCA CAC ATG  
35 TCC A

and

40 1200-54 GTT ATT GCT CAG CGG TGG CA

which are SEQ ID NOS: 406 and 407, respectively. The oligonucleotides  
1798-22 and 1798-23 contain an overlap of 43 nucleotides, allowing the two  
genes to be fused together in the correct reading frame by combining the  
45 above PCR products in a third reaction using the outside primers, 1787-21  
and 1200-54.

The final PCR gene product (the full length fusion gene) was  
digested with restriction endonucleases XbaI and BamHI, and then ligated

into the vector pAMG21 and transformed into competent *E. coli* strain 2596 cells as described above. Clones were screened for the ability to produce the recombinant protein product and to possess the gene fusion having the correct nucleotide sequence. A single such clone was selected and designated Amgen strain #3688.

The nucleotide and amino acid sequences (SEQ ID NOS: 17 and 18) of the resulting fusion protein are shown in Figure 14.

EMP-EMP-Fc. A DNA sequence coding for a dimer of the EPO-mimetic peptide fused in-frame to the Fc region of human IgG1 was constructed using standard PCR technology. Templates for PCR reactions were the EMP-Fc plasmid from strain #3688 above and a synthetic gene encoding the EPO dimer. The synthetic gene for the dimer was constructed from the 8 overlapping oligonucleotides (SEQ ID NOS:408 to 415, respectively) shown below:

15	1869-23	TTT TTT ATC GAT TTG ATT CTA GAT TTG AGT TTT AAC TTT TAG AAG GAG GAA TAA AAT ATG
20	1869-48	TAA AAG TTA AAA CTC AAA TCT AGA ATC AAA TCG ATA AAA AA
	1871-72	GGA GGT ACT TAC TCT TGC CAC TTC GGC CCG CTG ACT TGG GTT TGC AAA CCG
25	1871-73	AGT CAG CGG GCC GAA GTG GCA AGA GTA AGT ACC TCC CAT ATT TTA TTC CTC CTT C
	1871-74	CAG GGT GGC GGC GGC GGC GGC GGT GGT ACC TAT TCC TGT CAT TTT GGC CCG CTG ACC TGG
30	1871-75	AAA ATG ACA GGA ATA GGT ACC ACC GCC GCC GCC GCC GCC ACC CTG CGG TTT GCA AAC CCA
35	1871-78	GTA TGT AAG CCA CAA GGG GGT GGG GGA GGC GGG GGG GAC AAA ACT CAC ACA TGT CCA
	1871-79	AGT TTT GTC CCC CCC GCC TCC CCC ACC CCC TTG TGG CTT ACA TAC CCA GGT CAG CGG GCC

The 8 oligonucleotides were annealed to form the duplex encoding an amino acid sequence (SEQ ID NOS: 416 and 417, respectively) shown below:

45	1	TTTTTTATCGATTGATTCTAGATTTGAGTTTAACTTTTAGAAGGAGGAATAAAATATG	60
	a	AAAAAATAGCTAAACTAAGATCTAAACTCAAATTGAAAATCTTCCTCCTTATTTTATAC	M -

```

5      a      61  GGAGGTACTTACTCTTGCCACTTCGGCCCCGCTGACTTGGGTTTGCAAACCGCAGGGTGGC
          -----+-----+-----+-----+-----+-----+-----+-----+-----+-----+ 120
          CCTCCATGAATGAGAACGGTGAAGCCGGGCGACTGAACCCAAACGTTTGGCGTCCCACCG
          G G T Y S C H F G P L T W V C K P Q G G -
10     a      121  GGCGGCGGCGGCGGTGGTACCTATTCCTGTCATTTTGGCCCGCTGACCTGGGTATGTAAG
          -----+-----+-----+-----+-----+-----+-----+-----+-----+ 180
          CCGCCGCCGCCGCCACCATGGATAAGGACAGTAAAACCGGCGACTGGACCCATACATTC
          G G G G G G T Y S C H F G P L T W V C K -
15     a      181  CCACAAGGGGGTGGGGGAGGCGGGGGGACAAAACCTCACACATGTCCA
          -----+-----+-----+-----+-----+-----+-----+-----+-----+ 228
          GGTGTTCCCCCACCCCTCCGCCCCCCTGTTTGA
          P Q G G G G G G G D K T H T C P -

```

This duplex was amplified in a PCR reaction using 1869-23 and 1871-79 (shown above) as the sense and antisense primers.

20 The Fc portion of the molecule was generated in a PCR reaction with strain 3688 DNA using the primers 1798-23 and 1200-54 (shown above).

The oligonucleotides 1871-79 and 1798-23 contain an overlap of 31 nucleotides, allowing the two genes to be fused together in the correct reading frame by combining the above PCR products in a third reaction 25 using the outside primers, 1869-23 and 1200-54.

The final PCR gene product (the full length fusion gene) was digested with restriction endonucleases XbaI and BamHI, and then ligated into the vector pAMG21 and transformed into competent E. coli strain 2596 cells as described for Fc-EMP. Clones were screened for ability to 30 produce the recombinant protein product and possession of the gene fusion having the correct nucleotide sequence. A single such clone was selected and designated Amgen strain #3813.

The nucleotide and amino acid sequences (SEQ ID NOS: 19 and 20, respectively) of the resulting fusion protein are shown in Figure 15. There 35 is a silent mutation at position 145 (A to G, shown in boldface) such that the final construct has a different nucleotide sequence than the oligonucleotide 1871-72 from which it was derived.

Fc-EMP-EMP. A DNA sequence coding for the Fc region of human IgG1 fused in-frame to a dimer of the EPO-mimetic peptide was

constructed using standard PCR technology. Templates for PCR reactions were the plasmids from strains 3688 and 3813 above.

The Fc portion of the molecule was generated in a PCR reaction with strain 3688 DNA using the primers 1216-52 and 1798-17 (shown above). The EMP dimer portion of the molecule was the product of a second PCR reaction with strain 3813 DNA using the primers 1798-18 (also shown above) and SEQ ID NO: 418, shown below:

1798-20            CTA ATT GGA TCC TCG AGA TTA ACC CCC TTG TGG CTT ACAT

The oligonucleotides 1798-17 and 1798-18 contain an overlap of 61 nucleotides, allowing the two genes to be fused together in the correct reading frame by combining the above PCR products in a third reaction using the outside primers, 1216-52 and 1798-20.

The final PCR gene product (the full length fusion gene) was digested with restriction endonucleases XbaI and BamHI, and then ligated into the vector pAMG21 and transformed into competent E. coli strain 2596 cells as described for Fc-EMP. Clones were screened for the ability to produce the recombinant protein product and to possess the gene fusion having the correct nucleotide sequence. A single such clone was selected and designated Amgen strain #3822.

The nucleotide and amino acid sequences (SEQ ID NOS: \_\_ and \_\_, respectively) of the fusion protein are shown in Figure 16.

Characterization of Fc-EMP activity. Characterization was carried out in vivo as follows.

Mice: Normal female BDF1 approximately 10-12 weeks of age.

Bleed schedule: Ten mice per group treated on day 0, two groups started 4 days apart for a total of 20 mice per group. Five mice bled at each time point, mice were bled a maximum of three times a week. Mice were anesthetized with isoflurane and a total volume of 140-160 ml of blood was obtained by puncture of the orbital sinus. Blood was counted



on a Technicon H1E blood analyzer running software for murine blood. Parameters measured were WBC, RBC, HCT, HGB, PLT, NEUT, LYMPH.

Treatments: Mice were either injected subcutaneously for a bolus treatment or implanted with 7 day micro-osmotic pumps for continuous delivery. Subcutaneous injections were delivered in a volume of 0.2 ml. Osmotic pumps were inserted into a subcutaneous incision made in the skin between the scapulae of anesthetized mice. Compounds were diluted in PBS with 0.1% BSA. All experiments included one control group, labeled "carrier" that were treated with this diluent only. The concentration of the test articles in the pumps was adjusted so that the calibrated flow rate from the pumps gave the treatment levels indicated in the graphs.

Experiments: Various Fc-conjugated EPO mimetic peptides (EMPs) were delivered to mice as a single bolus injection at a dose of 100 µg/kg. Fc-EMPs were delivered to mice in 7-day micro-osmotic pumps. The pumps were not replaced at the end of 7 days. Mice were bled until day 51 when HGB and HCT returned to baseline levels.

#### Example 4

##### TNF-α inhibitors

Fc-TNF-α inhibitors. A DNA sequence coding for the Fc region of human IgG1 fused in-frame to a monomer of the TNF-α inhibitory peptide was constructed using standard PCR technology. The Fc and 5 glycine linker portion of the molecule was generated in a PCR reaction with DNA from the Fc-EMP fusion strain #3718 (see Example 3) using the sense primer 1216-52 and the antisense primer 2295-89 (SEQ ID NOS: 1112 and 1113, respectively). The nucleotides encoding the TNF-α inhibitory peptide were provided by the PCR primer 2295-89 shown below:

30	1216-52	AAC ATA AGT ACC TGT AGG ATC G
	2295-89	CCG CGG ATC CAT TAC GGA CGG TGA CCC AGA GAG GTG TTT TTG TAG

TGC GGC AGG AAG TCA CCA CCA CCT CCA CCT TTA CCC

The oligonucleotide 2295-89 overlaps the glycine linker and Fc portion of the template by 22 nucleotides, with the PCR resulting in the two genes  
5 being fused together in the correct reading frame.

The PCR gene product (the full length fusion gene) was digested with restriction endonucleases NdeI and BamHI, and then ligated into the vector pAMG21 and transformed into competent E. coli strain 2596 cells as described for EMP-Fc herein. Clones were screened for the ability to  
10 produce the recombinant protein product and to possess the gene fusion having the correct nucleotide sequence. A single such clone was selected and designated Amgen strain #4544.

The nucleotide and amino acid sequences (SEQ ID NOS: 1055 and 1056) of the fusion protein are shown in Figures 19A and 19B.

15 TNF- $\alpha$  inhibitor-Fc. A DNA sequence coding for a TNF- $\alpha$  inhibitory peptide fused in-frame to the Fc region of human IgG1 was constructed using standard PCR technology. The template for the PCR reaction was a plasmid containing an unrelated peptide fused via a five glycine linker to Fc. The nucleotides encoding the TNF- $\alpha$  inhibitory peptide were  
20 provided by the sense PCR primer 2295-88, with primer 1200-54 serving as the antisense primer (SEQ ID NOS: 1117 and 407, respectively). The primer sequences are shown below:

25 2295-88      GAA TAA CAT ATG GAC TTC CTG CCG CAC TAC AAA AAC ACC TCT CTG GGT  
CAC CGT CCG GGT GGA GGC GGT GGG GAC AAA ACT

30 1200-54      GTT ATT GCT CAG CGG TGG CA

The oligonucleotide 2295-88 overlaps the glycine linker and Fc portion of the template by 24 nucleotides, with the PCR resulting in the two genes being fused together in the correct reading frame.

The PCR gene product (the full length fusion gene) was digested with restriction endonucleases NdeI and BamHI, and then ligated into the vector pAMG21 and transformed into competent E. coli strain 2596 cells as described for EMP-Fc herein. Clones were screened for the ability to

5 produce the recombinant protein product and to possess the gene fusion having the correct nucleotide sequence. A single such clone was selected and designated Amgen strain #4543.

The nucleotide and amino acid sequences (SEQ ID NOS: 1057 and 1058) of the fusion protein are shown in Figures 20A and 20B.

10 Expression in E. coli. Cultures of each of the pAMG21-Fc-fusion constructs in E. coli GM221 were grown at 37 °C in Luria Broth medium containing 50 mg/ml kanamycin. Induction of gene product expression from the luxPR promoter was achieved following the addition of the synthetic autoinducer N-(3-oxohexanoyl)-DL-homoserine lactone to the

15 culture media to a final concentration of 20 ng/ml. Cultures were incubated at 37 °C for a further 3 hours. After 3 hours, the bacterial cultures were examined by microscopy for the presence of inclusion bodies and were then collected by centrifugation. Refractile inclusion bodies were observed in induced cultures indicating that the Fc-fusions

20 were most likely produced in the insoluble fraction in E. coli. Cell pellets were lysed directly by resuspension in Laemmli sample buffer containing 10%  $\beta$ -mercaptoethanol and were analyzed by SDS-PAGE. In each case, an intense coomassie-stained band of the appropriate molecular weight was observed on an SDS-PAGE gel.

25 Purification of Fc-peptide fusion proteins. Cells are broken in water (1/10) by high pressure homogenization (2 passes at 14,000 PSI) and inclusion bodies are harvested by centrifugation (4200 RPM in J-6B for 1 hour). Inclusion bodies are solubilized in 6M guanidine, 50mM Tris, 8mM DTT, pH 8.7 for 1 hour at a 1/10 ratio. The solubilized mixture is diluted

20 times into 2M urea, 50 mM tris, 160mM arginine, 3mM cysteine, pH 8.5. The mixture is stirred overnight in the cold and then concentrated about 10 fold by ultrafiltration. It is then diluted 3 fold with 10mM Tris, 1.5M urea, pH 9. The pH of this mixture is then adjusted to pH 5 with acetic acid. The precipitate is removed by centrifugation and the supernatant is loaded onto a SP-Sepharose Fast Flow column equilibrated in 20mM NaAc, 100 mM NaCl, pH 5 (10mg/ml protein load, room temperature). The protein is eluted from the column using a 20 column volume gradient in the same buffer ranging from 100mM NaCl to 500mM NaCl. The pool from the column is diluted 3 fold and loaded onto a SP-Sepharose HP column in 20mM NaAc, 150mM NaCl, pH 5(10mg/ml protein load, room temperature). The protein is eluted using a 20 column volume gradient in the same buffer ranging from 150mM NaCl to 400mM NaCl. The peak is pooled and filtered.

Characterization of activity of Fc-TNF- $\alpha$  inhibitor and TNF- $\alpha$  inhibitor -Fc. Binding of these peptide fusion proteins to TNF-  $\alpha$  can be characterized by BIAcore by methods available to one of ordinary skill in the art who is armed with the teachings of the present specification.

#### Example 5

#### IL-1 Antagonists

Fc-IL-1 antagonist. A DNA sequence coding for the Fc region of human IgG1 fused in-frame to a monomer of an IL-1 antagonist peptide was constructed using standard PCR technology. The Fc and 5 glycine linker portion of the molecule was generated in a PCR reaction with DNA from the Fc-EMP fusion strain #3718 (see Example 3) using the sense primer 1216-52 and the antisense primer 2269-70 (SEQ ID NOS: 1112 and 1118, respectively). The nucleotides encoding the IL-1 antagonist peptide were provided by the PCR primer 2269-70 shown below:

1216-52      AAC ATA AGT ACC TGT AGG ATC G

2269-70      CCG CGG ATC CAT TAC AGC GGC AGA GCG TAC GGC TGC CAG TAA CCC  
GGG GTC CAT TCG AAA CCA CCA CCT CCA CCT TTA CCC

5

The oligonucleotide 2269-70 overlaps the glycine linker and Fc portion of the template by 22 nucleotides, with the PCR resulting in the two genes being fused together in the correct reading frame.

10      The PCR gene product (the full length fusion gene) was digested with restriction endonucleases NdeI and BamHI, and then ligated into the vector pAMG21 and transformed into competent E. coli strain 2596 cells as described for EMP-Fc herein. Clones were screened for the ability to produce the recombinant protein product and to possess the gene fusion having the correct nucleotide sequence. A single such clone was selected  
15      and designated Amgen strain #4506.

The nucleotide and amino acid sequences (SEQ ID NOS: 1059 and 1060) of the fusion protein are shown in Figures 21A and 21B.

20      IL-1 antagonist-Fc. A DNA sequence coding for an IL-1 antagonist peptide fused in-frame to the Fc region of human IgG1 was constructed using standard PCR technology. The template for the PCR reaction was a plasmid containing an unrelated peptide fused via a five glycine linker to Fc. The nucleotides encoding the IL-1 antagonist peptide were provided by the sense PCR primer 2269-69, with primer 1200-54 serving as the antisense primer (SEQ ID NOS: 1119 and 407, respectively). The primer  
25      sequences are shown below:

30      2269-69      GAA TAA CAT ATG TTC GAA TGG ACC CCG GGT TAC TGG CAG CCG TAC GCT  
                 CTG CCG CTG GGT GGA GGC GGT GGG GAC AAA ACT  
1200-54      GTT ATT GCT CAG CGG TGG CA

35      The oligonucleotide 2269-69 overlaps the glycine linker and Fc portion of the template by 24 nucleotides, with the PCR resulting in the two genes being fused together in the correct reading frame.

The PCR gene product (the full length fusion gene) was digested with restriction endonucleases NdeI and BamHI, and then ligated into the vector pAMG21 and transformed into competent E. coli strain 2596 cells as described for EMP-Fc herein. Clones were screened for the ability to  
5 produce the recombinant protein product and to possess the gene fusion having the correct nucleotide sequence. A single such clone was selected and designated Amgen strain #4505.

The nucleotide and amino acid sequences (SEQ ID NOS: 1061 and 1062) of the fusion protein are shown in Figures 22A and 22B. Expression  
10 and purification were carried out as in previous examples.

Characterization of Fc-IL-1 antagonist peptide and IL-1 antagonist peptide-Fc activity. IL-1 Receptor Binding competition between IL-1 $\beta$ , IL-1RA and Fc-conjugated IL-1 peptide sequences was carried out using the IGEN system. Reactions contained 0.4 nM biotin-IL-1R + 15 nM IL-1-TAG  
15 + 3 uM competitor + 20 ug/ml streptavidin-conjugate beads, where competitors were IL-1RA, Fc-IL-1 antagonist, IL-1 antagonist-Fc). Competition was assayed over a range of competitor concentrations from 3 uM to 1.5 pM. The results are shown in Table C below:

**Table C—Results from IL-1 Receptor Binding Competition Assay**

		<i>IL-1pep-Fc</i>	<i>Fc-IL-1pep</i>	<i>IL-1ra</i>
5	<b>KI</b>	281.5	59.58	1.405
	<b>EC50</b>	530.0	112.2	2.645
	<b>95% Confidence Intervals</b>			
10	<b>EC50</b>	280.2 to 1002	54.75 to 229.8	1.149 to 6.086
	<b>KI</b>	148.9 to 532.5	29.08 to 122.1	0.6106 to 3.233
15	<b>Goodness of Fit</b>			
	<b>R<sup>2</sup></b>	0.9790	0.9687	0.9602

**Example 6****VEGF-Antagonists**

Fc-VEGF Antagonist. A DNA sequence coding for the Fc region of human IgG1 fused in-frame to a monomer of the VEGF mimetic peptide was constructed using standard PCR technology. The templates for the PCR reaction were the pFc-A3 plasmid and a synthetic VEGF mimetic peptide gene. The synthetic gene was assembled by annealing the following two oligonucleotides primer (SEQ ID NOS: 1120 and 1121, respectively):

2293-11 GTT GAA CCG AAC TGT GAC ATC CAT GTT ATG TGG GAA TGG GAA  
TGT TTT GAA CGT CTG

2293-12 CAG ACG TTC AAA ACA TTC CCA TTC CCA CAT AAC ATG GAT GTC  
ACA GTT CGG TTC AAC

The two oligonucleotides anneal to form the following duplex encoding an amino acid sequence shown below (SEQ ID NOS 1122 ):

GT TGAACCGAACTGTGACATCCATGTTATGTGGGAATGGGAATGTTTTGAACGTCTG  
1 -----+-----+-----+-----+-----+----- 57  
CAACTTGGCTTGACACTGTAGGTACAATACACCCCTTACCCTTACAAAACCTGCAGAC

25 a V E P N C D I H V M W E W E C F E R L  
-

This duplex was amplified in a PCR reaction using 2293-05 and 2293-06 as the sense and antisense primers (SEQ ID NOS. 1125 and 1126).

30 The Fc portion of the molecule was generated in a PCR reaction with the pFc-A3 plasmid using the primers 2293-03 and 2293-04 as the sense and antisense primers (SEQ ID NOS. 1123 and 1124, respectively). The full length fusion gene was obtained from a third PCR reaction using the outside primers 2293-03 and 2293-06. These primers are shown below:



2293-03      ATT TGA TTC TAG AAG GAG GAA TAA CAT ATG GAC AAA ACT CAC  
ACA TGT

5      2293-04      GTC ACA GTT CGG TTC AAC ACC ACC ACC ACC ACC TTT ACC CGG  
AGA CAG GGA

2293-05      TCC CTG TCT CCG GGT AAA GGT GGT GGT GGT GGT GTT GAA CCG  
AAC TGT GAC ATC

10      2293-06      CCG CGG ATC CTC GAG TTA CAG ACG TTC AAA ACA TTC CCA

The PCR gene product (the full length fusion gene) was digested with restriction endonucleases NdeI and BamHI, and then ligated into the vector pAMG21 and transformed into competent E. coli strain 2596 cells as described for EMP-Fc herein. Clones were screened for the ability to produce the recombinant protein product and to possess the gene fusion having the correct nucleotide sequence. A single such clone was selected and designated Amgen strain #4523.

20      The nucleotide and amino acid sequences (SEQ ID NOS: 1063 and 1064) of the fusion protein are shown in Figures 23A and 23B.

VEGF antagonist -Fc. A DNA sequence coding for a VEGF mimetic peptide fused in-frame to the Fc region of human IgG1 was constructed using standard PCR technology. The templates for the PCR reaction were the pFc-A3 plasmid and the synthetic VEGF mimetic peptide gene described above. The synthetic duplex was amplified in a PCR reaction using 2293-07 and 2293-08 as the sense and antisense primers (SEQ ID NOS. 1127 and 1128, respectively).

30      The Fc portion of the molecule was generated in a PCR reaction with the pFc-A3 plasmid using the primers 2293-09 and 2293-10 as the sense and antisense primers (SEQ ID NOS. 1129 and 1130, respectively).

The full length fusion gene was obtained from a third PCR reaction using the outside primers 2293-07 and 2293-10. These primers are shown below:

```

5      2293-07      ATT TGA TTC TAG AAG GAG GAA TAA CAT ATG GTT GAA CCG AAC
          TGT GAC

          2293-08      ACA TGT GTG AGT TTT GTC ACC ACC ACC ACC ACC CAG ACG TTC
          AAA ACA TTC

10     2293-09      GAA TGT TTT GAA CGT CTG GGT GGT GGT GGT GGT GAC AAA ACT
          CAC ACA TGT

          2293-10      CCG CGG ATC CTC GAG TTA TTT ACC CGG AGA CAG GGA GAG

```

The PCR gene product (the full length fusion gene) was digested with restriction endonucleases NdeI and BamHI, and then ligated into the vector pAMG21 and transformed into competent E. coli strain 2596 cells as described for EMP-Fc herein. Clones were screened for the ability to produce the recombinant protein product and to possess the gene fusion having the correct nucleotide sequence. A single such clone was selected and designated Amgen strain #4524.

The nucleotide and amino acid sequences (SEQ ID NOS: 1065 and 1066) of the fusion protein are shown in Figures 24A and 24B. Expression and purification were carried out as in previous examples.

### Example 7

#### MMP Inhibitors

Fc-MMP inhibitor. A DNA sequence coding for the Fc region of human IgG1 fused in-frame to a monomer of an MMP inhibitory peptide was constructed using standard PCR technology. The Fc and 5 glycine linker portion of the molecule was generated in a PCR reaction with DNA from the Fc-TNF- $\alpha$  inhibitor fusion strain #4544 (see Example 4) using the sense primer 1216-52 and the antisense primer 2308-67 (SEQ ID NOS: 1112

5      1216-52      AAC ATA AGT ACC TGT AGG ATC G  
2308-67      CCG CGG ATC CAT TAG CAC AGG GTG AAA CCC CAG TGG GTG GTG  
                 CAA CCA CCA CCT CCA CCT TTA CCC

The PCR gene product (the full length fusion gene) was digested with restriction endonucleases NdeI and BamHI, and then ligated into the vector pAMG21 and transformed into competent E. coli strain 2596 cells as described for EMP-Fc herein. Clones were screened for the ability to produce the recombinant protein product and to possess the gene fusion having the correct nucleotide sequence. A single such clone was selected and designated Amgen strain #4597.

MMP Inhibitor-Fc. A DNA sequence coding for an MMP inhibitory peptide fused in-frame to the Fc region of human IgG1 was constructed using standard PCR technology. The Fc and 5 glycine linker portion of the molecule was generated in a PCR reaction with DNA from the Fc-TNF- $\alpha$  inhibitor fusion strain #4543 (see Example 4). The nucleotides encoding the MMP inhibitory peptide were provided by the sense PCR primer 2308-66, with primer 1200-54 serving as the antisense primer (SEQ ID NOS: 1132 and 407, respectively). The primer sequences are shown below:

2308-66 GAA TAA CAT ATG TGC ACC ACC CAC TGG GGT TTC ACC CTG TGC  
GGT GGA GGC GGT GGG GAC AAA

35 1200-54 GTT ATT GCT CAG CGG TGG CA

10

15

15

## 20

25

Ac	acetyl (used to refer to acetylated residues)
AcBpa	acetylated p-benzoyl-L-phenylalanine
ADCC	antibody-dependent cellular cytotoxicity
Aib	aminoisobutyric acid
bA	beta-alanine
Bpa	p-benzoyl-L-phenylalanine
BrAc	bromoacetyl ( $\text{BrCH}_2\text{C}(\text{O})$ )


	BSA	Bovine serum albumin
	Bzl	Benzyl
	Cap	Caproic acid
	CTL	Cytotoxic T lymphocytes
5	CTLA4	Cytotoxic T lymphocyte antigen 4
	DARC	Duffy blood group antigen receptor
	DCC	Dicyclohexylcarbodiimide
	Dde	1-(4,4-dimethyl-2,6-dioxo-cyclohexylidene)ethyl
	EMP	Erythropoietin-mimetic peptide
10	ESI-MS	Electron spray ionization mass spectrometry
	EPO	Erythropoietin
	Fmoc	fluorenylmethoxycarbonyl
	G-CSF	Granulocyte colony stimulating factor
	GH	Growth hormone
15	HCT	hematocrit
	HGB	hemoglobin
	hGH	Human growth hormone
	HOBt	1-Hydroxybenzotriazole
	HPLC	high performance liquid chromatography
20	IL	interleukin
	IL-R	interleukin receptor
	IL-1R	interleukin-1 receptor
	IL-1ra	interleukin-1 receptor antagonist
	Lau	Lauric acid
25	LPS	lipopolysaccharide
	LYMPH	lymphocytes
	MALDI-MS	Matrix-assisted laser desorption ionization mass spectrometry
	Me	methyl

	MeO	methoxy
	MHC	major histocompatibility complex
	MMP	matrix metalloproteinase
	MMPI	matrix metalloproteinase inhibitor
5	1-Nap	1-naphthylalanine
	NEUT	neutrophils
	NGF	nerve growth factor
	Nle	norleucine
	NMP	N-methyl-2-pyrrolidinone
10	PAGE	polyacrylamide gel electrophoresis
	PBS	Phosphate-buffered saline
	Pbf	2,2,4,6,7-pendamethyldihydrobenzofuran-5-sulfonyl
	PCR	polymerase chain reaction
	Pec	pipecolic acid
15	PEG	Poly(ethylene glycol)
	pGlu	pyroglutamic acid
	Pic	picolinic acid
	PLT	platelets
	pY	phosphotyrosine
20	RBC	red blood cells
	RBS	ribosome binding site
	RT	room temperature (25 °C)
	Sar	sarcosine
	SDS	sodium dodecyl sulfate
25	STK	serine-threonine kinases
	t-Boc	tert-Butoxycarbonyl
	tBu	tert-Butyl
	TGF	tissue growth factor
	THF	thymic humoral factor

	TK	tyrosine kinase
	TMP	Thrombopoietin-mimetic peptide
	TNF	Tissue necrosis factor
	TPO	Thrombopoietin
5	TRAIL	TNF-related apoptosis-inducing ligand
	Trt	trityl
	UK	urokinase
	UKR	urokinase receptor
	VEGF	vascular endothelial cell growth factor
10	VIP	vasoactive intestinal peptide
	WBC	white blood cells

**What is claimed is:**

1. A composition of matter of the formula



and multimers thereof, wherein:

- 5  $F^1$  is an Fc domain;

$X^1$  and  $X^2$  are each independently selected from  $-(L^1)_c-P^1$ ,  $-(L^1)_c-P^1-(L^2)_d-P^2$ ,  $-(L^1)_c-P^1-(L^2)_d-P^2-(L^3)_e-P^3$ , and  $-(L^1)_c-P^1-(L^2)_d-P^2-(L^3)_e-P^3-(L^4)_f-P^4$

- 10  $P^1$ ,  $P^2$ ,  $P^3$ , and  $P^4$  are each independently sequences of pharmacologically active peptides;


$L^1$ ,  $L^2$ ,  $L^3$ , and  $L^4$  are each independently linkers; and

$a$ ,  $b$ ,  $c$ ,  $d$ ,  $e$ , and  $f$  are each independently 0 or 1, provided that at least one of  $a$  and  $b$  is 1.


2. The composition of matter of Claim 1 of the formulae




or



3. The composition of matter of Claim 1 of the formula



- 20 4. The composition of matter of Claim 1 of the formula



5. The composition of matter of Claim 1 wherein  $F^1$  is an IgG Fc domain.

6. The composition of matter of Claim 1 wherein  $F^1$  is an IgG1 Fc domain.

- 25 7. The composition of matter of Claim 1 wherein  $F^1$  comprises the sequence of SEQ ID NO: 2.

8. The composition of matter of Claim 1 wherein  $X^1$  and  $X^2$  comprise an IL-1 antagonist peptide sequence.



9. The composition of matter of Claim 8 wherein the IL-1 antagonist peptide sequence is selected from SEQ ID NOS: 212, 907, 908, 909, 910, 917, and 979.
10. The composition of matter of Claim 8 wherein the IL-1 antagonist peptide sequence is selected from SEQ ID NOS: 213 to 271, 671 to 906, 911 to 916, and 918 to 1023.
11. The composition of matter of Claim 8 wherein F<sup>1</sup> comprises the sequence of SEQ ID NO: 2.
12. The composition of matter of Claim 1 wherein X<sup>1</sup> and X<sup>2</sup> comprise an EPO-mimetic peptide sequence.
13. The composition of matter of Claim 12 wherein the EPO-mimetic peptide sequence is selected from Table 5.
14. The composition of matter of Claim 12 wherein F<sup>1</sup> comprises the sequence of SEQ ID NO: 2.
15. The composition of matter of Claim 12 comprising a sequence selected from SEQ ID NOS: 83, 84, 85, 124, 419, 420, 421, and 461. .
16. The composition of matter of claim 12 comprising a sequence selected from SEQ ID NOS: 339 and 340.
17. The composition of matter of Claim 12 comprising a sequence selected from SEQ ID NOS: 20 and 22.
18. The composition of matter of Claim 3 wherein P<sup>1</sup> is a TPO-mimetic peptide sequence.
19. The composition of matter of Claim 18 wherein P<sup>1</sup> is a TPO-mimetic peptide sequence selected from Table 6.
20. The composition of matter of Claim 18 wherein F<sup>1</sup> comprises the sequence of SEQ ID NO: 2.
21. The composition of matter of Claim 18 having a sequence selected from SEQ ID NOS: 6 and 12.
22. A DNA encoding a composition of matter of any of Claims 1 to 21.

23. An expression vector comprising the DNA of Claim 22.
24. A host cell comprising the expression vector of Claim 23.
25. The cell of Claim 24, wherein the cell is an E. coli cell.
26. A process for preparing a pharmacologically active compound,  
5 which comprises
- a) selecting at least one randomized peptide that modulates the activity of a protein of interest; and
- b) preparing a pharmacologic agent comprising at least one Fc domain covalently linked to at least one amino acid sequence  
10 of the selected peptide or peptides.
27. The process of Claim 26, wherein the peptide is selected in a process comprising screening of a phage display library, an E. coli display library, a ribosomal library, or a chemical peptide library.
28. The process of Claim 26, wherein the preparation of the  
15 pharmacologic agent is carried out by:
- a) preparing a gene construct comprising a nucleic acid sequence encoding the selected peptide and a nucleic acid sequence encoding an Fc domain; and
- b) expressing the gene construct.
- 20 29. The process of Claim 26, wherein the gene construct is expressed in an E. coli cell.
30. The process of Claim 26, wherein the protein of interest is a cell surface receptor.
31. The process of Claim 26, wherein the protein of interest has a linear  
25 epitope.
32. The process of Claim 26, wherein the protein of interest is a cytokine receptor.
33. The process of Claim 26, wherein the peptide is an EPO-mimetic peptide.

34. The process of Claim 26, wherein the peptide is a TPO-mimetic peptide.
35. The process of Claim 26, wherein the peptide is an IL-1 antagonist peptide.
- 5 36. The process of Claim 26, wherein the peptide is an MMP inhibitor peptide or a VEGF antagonist peptide.
37. The process of Claim 26, wherein the peptide is a TNF-antagonist peptide.
38. The process of Claim 26, wherein the peptide is a CTLA4-mimetic peptide.
- 10 39. The process of Claim 26, wherein the peptide is selected from Tables 4 to 20.
40. The process of Claim 26, wherein the selection of the peptide is carried out by a process comprising:
- 15 a) preparing a gene construct comprising a nucleic acid sequence encoding a first selected peptide and a nucleic acid sequence encoding an Fc domain;
- b) conducting a polymerase chain reaction using the gene construct and mutagenic primers, wherein
- 20 i) a first mutagenic primer comprises a nucleic acid sequence complementary to a sequence at or near the 5' end of a coding strand of the gene construct, and
- ii) a second mutagenic primer comprises a nucleic acid sequence complementary to the 3' end of the noncoding strand of the gene construct.
- 25 41. The process of Claim 26, wherein the compound is derivatized.
42. The process of Claim 26, wherein the derivatized compound comprises a cyclic portion, a cross-linking site, a non-peptidyl

linkage, an N-terminal replacement, a C-terminal replacement, or a modified amino acid moiety.

43. The process of Claim 26 wherein the Fc domain is an IgG Fc domain.
- 5 44. The process of Claim 26, wherein the vehicle is an IgG1 Fc domain.
45. The process of Claim 26, wherein the vehicle comprises the sequence of SEQ ID NO: 2.
46. The process of Claim 26, wherein the compound prepared is of the formula



and multimers thereof, wherein:

$F^1$  is an Fc domain;

$X^1$  and  $X^2$  are each independently selected from  $-(L^1)_c-P^1$ ,  $-(L^1)_c-P^1-(L^2)_d-P^2$ ,  $-(L^1)_c-P^1-(L^2)_d-P^2-(L^3)_e-P^3$ , and  $-(L^1)_c-P^1-(L^2)_d-P^2-(L^3)_e-P^3-(L^4)_f-P^4$

$P^1$ ,  $P^2$ ,  $P^3$ , and  $P^4$  are each independently sequences of pharmacologically active peptides;

$L^1$ ,  $L^2$ ,  $L^3$ , and  $L^4$  are each independently linkers; and


$a$ ,  $b$ ,  $c$ ,  $d$ ,  $e$ , and  $f$  are each independently 0 or 1, provided

that at least one of  $a$  and  $b$  is 1.


47. The process of Claim 46, wherein the compound prepared is of the formulae



or



48. The process of Claim 46, wherein the compound prepared is of the formulae



or

$$F^1-(L^1)_c-P^1-(L^2)_d-P^2.$$

49. The process of Claim 46, wherein  $F^1$  is an IgG Fc domain.
50. The process of Claim 46, wherein  $F^1$  is an IgG1 Fc domain.
- 5 51. The process of Claim 46, wherein  $F^1$  comprises the sequence of SEQ ID NO: 2.

$\frac{d^2}{dt^2} \left( \frac{m}{m_0} \right) = \frac{1}{m_0} \left( \frac{d^2 m}{dt^2} \right) + \frac{2}{m_0^2} \left( \frac{dm}{dt} \right)^2$

## Modified Peptides as Therapeutic Agents

### Abstract


5           The present invention concerns fusion of Fc domains with  
biologically active peptides and a process for preparing pharmaceutical  
agents using biologically active peptides. In this invention,  
pharmacologically active compounds are prepared by a process  
comprising:

- 10           a)     selecting at least one peptide that modulates the activity of a  
protein of interest; and  
b)     preparing a pharmacologic agent comprising an Fc domain  
covalently linked to at least one amino acid of the selected  
peptide.


15     Linkage to the vehicle increases the half-life of the peptide, which  
otherwise would be quickly degraded in vivo. The preferred vehicle is an  
Fc domain. The peptide is preferably selected by phage display, E. coli  
display, ribosome display, RNA-peptide screening, or chemical-peptide  
screening.

A -


**FIGURE 1**



bioRxiv preprint doi: <https://doi.org/10.1101/000000>; this version posted January 1, 2015. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted bioRxiv a license to display the preprint in perpetuity. It is made available under aCC-BY-NC-ND 4.0 International license.

**FIGURE 2**



**FIGURE 3**

**FIGURE 4**

```

ATGGACAAAACCTCACACATGTCCACCTTGTCAGCTCCGGAACCTCTGGGGGGACCGTCA
1  -----+-----+-----+-----+-----+-----+-----+ 60
TACCTGTTTGTGAGTGTGTACAGGTGGAACAGGTGAGGCCTTGAGGACCCCCCTGGCAGT

a      M D K T H T C P P C P A P E L L G G P S -

      GTCTTCCTCTTCCCCCAAAACCCAAGGACACCCCTCATGATCTCCCGGACCCCTGAGGTC
61  -----+-----+-----+-----+-----+-----+-----+ 120
      CAGAAGGAGAAGGGGGTTTTGGGTTCCTGTGGGAGTACTAGAGGGCCTGGGGACTCCAG

a      V F L F P P K P K D T L M I S R T P E V -

      ACATGCGTGGTGGTGGACGTGAGCCACGAAGACCCCTGAGGTCAAGTTCAACTGGTACGTG
121  -----+-----+-----+-----+-----+-----+-----+ 180
      TGTACGCACCAACCTGCACCTCGGTGCTTCTGGGACTCCAGTTCAAGTTGACCATGCAC

a      T C V V V D V S H E D P E V K F N W Y V -

      GACGGCGTGGAGGTGCATAATGCCAAGACAAAGCCGCGGGAGGAGCAGTACAACAGCACG
181  -----+-----+-----+-----+-----+-----+-----+ 240
      CTGCCGCACCTCCACGTATTACGTTCTGTTCGGCGCCCTCTCGTCATGTTGTCGTGC

a      D G V E V H N A K T K P R E E Q Y N S T -

      TACCGTGTGGTCAGCGTCCCTACCCGTCTGCACCAGGACTGGCTGAATGGCAAGGAGTAC
241  -----+-----+-----+-----+-----+-----+-----+ 300
      ATGGCACACCAAGTCGAGGAGTGGCAGGAGTGGTCTTGACCGACTTACCGTTCTCTCATG

a      Y R V V S V L T V L H Q D W L N G K E Y -

      AAGTGCAAGGTCTCCAACAAAGCCCTCCCAGCCCCATCGAGAAAACCATCTCCAAGCC
301  -----+-----+-----+-----+-----+-----+-----+ 360
      TTCACGTTCAGAGGTGTTTTCGGGAGGGTCGGGGGTAGCTCTTTTGGTAGAGGTTTCGG

a      K C K V S N K A L P A P I E K T I S K A -

      AAAGGGCAGCCCCGAGAACCACAGGTGTACACCTGCCCCCATCCCGGATGAGCTGACC
361  -----+-----+-----+-----+-----+-----+-----+ 420
      TTTCCCGTCGGGGCTCTTGGTGTCCACATGTGGGACGGGGGTAGGGCCCTACTCGACTGG

a      K G Q P R E P Q V Y T L P P S R D E L T -

      AAGAACCAGGTGACGCTGACCTGCCTGGTCAAAGGCTTCTATCCAGCGACATCGCCGTG
421  -----+-----+-----+-----+-----+-----+-----+ 480
      TTCTTGGTCCAGTCCGACTGGACGGACAGTTTCCGAAGATAGGGTCGCTGTAGCGGCAC

a      K N Q V S L T C L V K G F Y P S D I A V -

      GAGTGGGAGAGCAATGGGCAGCCGGAGAACAACATAAGACCACGCTCCCGTGTGAGGAC
481  -----+-----+-----+-----+-----+-----+-----+ 540
      CTCACCTCTCTCGTTACCCGTCGGCCTCTTGTGATGTTCTGGTGGGAGGGCACGACCTG

a      E W E S N G Q P E N N Y K T T P P V L D -

      TCCGACGGCTCTTCTTCTCTACAGCAAGCTCACCGTGGACAAGAGCAGGTGGCAGCAG
541  -----+-----+-----+-----+-----+-----+-----+ 600
      AGGCTGCCGAGGAAGAAGGAGATGTCGTTTCGAGTGGCACCTGTCTCGTCCACCGTCGTC

a      S D G S F F L Y S K L T V D K S R W Q Q -


      GGGAACGTCTTCTCATGCTCCGTGATGCATGAGGCTCTGCACAACCCTACACGCAGAAG
601  -----+-----+-----+-----+-----+-----+-----+ 660
      CCCTTGCAGAAGAGTACGAGGCACTACGTACTCCGAGACGTGTTGGTGTGTGCGTCTTC


a      G N V F S C S V M H E A L H N H Y T Q K -

      AGCCTCTCCCTGTCTCCGGGTAAA
661  -----+-----+-----+-----+-----+-----+ 684
      TCGGAGAGGGACAGAGGCCCATTT

a      S L S L S P G K

```

**FIGURE 5**

**FIGURE 6**

**FIGURE 7**

XbaI  
|  
1 TCTAGATTTGTTTTAACTAATTAAAGGAGGAATAACATATGGACAAAACCTCACACATGTC 60  
AGATCTAAACAAAATTGATTAATTCCTCCTTATTGTATACCTGTTTGGAGTGTGTACAG  
c M D K T H T C P -

61 CACCTTGTCAGCTCCGGAACCTCTGGGGGACCGTCAGTCTTCCTCTTCCCCCAAAAC 120  
GTGGAACAGGTCGAGGCCCTTGAGGACCCCTGGCAGTCAGAAGGAGAAGGGGGTTTG  
c P C P A P E L L G G P S V F L F P P K P -

121 CCAAGGACACCCCTCATGATCTCCCGGACCCCTGAGGTACATGCGTGGTGGTGGACGTGA 180  
GGTTCCTGTGGGAGTACTAGAGGGCCTGGGGACTCCAGTGTACGCACCACCACCTGCACT  
c K D T L M I S R T P E V T C V V V D V S -

181 GCCACGAAGACCCCTGAGGTCAAGTTCAACTGGTACGTGGACGGCGTGGAGGTGCATAATG 240  
CGGTGCTTCTGGGACTCCAGTTCAAGTTGACCATGCACCTGCCGCACCTCCACGTATTAC  
c H E D P E V K F N W Y V D G V E V H N A -

241 CCAAGACAAAGCCGCGGGAGGAGCAGTACAACAGCAGTACCGTGTGGTCAGCGTCTCTCA 300  
GGTTCTGTTTCGGCGCCCTCCTCGTCATGTTGTCGTCATGGCACACCAGTCGCAGGAGT  
c K T K P R E E Q Y N S T Y R V V S V L T -

301 CCGTCCTGCACCAGGACTGGCTGAATGGCAAGGAGTACAAGTGCAAGGTCTCCAACAAAG 360  
GGCAGGACGTGGTCTGACCGACTTACCGTTCCTCATGTTACGTTCCAGAGGTGTTGTTTC  
c V L H Q D W L N G K E Y K C K V S N K A -

361 CCCTCCCAGCCCCATCGAGAAAACCATCTCCAAGCCAAAGGGCAGCCCCGAGAACCAC 420  
GGGAGGGTCGGGGTAGCTCTTTTGGTAGAGGTTTCGGTTCCCGTCGGGGCTCTTGGTG  
c L P A P I E K T I S K A K G Q P R E P Q -

421 AGGTGTACACCCCTGCCCCCATCCCGGATGAGCTGACCAAGAACCAGTCCAGCTGACCT 480  
TCCACATGTGGGACGGGGTAGGGCCCTACTCGACTGGTCTTGGTCCAGTCCGACTGGA  
c V Y T L P P S R D E L T K N Q V S L T C -

481 GCCTGGTCAAAGGCTTCTATCCAGCGACATCGCCGTGGAGTGGGAGAGCAATGGGCAGC 540  
CGGACCAGTTTCCGAAGATAGGGTCGCTGTAGCGGCACCTCACCTCTCGTTACCCGTG  
c L V K G F Y P S D I A V E W E S N G Q P -

541 CGGAGAACACTACAAGACCACGCCCTCCCGTCTGGACTCCGACGGCTCCTTCTCCTCT 600  
GCCTCTTGTGATGTTCTGGTGGGAGGGCACGACCTGAGGCTGCCGAGGAAGAAGGAGA  
c E N N Y K T T P P V L D S D G S F F L Y -

601 ACAGCAAGCTCACCGTGGACAAGAGCAGGTGGCAGCAGGGGAACGTCTTCTCATGCTCCG 660  
TGTCGTTTCAGTGGCACCTGTTCTCGTCCACCGTCGTCCCTTGCAGAAGGTACGAGGC  
c S K L T V D K S R W Q Q G N V F S C S V -

661 TGATGCATGAGGCTCTGCACAACCACTACACGAGAAGAGCCTCTCCCTGTCTCCGGGTA 720  
ACTACGTACTCCGAGACGTGTTGGTGATGTGCGTCTTCTCGGAGAGGGACAGAGGCCCAT  
c M H E A L H N H Y T Q K S L S L S P G K -

721 AAGGTGGAGGTGGTGGTATCGAAGGTCCGACTCTGCGTCAGTGGCTGGCTGCTCGTGCTT 780  
TTCCACCTCCACCACCATAGCTTCCAGGCTGAGACGCACTACCGACCGACGAGCACGAA  
c G G G G G I E G P T L R Q W L A A R A \* -

BamHI  
|  
781 AATCTCGAGGATCC 794  
TTAGAGCTCCTAGG

**FIGURE 8**

XbaI  
|  
1 TCTAGATTTGTTTAACTAATTAAAGGAGGAATAACATATGGACAAAACTCACACATGTC 60  
AGATCTAAACAAAATTGATTAATTTCTCTTATTGTATACCTGTTTGGAGTGTGTACAG  
c M D K T H T C P -

61 CACCTTGTCCAGCTCCGGAACCTCTGGGGGACCGTCAGTCTTCTCTTCCCCCAAAC 120  
GTGGAACAGGTCGAGGCCTTGAGGACCCCTGGCAGTCAGAAGGAGAAGGGGGTTTTG  
c P C P A P E L L G G P S V F L F P P K P -

121 CCAAGGACACCCCTCATGATCTCCCGGACCCCTGAGGTACATGCGTGGTGGTGGACGTGA 180  
GGTTCTGTGGGAGTACTAGAGGGCTGGGGACTCCAGTGTACGCACCACCACCTGCAC  
c K D T L M I S R T P E V T C V V V D V S -

181 GCCACGAAGACCCCTGAGGTCAAGTTCAACTGGTACGTGGACGGCGTGGAGGTGCATAATG 240  
CGGTGCTTCTGGGACTCCAGTTCAAGTTGACCATGCACCTGCCGCACCTCCACGTATTAC  
c H E D P E V K F N W Y V D G V E V H N A -

241 CCAAGACAAAGCCGCGGAGGAGCAGTACAACAGCACGTACCGTGTGGTCAGCGTCTCTCA 300  
GGTTCTGTTTCGGCGCCCTCTCGTCATGTTGTCTGTCATGGCACACCAGTCGCAGGAGT  
c K T K P R E E Q Y N S T Y R V V S V L T -

301 CCGTCTGCACCAGGACTGGCTGAATGGCAAGGAGTACAAGTGCAAGGTCTCCAACAAAG 360  
GGCAGGACGTGGTCTCTGACCGACTTACCGTTCCTCATGTTACGTTCCAGAGGTTGTTTC  
c V L H Q D W L N G K E Y K C K V S N K A -

361 CCCTCCCAGCCCCATCGAGAAAACCATCTCCAAAGCCAAAGGCGAGCCCCGAGAACAC 420  
GGGAGGGTCGGGGTAGTCTCTTTGGTAGAGGTTTCGGTTTCCCGTCGGGGCTCTTGGTG  
c L P A P I E K T I S K A K G Q P R E P Q -

421 AGGTGTACACCCCTGCCCCCATCCCGGGATGAGCTGACCAAGAACAGGTACGCTGACCT 480  
TCCACATGTGGGACGGGGGTAGGGCCCTACTCGACTGGTTCTTGGTCCAGTCGGACTGGA  
c V Y T L P P S R D E L T K N Q V S L T C -

481 GCCTGGTCAAAGGCTTCTATCCCAGCGACATCGCCGTGGAGTGGGAGAGCAATGGGCAGC 540  
CGGACCAGTTTCCGAAGATAGGGTCGCTGTAGCGGCACCTCACCTCTCGTTACCCGTCG  
c L V K G F Y P S D I A V E W E S N G Q P -

541 CGGAGAACAACACTACAAGACCACGCCCTCCCGTGTGACTCCGACGGCTCCTTCTCTCT 600  
GCCTCTTGTGTGTTCTTGTGCGGAGGACACGACCTGAGGCTGCCGAGGAAGAAGGAGA  
c E N N Y K T T P P V L D S D G S F F L Y -

601 ACAGCAAGCTCACCGTGGACAAGAGCAGGTGGCAGCAGGGGAACGTCTTCTCATGCTCCG 660  
TGTCGTTTCGAGTGGCACCTGTCTCGTCCACCGTCGTCCCCTTGCAAGAGTACGAGGC  
c S K L T V D K S R W Q Q G N V F S C S V -

661 TGATGCATGAGGCTCTGCACAACCACTACACGCAGAAGAGCCTCTCCCTGTCTCCGGGTA 720  
ACTACGTACTCCGAGACGTGTTGGTGATGTGCGTCTTCTCGGAGAGGGACAGAGGCCAT  
c M H E A L H N H Y T Q K S L S L S P G K -

721 AAGGTGGAGGTGGTGGTATCGAAGGTCCGACTCTGCGTCAGTGGCTGGCTGCTCGTCTG 780  
TTCCACCTCCACCACCATAGCTTCCAGGCTGAGACGCAGTCACCGACCGACGACGACGAC  
c G G G G G I E G P T L R Q W L A A R A G -

781 GTGGTGGAGGTGGCGGGGAGGTATTGAGGGCCCAACCTTCGCCAATGGCTTGCAGCAC 840  
CACCACCTCCACCGCCCTCCATAACTCCCGGTTGGGAAGCGGTTACCGAACGTCGTG  
c G G G G G I E G P T L R Q W L A A R -

BamHI  
|  
841 GCGCATAATCTCGAGGATCCG 861  
CGCGTATTAGAGCTCTTAGGC  
c A \* -

FIGURE 9

		XbaI	
	1	TCTAGATTTGTTTAACTAATTAAAGGAGGAATAACATATGATCGAAGGTCCGACTCTGC	60
c		AGATCTAAACAAAATTGATTAATTTCTCTTATTGTATACTAGCTTCCAGGCTGAGACG	
		M I E G P T L R -	
	61	GTCAGTGGCTGGCTGCTCGTGTGGCGGTGGTGGCGGAGGGGTGGCATTGAGGGCCCAA	120
c		CAGTCACCGACCGACGAGCAGACCGCCACCGCCTCCCCACCGTAACCTCCCGGTT	
		Q W L A A R A G G G G G G G G I E G P T -	
	121	CCCTTCGCCAATGGCTTGCAGCAGCGCAGGGGAGGCGGTGGGGACAAAACCTCACACAT	180
c		GGGAAGCGGTTACCGAACGTCTGCGCGTCCCCCTCCGCGACCCCTGTTTGTAGTGTGA	
		L R Q W L A A R A G G G G G G D K T H T C -	
	181	GTCCACCTTGCCAGCACCTGAACTCCTGGGGGACCGTCAGTTTCTCTTCCCCCAA	240
c		CAGGTGGAACGGGTCTGGACTTGAGGACCCCCCTGGCAGTCAAAGGAGAAGGGGGTT	
		P P C P A P E L L G G P S V F L F P P K -	
	241	AACCAAGGACACCTCATGATCTCCCGGACCCCTGAGGTACATGCGTGGTGGGACG	300
c		TTGGGTTCCTGTGGGAGTACTAGAGGGCCTGGGGACTCCAGTGTACGCACCAACCTGC	
		P K D T L M I S R T P E V T C V V V D V -	
	301	TGAGCCACGAAGACCCCTGAGGTCAAGTTCAACTGGTACGTGGACGGCGTGGAGGTGCATA	360
c		ACTCGGTGCTTCTGGGACTCCAGTTCAAGTTGACCATGCACCTGCCGCACCTCCACGTAT	
		S H E D P E V K F N W Y V D G V E V H N -	
	361	ATGCCAAGACAAAGCCGCGGAGGAGCAGTACAACAGCACGTACCGTGTGGTCAGCGTCC	420
c		TACGGTTCGTGTTTCGGGCGCCCTCCTCGTCATGTTGTCGTGCATGGCACACAGTCGAGG	
		A K T K P R E E Q Y N S T Y R V V S V L -	
	421	TCACCGTCTGCACACGACTGGCTGAATGGCAAGGAGTACAAGTGAAGGTCTCCAACA	480
c		AGTGGCAGGACGTGGTCTGACCGACTTACCGTTCCTCATGTTACGTTCCAGAGTTGT	
		T V L H Q D W L N G K E Y K C K V S N K -	
	481	AAGCCCTCCAGCCCCATCGAGAAAACCATCTCCAAGCCAAAGGGCAGCCCCGAGAAC	540
c		TTCCGGAGGGTTCGGGGTAGCTCTTTGGTAGAGGTTTCGGTTTCCCGTCGGGGCTCTTG	
		A L P A P I E K T I S K A K G Q P R E P -	
	541	CACAGGTGTACACCTGCCCCATCCCGGATGAGCTGACCAAGAACCAGGTACGCCTGA	600
c		GTGTCCACATGTGGGACGGGGTAGGGCCCTACTCGACTGGTTCTTGGTCCAGTCGGACT	
		Q V Y T L P P S R D E L T K N Q V S L T -	
	601	CCTGCCTGGTCAAAGGCTTCTATCCAGCGACATCGCGTGGAGTGGGAGAGCAATGGGC	660
c		GGACGGACCAAGTTCCGAAGATAGGGTCGCTGTAGCGGCACCTCACCTCTCGTTACCCG	
		C L V K G F Y P S D I A V E W E S N G Q -	
	661	AGCCGGAGAACAACTACAAGACCACGCTCCCGTGTGGACTCCGACGGCTCCTTCTTCC	720
c		TCGGCTCTGTTGATGTTCTGGTGGGAGGGCAGACCTGAGGCTGCCGAGGAAGAAGG	
		P E N N Y K T T P P V L D S D G S F F L -	
	721	TCTACAGCAAGCTCACCGTGGACAAGAGCAGGTGGCAGCAGGGGAACGTCTTCTCATGCT	780
c		AGATGTCGTTCGAGTGGCACCTGTTCTCGTCCACCGTCTCCCTTGCAGAAGAGTACGA	
		Y S K L T V D K S R W Q Q G N V F S C S -	
	781	CCGTGATGCATGAGGCTCTGCACAACCACTACACGAGAAGAGCCTCTCCCTGTCTCCGG	840
c		GGCACTACGTACTCCGAGACGTGTGGTGTGTGCGTCTTCTCGGAGAGGGACAGAGGCC	
		V M H E A L H N H Y T Q K S L S L S P G -	
		BamHI	
	841	GTAAATAATGGATCC	855
c		CATTATTACCTAGG	
		K *	

**FIGURE 10**

XbaI  
|  
1 TCTAGATTTGTTTAACTAATTAAAGGAGGAATAACATATGATCGAAGGTCCGACTCTGC 60  
-----+-----+-----+-----+-----+-----+  
AGATCTAAACAAATTGATTAATTTCTCTCTTATGTATACTAGCTTCCAGGCTGAGACG  
M I E G P T L R -

c  
61 GTCAGTGGCTGGCTGCTCGTGTGGTGGAGCGGTGGGGACAAACTCACACATGTCCAC 120  
-----+-----+-----+-----+-----+-----+  
CAGTCACCGACCGACGAGCAGCACCCTCCGCCACCCCTGTTTGTAGTGTGTACAGGTG  
Q W L A A R A G G G G G D K T H T C P P -

c  
121 CTTGCCCAGCACCTGAACCTCTGGGGGACCGTCAGTTTTCCTCTTCCCCCAAACCCA 180  
-----+-----+-----+-----+-----+-----+  
GAACGGGTCTGGACTTGAGGACCCCTGGCAGTCAAAAGGAGAAGGGGGTTTTGGGT  
C P A P E L L G G P S V F L F P P K P K -

c  
181 AGGACACCCCTCATGATCTCCCGGACCCCTGAGGTACATGCGTGGTGGTGGACGTGAGCC 240  
-----+-----+-----+-----+-----+-----+  
TCCTGTGGGAGTACTAGAGGGCCTGGGGACTCCAGTGTACGACACACCTGCACCTCGG  
D T L M I S R T P E V T C V V V D V S H -

c  
241 ACGAAGACCCCTGAGGTCAAGTTCAACTGGTACGTGGACGGCGTGGAGGTGCATAATGCCA 300  
-----+-----+-----+-----+-----+-----+  
TGCTTCTGGGACTCCAGTTCAAGTTGACCATGCACCTGCCGCACCTCCACGTATTACGGT  
E D P E V K F N W Y V D G V E V H N A K -

c  
301 AGACAAAGCCGCGGGAGGAGCAGTACAACAGCACGTACCGTGTGGTCAGCGTCTCACCG 360  
-----+-----+-----+-----+-----+-----+  
TCTGTTTCGGCGCCCTCCTCGTCATGTTGTCGTGCATGGCACACCAAGTCGCGAGGAGTGGC  
T K P R E E Q Y N S T Y R V V S V L T V -

c  
361 TCCTGCACCAAGGACTGGCTGAATGGCAAGGAGTACAAGTGCAAGGTCTCCAACAAAGCCC 420  
-----+-----+-----+-----+-----+-----+  
AGGCGTGGTCCTGACGACTTACCGTTCTCATGTTACGTTCCAGAGGTGTTTCGGG  
L H Q D W L N G K E Y K C K V S N K A L -

c  
421 TCCCAGCCCCATCGAGAAAACCATCTCAAAGCCAAAGGGCAGCCCCGAGAACCAAGG 480  
-----+-----+-----+-----+-----+-----+  
AGGGTCGGGGTAGCTCTTTTGGTAGAGGTTTCGGTTTCCCGTCGGGCTCTTGGTGTCC  
P A P I E K T I S K A K G Q P R E P Q V -

c  
481 TGTACACCCCTGCCCCATCCCGGGATGAGCTGACCAAGAACCAGGTACGCTGACCTGCC 540  
-----+-----+-----+-----+-----+-----+  
ACATGTGGGACGGGGGTAGGGCCCTACTCGACTGGTTCCTTGGTCCAGTCGGACTGGACGG  
Y T L P P S R D E L T K N Q V S L T C L -

c  
541 TGGTCAAAGGCTTCTATCCCAGCGACATCGCCGTGGAGTGGGAGAGCAATGGGCAGCCGG 600  
-----+-----+-----+-----+-----+-----+  
ACCACTTTCCGAAGATAGGGTCGCTGTAGCGGCACCTCACCTCTCGTTACCCGTCCGGC  
V K G F Y P S D I A V E W E S N G Q P E -

c  
601 AGAACAACACTACAAGACCACGCCCTCCCGTGTGGACTCCGACGGCTCCTTCTCTCTTACA 660  
-----+-----+-----+-----+-----+-----+  
TCTTGTGTATGTTCTGTTGCGGAGGGCAGCAGCTGAGGCTGCCGAGGAAGAAGGAGATGT  
N N Y K T T P P V L D S D G S F F L Y S -


c  
661 GCAAGCTCACCGTGGACAAGAGCAGGTGGCAGCAGGGGAACGTCTTCTCATGCTCCGTGA 720  
-----+-----+-----+-----+-----+-----+  
CGTTGAGTGGCACCTGTTCTCGTCCACCGTCGTCCCTTGCAGAAGAGTACGAGGCACT  
K L T V D K S R W Q Q G N V F S C S V M -


c  
721 TGCATGAGGCTCTGCACAACCACTACACGCAGAAGAGCCTCTCCCTGTCTCCGGGTAAAT 780  
-----+-----+-----+-----+-----+-----+  
ACGTACTCCGAGACGTGTTGGTGTGTCGTCTTCTCGAGAGGGACAGAGGCCCATTTA  
H E A L H N H Y T Q K S L S L S P G K \* -

c  
781 BamHI  
|  
AATGGATCC  
----- 789  
TTACCTAGG



**FIGURE 11**



**FIGURE 12**

**FIGURE 13**

XbaI  
TCTAGATTTTGTTTTAACTAATTAAAGGAGGAATAACATATGGACAAAACCTCACACATGTC  
1 - - - - - + - - - - - + - - - - - + - - - - - + 60  
AGATCTAAACAAAATTGATTAATTTCTCTCTTATTGTATACCTGTTTGTAGTGTGTACAG  
C M D K T H T C P -  
CACCTTGTCCAGCTCCGGAACTCTCTGGGGGACCGTCAGTCTCTCTCTCCCCCAAAAC  
61 - - - - - + - - - - - + - - - - - + - - - - - + 120  
GTGGAACAGGTCGAGGCCTTGAGGACCCCCCTGGCAGTCAGAAGGAGAAGGGGGTTTTG  
C P C P A P E L L G G P S V F L F P P K P -  
CCAAGGACACCCTCATGATCTCCCGGACCCCTGAGGTCACATGCGTGGTGGTGGACGTGA  
121 - - - - - + - - - - - + - - - - - + - - - - - + 180  
GGTTCTGTGGGAGTACTAGAGGGCCTGGGGACTCCAGTGTACGCACCACCTGCCTGACT  
C K D T L M I S R T P E V T C V V V D V S -  
GCCACGAAGACCCTGAGGTCAAGTTCAACTGGTACGTGGACGGCGTGGAGGTGCATAATG  
181 - - - - - + - - - - - + - - - - - + - - - - - + 240  
CGGTCTCTTGGGACTCCAGTTCAGTTGACCATGCACCTCCGACCTCCACGTATTAC  
C H E D P E V K F N W Y V D G V E V H N A -  
CCAAGACAAAGCCGCGGAGGAGCAGTACAACAGCAGTACCGTGTGGTTCAGCGTCTCA  
241 - - - - - + - - - - - + - - - - - + - - - - - + 300  
GGTTCTGTTCGGCGCCCTCTCTGTCATGTTGTCTGTCATGGCACACAGTTCGAGGAGT  
C K T K P R E E Q Y N S T Y R V V S V L T -  
CCGTCTGCACCAGGACTGGCTGAATGGCAAGGAGTACAAGTGCAGGTCTCCAACAAAG  
301 - - - - - + - - - - - + - - - - - + - - - - - + 360  
GGCAGGACGTGGTCTGACCGACTTACCGTTCCTCATGTTTCACGTTCAGAGGTGTGTTTC  
C V L H Q D W L N G K E Y K C K V S N K A -  
CCCTCCCAGCCCCATCGAGAAAACCATCTCCAAGCCAAAGGCGAGCCCCGAGAACCAC  
361 - - - - - + - - - - - + - - - - - + - - - - - + 420  
GGGAGGGTCTGGGGGTAGCTCTTTTGGTAGAGGTTTCGGTTTCCCGTCGGGGCTCTTGTTG  
C L P A P I E K T I S K A K G Q P R E P Q -  
AGGTGTACACCTGCCCCATCCCGGGATGAGCTGACCAAGAACCAGGTTCAGCTGACCT  
421 - - - - - + - - - - - + - - - - - + - - - - - + 480  
TCCCATGTGGGACGGGGTAGGGCCCTACTCGACTGGTCTTGGTCCAGTTCGAGTGA  
C V Y T L P P S R D E L T K N Q V S L T C -  
GCCTGGTCAAAGGCTTCTATCCAGCGACATCGCCGTGGAGTGGGAGAGCAATGGGCAGC  
481 - - - - - + - - - - - + - - - - - + - - - - - + 540  
CGGACCACTTTCCGAAGATAGGGTCTGCTAGCGGCACCTCACCTCTCGTTACCCGTCG  
C L V K G F Y P S D I A V E W E S N G Q P -  
CGGAGAACAACATAAGACCACGCTCCCGTCTGGACTCCGACGGCTCCTTCTCTCTCT  
541 - - - - - + - - - - - + - - - - - + - - - - - + 600  
GCCCTCTGTGTGATGTTCTGTGCGGAGGGACAGACCTGAGGCTGCCAGGAAGAAGGAGA  
C E N N Y K T T P P V L D S D G S F F L Y -  
ACAGCAAGCTCACCGTGGACAAGAGCAGGTGGCAGCAGGGGAACGTCTTCTCATGCTCCG  
601 - - - - - + - - - - - + - - - - - + - - - - - + 660  
TGTCGTTTCAGTGGCACCTGTCTCTGTCACCGTCGTCCTTCGAGAAGAGTACGAGGC  
C S K L T V D K S R W Q Q G N V F S C S V -  
TGATGCATGAGGCTCTGCACAACCACTACACGCAGAAGAGCCTCTCCCTGTCTCCGGGTA  
661 - - - - - + - - - - - + - - - - - + - - - - - + 720  
ACTACGTACTCCGAGACGTGTGGTGATGTGCTCTTCTCGGAGAGGGACAGAGGCCCAT  
C M H E A L H N H Y T Q K S L S L S P G K -  
AAGGTGGAGGTGGTGGTGGAGGTACTTACTCTTGCCACTTCGGCCCGCTGACTTGGGTTT  
721 - - - - - + - - - - - + - - - - - + - - - - - + 780  
TTCCACCTCCACCACCCTCCATGAATGAGAAGCGTGAAGCCGGGCGACTGAACCCAA  
C G G G G G G G T Y S C H F G P L T W V C -  
BamHI  
GCAAACCGCAGGGTGGTTAATCTCGTGGATCC  
781 - - - - - + - - - - - + - - - - - + 812  
CGTTTGGCGTCCCAACCAATTAGACACCTAGG  
C K P O G G \*

**FIGURE 14**

XbaI  
|  
TCTAGATTTGTTTAACTAATTAAAGGAGGAATAACATATGGGAGGTACTTACTCTTGCC  
1 -----+-----+-----+-----+-----+ 60  
AGATCTAAACAAAATTGATTAATTTCTCTCTTATTGTATACCCCTCCATGAATGAGAACGG  
c M G G T Y S C H -

ACTTCGGCCCGCTGACTTGGGTATGTAAGCCACAAGGGGTGGGGGAGGCGGGGGGACA  
61 -----+-----+-----+-----+-----+ 120  
TGAAGCCGGGCGACTGAACCCATACATTCTGGTGTTCCTCCACCCCTCCGCCCCCTGT  
c F G P L T W V C K P Q G G G G G G G D K -

AAACTCACACATGTCCACCTTGCCAGCACCTGAACTCCTGGGGGACCGTCAGTTTTC  
121 -----+-----+-----+-----+-----+ 180  
TTTGAGTGTGTACAGGTGGAACGGTCTGGACTTGAGGACCCCTCGCAGTCAAAAGG  
c T H T C P P C P A P E L L G G P S V F L -

TCTTCCCCCAAACCCAAAGACACCCCTCATGATCTCCCGACCCCTGAGGTACATGCG  
181 -----+-----+-----+-----+-----+ 240  
AGAAGGGGGGTTTGGGTTCCTGTGGGAGTACTAGAGGGCTGGGGACTCCAGTGTACGC  
c F P P K P K D T L M I S R T P E V T C V -

TGGTGGTGGAGCTGAGCCACGAAGACCCCTGAGGTCAAGTTCAACTGGTACGTGGACGGCG  
241 -----+-----+-----+-----+-----+ 300  
ACCAGCACCTGCACCTCGGTGCTTCTGGGACTCCAGTTCAAGTTGACCATGCACCTGCCCG  
c V V D V S H E D P E V K F N W Y V D G V -

TGGAGGTGCATAATGCCAAGACAAGCCGCGGGAGGAGCAGTACAACAGCACGTACCGTG  
301 -----+-----+-----+-----+-----+ 360  
ACCTCCACGTATTACGGTTCTGTTTCGGCGCCCTCCTCGTCATGTTGTCGTGCATGGCAC  
c E V H N A K T K P R E E Q Y N S T Y R V -

TGGTCAGCGTCTCCACCGTCTGCACAGGACTGGCTGAATGGCAAGGAGTACAAGTGCA  
361 -----+-----+-----+-----+-----+ 420  
ACCAGTCGAGGAGTGGCAGGACGTGGTCTGACCGACTTACCGTTCCTCATGTTTACGT  
c V S V L T V L H Q D W L N G K E Y K C K -

AGGTCTCCAACAAGCCCTCCAGCCCCATCGAGAAAACCATCTCCAAGCCAAAGGGC  
421 -----+-----+-----+-----+-----+ 480  
TCCAGAGGTGTGTTTCGGGAGGGTTCGGGGTAGCTCTTTTGGTAGAGGTTTCGGTTTCCCG  
c V S N K A L P A P I E K T I S K A K G Q -

AGCCCCGAGAACCACAGGTGTACACCCCTGCCCCCATCCCGGATGAGCTGACCAAGAACC  
481 -----+-----+-----+-----+-----+ 540  
TCGGGGCTCTTGGTGTCCACATGTGGGACGGGGTAGGGCCCTACTCGACTGGTTCTTGG  
c P R E P Q V Y T L P P S R D E L T K N Q -

AGGTCTCAGCTGACCTGCCTGGTCAAAGGCTTCTATCCCAGCGACATCGCCGTGGAGTGGG  
541 -----+-----+-----+-----+-----+ 600  
TCCAGTCGACTGGACGGACAGTTTCCGAAGATAGGGTCGCTGTAGCGGCACCTCACCC  
c V S L T C L V K G F Y P S D I A V E W E -

AGAGCAATGGGCAGCCGAGAACTACAAGACCACGCCTCCCGTGTGGACTCCGACG  
601 -----+-----+-----+-----+-----+ 660  
TCTCGTTACCCGTCGGCTCTTGTGATGTTCTGGTGGGAGGGACGACCTGAGGCTGC  
c S N G Q P E N N Y K T T P P V L D S D G -

GCTCCTTCTTCTTACAGCAAGCTCACCGTGGACAAGAGCAGGTGGCAGCAGGGGAACG  
661 -----+-----+-----+-----+-----+ 720  
CGAGGAAGAAGGAGATGTCGTTCGAGTGGCACCTGTTCTCGTCCACCGTCGTCCCTTGC  
c S F F L Y S K L T V D K S R W Q Q G N V -

TCTTCTCATGCTCCGTGATGCATGAGGCTCTGCACAACCACTACACGAGAAGAGCTCT  
721 -----+-----+-----+-----+-----+ 780  
AGAAGAGTACGAGGCACTACGTACTCCGAGACGTGTTGGTGATGTGCGTCTTCTCGGAGA  
c F S C S V M H E A L H N H Y T Q K S L S -

BamHI  
|  
CCCTGTCTCCGGGTAAATAATGGATCC  
781 -----+-----+-----+-----+ 807  
GGGACAGAGGCCATTTATTACCTAGG  
c L S P G K \*

**FIGURE 15**

XbaI  
|  
TCTAGATTTGAGTTTAACTTTTAGAAGGAGGAATAAAATATGGGAGGTACTTACTCTTG  
1 -----+-----+-----+-----+-----+ 60  
AGATCTAAACTCAAATGAAAATCTTCCTCCTTATTTTATACCTCCATGAATGAGAAC  
b M G G T Y S C -

CCACTTCGGCCCACTGACTTGGGTTTGCAAACCGCAGGGTGGCGGCGCGCGCGCGGTGG  
61 -----+-----+-----+-----+-----+ 120  
GGTGAAGCCGGGTGACTGAACCCAAACGTTTGGCGTCCCACCGCCGCCCGCCGCCACC  
b H F G P L T W V C K P Q G G G G G G G G -

TACCTATTCTGTCTATTTTGGCCCGCTGACCTGGGTATGTAAGCCACAAGGGGTGGGGG  
121 -----+-----+-----+-----+-----+ 180  
ATGGATAAGGACAGTAAACCGGGCGACTGGACCATACATTTCGGTGTTCCTCCACCCCC  
b T Y S C H F G P L T W V C K P Q G G G G -

AGCGGGGGGGACAAACTCACACATGTCCACCTTGCCAGCACCTGAACTCCTGGGGGG  
181 -----+-----+-----+-----+-----+ 240  
TCCGCCCCCCTGTCTTGTAGTGTGTACAGGTGGAACGGGTGCTGGACTTGAGGACCCCC  
b G G G D K T H T C P P C P A P E L L G G -

ACCGTCAGTTTCTCTTCTCCCCCAAAACCAAGGACACCTCATGATCTCCCGGACCCC  
241 -----+-----+-----+-----+-----+ 300  
TGGCAGTCAAAAGGAGAAAGGGGGGTTTGGGTTCTGTGGGAGTACTAGAGGGCCTGGGG  
b P S V F L F P P K P K D T L M I S R T P -

TGAGGTCACATGCGTGGTGGTGGACGTGAGCCACGAAGACCTGAGGTCAAGTTCAACTG  
301 -----+-----+-----+-----+-----+ 360  
ACTCCAGTGTACGACACCACCTGCACTCGGTGCTTCTGGGACTCCAGTTCAGTTGAC  
b E V T C V V V D V S H E D P E V K F N W -

GTACGTGGAGCGCGTGGAGGTGCATAATGCCAAGACAAAGCCGCGGGAGGAGCAGTACAA  
361 -----+-----+-----+-----+-----+ 420  
CATGCACCTGCCGACCTCCACGTATTACGGTCTGTTCGGCGCCCTCCTCGTCATGTT  
b Y V D G V E V H N A K T K P R E E Q Y N -

CAGCAGTACCGTGTGGTGCAGCTCCTCACCGTCTGCACCAAGGACTGGCTGAATGGCAA  
421 -----+-----+-----+-----+-----+ 480  
GTCGTGCATGGCAGCAGCTGCAGGAGTGGCAGGACGTGGTCTGACCGACTTACCGTT  
b S T Y R V V S V L T V L H Q D W L N G K -

GGAGTACAAGTGCAAGGTCTCCAACAAAGCCCTCCAGCCCCATCGAGAAAACCATCTC  
481 -----+-----+-----+-----+-----+ 540  
CCTCATGTTTCAAGTTCAGAGGTTGTTTCGGGAGGTTGCGGGGTAGCTCTTTTGGTAGAG  
b E Y K C K V S N K A L P A P I E K T I S -

CAAAGCCAAAGGGCAGCCCCGAGAACCACAGGTGTACACCTGCCCCCATCCCGGGATGA  
541 -----+-----+-----+-----+-----+ 600  
GTTTCGGTTTCCCGTCCGGGCTCTTGGTGTCCACATGTGGGACGGGGTAGGGCCCTACT  
b K A K G Q P R E P Q V Y T L P P S R D E -

GCTGACCAAGAACCAGGTGACCTGACCTGCCTGGTCAAAGGCTTCTATCCAGCGACAT  
601 -----+-----+-----+-----+-----+ 660  
CGACTGGTTCTTGGTCCAGTCCGACTGGACGGACAGTTTCCGAAGATAGGGTCGCTGTA  
b L T K N Q V S L T C L V K G F Y P S D I -

CGCCGTGGAGTGGGAGAGCAATGGGCAGCCGAGAACTACAAGACCACGCCCTCCCGT  
661 -----+-----+-----+-----+-----+ 720  
GCGGCACCTCACCTCTCGTTACCCGTCGGCCTCTTGTGATGTTCTGGTGGGAGGCA  
b A V E W E S N G Q P E N N Y K T T P P V -

GCTGGACTCCGACGGCTCTTCTTCTCTACAGCAAGCTCACCGTGGACAAGAGCAGGTG  
721 -----+-----+-----+-----+-----+ 780  
CGACCTGAGGCTGCCGAGGAAGAAGGAGATGTCGTTTCGAGTGGCACCTGTTCTCGTCCAC  
b L D S D G S F F L Y S K L T V D K S R W -

GCAGCAGGGGAACGTCTTCTCATGCTCCGTGATGCATGAGGCTCTGCACAACCACTACAC  
781 -----+-----+-----+-----+-----+ 840  
CGTCTCCCTTTCGAGAAGATACGAGGCACTACGTACTCCGAGACGTGTTGGTGTGATGTG  
b Q Q G N V F S C S V M H E A L H N H Y T -

BamHI  
|  
GCAGAAGAGCCTCTCCCTGTCTCCGGGTAATAATGGATCC  
841 -----+-----+-----+-----+-----+ 881  
CGTCTTCTCGGAGAGGGACAGAGGCCCATTTATTACCTAGG  
b Q K S L S L S P G K \*

**FIGURE 16**

XbaI  
|

1 TCTAGATTTGTTTTAACTAATTAAAGGAGGAATAACATATGGACAAAACCTCACACATGTC 60  
-----+-----+-----+-----+-----+-----+-----+-----+  
AGATCTAAACAAAATTGATTAATTTCCTCCTTATTGTATACCTGTTTGTAGTGTGTACAG  
M D K T H T C P -

c

61 CACCTTGCCCCAGCACCTGAACTCCTGGGGGGACCGTCAGTTTTCCTCTTCCCCCAAAC 120  
-----+-----+-----+-----+-----+-----+-----+-----+  
GTGGAACGGTCTGGACTTGAGGACCCCTGGCAGTCAAAAGGAGAAGGGGGTTTTG  
P C P A P E L L G G P S V F L F P P K P -

c

121 CCAAGGACACCCTCATGATCTCCCGACCCCTGAGGTCACATGCGTGGTGGTGGACGTGA 180  
-----+-----+-----+-----+-----+-----+-----+-----+  
GGTTCTGTGGGAGTACTAGAGGGCCTGGGGACTCCAGTGTACGACACCACCCTGCACCT  
K D T L M I S R T P E V T C V V V D V S -

c

181 GCCACGAAGACCCCTGAGGTCAAGTTCAACTGGTACGTGGACGGCGTGGAGGTGCATAATG 240  
-----+-----+-----+-----+-----+-----+-----+-----+  
CGGTGCTTCTGGGACTCCAGTTCAAGTTGACCATGCACCTGCCGCACCTCCACGTATTAC  
H E D P E V K F N W Y V D G V E V H N A -

c

241 CCAAGACAAAGCCGCGGAGGAGCAGTACAACAGCACGTACCGTGTGGTCAGCGTCCTCA 300  
-----+-----+-----+-----+-----+-----+-----+-----+  
GGTTCTGTTTTCGGCGCCCTCCTCGTCATGTTGTCGTGCATGGCACACCAAGTCGAGGAGT  
K T K P R E E Q Y N S T Y R V V S V L T -

c

301 CCGTCTGTCACCAGGACTGGCTGAATGGCAAGGAGTACAAGTGCAAGGTCTCCAACAAAG 360  
-----+-----+-----+-----+-----+-----+-----+-----+  
GGCAGGACGTGGTCTGACCGACTTACCGTTCCTCATGTTACGTTCCAGAGGTTGTTTC  
V L H Q D W L N G K E Y K C K V S N K A -

c

361 CCCTCCAGCCCCATCGAGAAAACCATCTCCAAGCCAAAGGGCAGCCCCGAGAACCAC 420  
-----+-----+-----+-----+-----+-----+-----+-----+  
GGGAGGGTCGGGGGTAGCTCTTTTGGTAGAGTTTCGGTTTCCCGTCGGGGCTCTTGGTG  
L P A P I E K T I S K A K G Q P R E P Q -

c

421 AGGTGTACACCTGCCTCCATCCCGGATGAGCTGACCAAGAACCAGGTGAGCTGACCT 480  
-----+-----+-----+-----+-----+-----+-----+-----+  
TCCACATGTGGGACGGAGGTAGGGCCCTACTCGACTGGTTCCTTGGTCCAGTCGACTGGA  
V Y T L P P S R D E L T K N Q V S L T C -

c

481 GCCTGGTCAAAGGCTTCTATCCAGCGACATCGCCGTGGAGTGGGAGAGCAATGGGCAGC 540  
-----+-----+-----+-----+-----+-----+-----+-----+  
CGGACCAGTTTCCGAAGATAGGTCGCTGTAGCGGCACCTCACCTCTCGTTACCCGTCG  
L V K G F Y P S D I A V E W E S N G Q P -

c

541 CGGAGAACAACTACAAGACCACGCTCCCGTGTGGACTCCGACGGCTCCTTCTCCTCT 600  
-----+-----+-----+-----+-----+-----+-----+-----+  
GCCTCTTGTGTATGTTCTGGTGCAGGGGACGACCTGAGGCTGCCGAGGAAGAGAGA  
E N N Y K T T P P V L D S D G S F F L Y -

c

601 ACAGCAAGCTCACCGTGGACAAGAGCAGGTGGCAGCAGGGGAACGTCTTCTCATGCTCCG 660  
-----+-----+-----+-----+-----+-----+-----+-----+  
TGTGCTTCGAGTGGCACCTGTTCTCGTCCACGTCGTCCTTGCAGAGAGTACGAGGC  
S K L T V D K S R W Q Q G N V F S C S V -

c

661 TGATGCATGAGGCTCTGCACAACCACTACACGCAGAAGAGCCTCTCCCTGTCTCCGGTA 720  
-----+-----+-----+-----+-----+-----+-----+-----+  
ACTACGTACTCCGAGACGTGTTGGTGTGTGCGTCTTCTCGGAGAGGGACAGAGGCCCAT  
M H E A L H N H Y T Q K S L S L S P G K -

c

721 AAGGTGGAGGTGGTGGCGGAGTACTTACTCTTGCCACTTCGGCCCACTGACTTGGGTTT 780  
-----+-----+-----+-----+-----+-----+-----+-----+  
TTCCACCTCCACCACCGCTCCATGAATGAGAACGGTGAAGCCGGGTGACTGAACCCAAA  
G G G G G G G T Y S C H F G P L T W V C -

c

781 GCAAACCGCAGGGTGGCGGCGGGCGGGCGGGTGGTACCTATTCTGTCTTTGGCCCCG 840  
-----+-----+-----+-----+-----+-----+-----+-----+  
CGTTTGGCGTCCCAACCGCCGCCGCCGCCACCATGGATAAGGACAGTAAACCGGGCG  
K P Q G G G G G G G G T Y S C H F G P L -

c

BamHI  
|

841 TGACCTGGGTATGTAAGCCACAAGGGGGTTAATCTCGAGGATCC 884  
-----+-----+-----+-----+-----+-----+-----+-----+  
ACTGGACCCATACATTGCGTGTTCCTCCCAATTAGAGCTCTAGG  
T W V C K P Q G G \*

**FIGURE 17A**

(AatII sticky end) 5' GCGTAACGTATGCATACGTACGGTCTCAGG  
(position #4358 in pAMG21) 3' TGCACGCATTGCATACGTACCGAGG

- CCATGCGAGAGTAGGGAACTGCCAGGCATCAAATAAAACGAAAGGCTCAGTCGAAAGACT-  
- GGTACGCTCTCATCCCTTGACGGTCCGTAGTTTATTTTGCCTTCCGAGTCAGCTTTCTGA-

- GGGCCTTTCGTTTATCTGTTGTTTGTGCGGTGAACGCTCTCCTGAGTAGGACAAATCCGC-  
- CCCGGAAAGCAAATAGACAACAACAGCCACTTGCGAGAGGACTCATCTGTTTtaggcg-

- CGGGAGCGGATTTGAACGTTGCGAAGCAACGCCCGGAGGGTGGCGGGCAGGACGCCCGC-  
- GCCCTCGCCTAAACTTGCAACGCTTCGTTGCCGGGCTCCACCGCCCGTCTGCGGGCG-

- CATAACTGCCAGGCATCAAATTAAGCAGAAGGCCATCCTGACGGATGGCCTTTTTCGCT-  
- GTATTTGACGGTCCGTAGTTTAAATTCGCTTCCGGTAGGACTGCCTACCGGAAAACGCA-

AatII

- TTCTACAACTCTTTTGTATTATTTTCTAAATACATTCAAATATGGCGTCTACTTAACT-  
- AAGATGTTTgagaaaaCAAATAAAAAGATTATGTAAGTTTATACCTGCAGCATGAATTG-

- TTTTAAAGTATGGGCAATCAATTGCTCCTGTTAAATATGCTTTAGAAATACTTTGGCAGC-  
- AAAATTTTATACCCGTTAGTTTAAAGGACAATTTAACGAAATCTTTATGAAACCGTCG-

- GGTTTGTGTATTGAGTTTCATTTGCGCATTGGTTAAATGGAAGTGACCGTGCGCTTAC-  
- CCAACAACATAACTCAAAGTAAACGCGTAACCAATTTACCTTTCCTACTGGCACGCGAATG-

- TACAGCCTAATATTTTGAATATCCCAAGAGCTTTTTCTTCGCATGCCACGCTAAAC-  
- ATGTCGGATTATAAAAACTTTATAGGGTTCTCGAAAAAGGAAGCGTACGGGTGCGATTG-

- ATTCTTTTTCTCTTTTGGTTAAATCGTTGTTTGATTTATTTTGTATATTTATTTTTC-  
- TAAGAAAAAGAGAAAACCAATTTAGCAACAACTAAATAATAACGATATAAATAAAAAG-

- GATAATTATCAACTAGAGAAGGAACAATTAATGGTATGTTTCATACACGCATGTAATAA-  
- CTATTAATAGTTGATCTCTTCCCTGTTAATTACCATACAAGTATGTGCGTACATTTTAT-

- AACTATCTATATAGTTGTCTTTCTCTGAATGTGCAAACTAAGCATTCCGAAGCCATTAT-  
- TTGATAGATATATCAACAGAAAGAGACTTACACGTTTTGATTTCGTAAGGCTTCGGTAATA-

- TAGCAGTATGAATAGGGAACTAAACCCAGTGATAAGACCTGATGATTTGCTTCTTTAA-  
- ATCGTCATACTTTATCCCTTTGATTTGGGTCACTATTCTGGACTACTAAAGCGGAAGAAAT-

- TTACATTTGGAGATTTTTTATTACAGCATTTGTTTCAAATATATCCAATTAATCGGTG-  
- AATGTAAACCTCTAAAAAATAAATGTGTAACAAAAGTTTATATAAGGTTAATTAGCCAC-

- AATGATTGGAGTTAGAATAATCTACTATAGGATCATATTTTATTAAATTAGCGTCATCAT-  
- TTACTAACCTCAATCTTATTAGATGATATCCTAGTATAAAATAAATTAATCGCAGTAGTA-

- AATATTGCCTCCATTTTTTAGGGTAATTATCCAGAATTGAAATATCAGATTTAACCATAG-  
- TTATAACGGAGGTAAAAATCCCATTAATAGGTCTTAACCTTTATAGTCTAAATTGGTATC-

- AATGAGGATAAATGATCGCGAGTAAATAATATTCACAATGTACCATTTTtagtcatatcag-  
- TTACTCCTATTACTAGCGCTCATTTATTATAAGTGTTACATGGTAAATCAGTATAGTC-

- ATAAGCATTGATTAATATCATTTATTGCTTCTACAGGCTTTAATTTTATTAATTATTCTGT-  
- TATTTCGTAACATAATTATAGTAATAACGAAGATGTCCGAAATTAATAATTAATAAGACA-

- AAGTGTCGTCGGCATTTATGTCTTTCATACCCATCTCTTTATCCTTACCTATTGTTTGTG-  
- TTCACAGCAGCCGTAATAACAGAAAGTATGGGTAGAGAAATAGGAATGGATAACAAACAG-

- GCAAGTTTTGCGGTGTTATATATCATTAATAACGGTAATAGATTGACATTTGATTCTAATAA-  
- CGTTCAAACGCGACAAATATATAGTAATTTTGCCATTATCTAAGTGTAAACTAAGATTATT-


**FIGURE 17B**

-ATTGGATTTTTGTCACACTATTATATCGCTTGAAATACAATTGTTTAACATAAGTACCTG-  
 -TAACCTAAAAACAGTGTGATAATATAGCGAACTTTATGTTAACAAATTGTATTCATGGAC-  
 -TAGGATCGTACAGGTTTACGCAAGAAAAATGGTTTGTATAGTCGATTAATCGATTTGATT-  
 -ATCCTAGCATGTCCAAATGCGTTCCTTTACCAAACAATATCAGCTAATTAGCTAAACTAA-  
 -CTAGATTTGTTTTAACTAATTAAAGGAGGAATAACATATGGTTAACGCGTTGGAATTCGA-  
 -GATCTAAACAAAATTGATTAAATTCCTCCTTATTGTATACCAATTGCGCAACCTTAAGCT-  
 -GCTCACTAGTGTGCGACCTGCAGGGTACCATGGAAGCTTACTCGAGGATCCGCGGAAAGAA-  
 -CGAGTGATCACAGCTGGACGTCCCATGGTACCTTCGAATGAGCTCCTAGGCGCCTTTCTT-  
 -GAAGAAGAAGAAGAAAGCCCCGAAAGGAAGCTGAGTTGGCTGCTGCCACCGCTGAGCAATA-  
 -CTTCTTCTTCTTCTTTTCGGGCTTCCTTCGACTCAACCGACGACGGTGGCGACTCGTTAT-  
 -ACTAGCATAACCCCTTGCGGCTCTAAACGGGTCTTGAGGGGTTTTTTGCTGAAAGGAGG-  
 -TGATCGTATTGGGGAACCCCGAGATTTGCCCAGAACTCCCCAAAAACGACTTTCCTCC-  
 -AACCGCTCTTCACGCTCTTCACGC 3' [SacII sticky end]  
 -TTGGCGAGAAGTGCAGAGAAGTG 5' (position #5904 in pAMG21)




**FIGURE 18**

Erythroid parameters EMP-Fc, single bolus injection.



**FIGURE 19**

Normal female BDF1 mice treated with 100ug/kg EMP-Fc  
in 7-day micro osmotic pumps





**FIGURE 19B**

```

CAGGGGAACGTCTTCTCATGCTCCGTGATGCATGAGGCTCTGCACAACCACTACACGCAG
601 -----+-----+-----+-----+-----+-----+ 660
GTCCCCCTTGCAGAAGAGTACGAGGCACTACGTACTCCGAGACGTGTTGGTGATGTGCGTC

a      Q  G  N  V  F  S  C  S  V  M  H  E  A  L  H  N  H  Y  T  Q  -

AAGAGCCTCTCCCTGTCTCCGGGTAAAGGTGGAGGTGGTGGTGACTTCCTGCCGCACTAC
661 -----+-----+-----+-----+-----+-----+ 720
TTCTCGGAGAGGGACAGAGGCCCATTTCCACCTCCACCACCACTGAAGGACGGCGTGATG

a      K  S  L  S  L  S  P  G  K  G  G  G  G  G  D  F  L  P  H  Y  -

                                     BamHI
                                     |
AAAAACACCTCTCTGGGTCACCGTCCGTAATGGATCC
721 -----+-----+-----+-----+-----+ 757
TTTTTGTGGAGAGACCCAGTGGCAGGCATTACCTAGG

a      K  N  T  S  L  G  H  R  P  *
```

bioRxiv preprint doi: <https://doi.org/10.1101/000000>; this version posted January 1, 2014. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted bioRxiv a license to display the preprint in perpetuity. It is made available under aCC-BY-NC-ND 4.0 International license.

**FIGURE 20A**

NdeI  
|  
CATATGGACTTCCTGCGCACTACAAAAACACCTCTCTGGGTCACCGTCCGGGTGGAGGC  
1 -----+-----+-----+-----+-----+-----+-----+-----+-----+ 60  
GTATACCTGAAGGACGGCGTGATGTTTTGTGGAGAGACCCAGTGGCAGGCCACCTCCG

a           M D F L P H Y K N T S L G H R P G G G -

61 GGTGGGGACAAAACCTCACACATGTCCACCTTGCCAGCACCTGAACTCCTGGGGGGACCG  
-----+-----+-----+-----+-----+-----+-----+-----+ 120  
CCACCCCTGTTTTGAGTGTGTACAGGTGGAACGGGTCTGGACTTGAGGACCCCCCTGGC

a           G G D K T H T C P P C P A P E L L G G P -

121 TCAGTTTTCTCTTCCCCCAAAACCAAGGACACCCTCATGATCTCCCGGACCCCTGAG  
-----+-----+-----+-----+-----+-----+-----+-----+ 180  
AGTCAAAGGAGAAGGGGGTGGTTCCTGTGGGAGTACTAGAGGGCCTGGGGACTC

a           S V F L F P P K P K D T L M I S R T P E -

181 GTCACATGCGTGGTGGTGGACGTGAGCCACGAAGACCCTGAGGTCAAGTTCAACTGGTAC  
-----+-----+-----+-----+-----+-----+-----+-----+ 240  
CAGTGTACGCACCACCACCTGCACTCGGTGCTTCTGGGACTCCAGTTCAAGTTGACCATG

a           V T C V V V D V S H E D P E V K F N W Y -

241 GTGGACGGCGTGGAGGTGCATAATGCCAAGACAAAGCCGCGGGAGGAGCAGTACAACAGC  
-----+-----+-----+-----+-----+-----+-----+-----+ 300  
CACCTGCCGCACCTCCACGTATTACGGTTCTGTTTCGGCGCCCTCCTCGTCATGTTGTCTG

a           V D G V E V H N A K T K P R E E Q Y N S -

301 ACGTACCGTGTGGTCAGCGTCCTCACCGTCCTGCACCAGGACTGGCTGAATGGCAAGGAG  
-----+-----+-----+-----+-----+-----+-----+-----+ 360  
TGCATGGCACACCAGTCGCAGGAGTGGCAGGACGTGGTCTCTGACCGACTTACCGTTCCTC

a           T Y R V V S V L T V L H Q D W L N G K E -

361 TACAAGTGCAAGGTCTCCAACAAAGCCCTCCCAGCCCCATCGAGAAAACCATCTCCAAA  
-----+-----+-----+-----+-----+-----+-----+-----+ 420  
ATGTTACGTTCCAGAGTTGTTTCGGGAGGGTCGGGGGTAGCTCTTTTGGTAGAGGTTT

a           Y K C K V S N K A L P A P I E K T I S K -

421 GCCAAAGGGCAGCCCCGAGAACCACAGGTGTACACCCTGCCCCCATCCCGGGATGAGCTG  
-----+-----+-----+-----+-----+-----+-----+-----+ 480  
CGGTTTCCCGTCGGGGCTCTTGGTGTCCACATGTGGGACGGGGGTAGGGCCCTACTCGAC

a           A K G Q P R E P Q V Y T L P P S R D E L -

481 ACCAAGAACCAGGTCAGCCTGACCTGCCTGGTCAAAGGCTTCTATCCCAGCGACATCGCC  
-----+-----+-----+-----+-----+-----+-----+-----+ 540  
TGGTCTCTGGTCCAGTCGGACTGGACGGACAGTTTCCGAAGATAGGGTCGCTGTAGCGG

a           T K N Q V S L T C L V K G F Y P S D I A -

541 GTGGAGTGGGAGAGCAATGGGCAGCCGAGAACTACAAGACCACGCTCCCGTGCTG  
-----+-----+-----+-----+-----+-----+-----+-----+ 600  
CACCTCACCTCTCGTTACCCGTCGGCCTCTTGTGATGTTCTGGTGGGAGGGCACGAC

a           V E W E S N G Q P E N N Y K T T P P V L -

Handwritten text on a lined page, likely a letter or document. The text is written in cursive and is mostly illegible due to the angle and quality of the scan. The visible fragments of text include:

Handwritten text on a lined page, likely a letter or document. The text is written in cursive and is mostly illegible due to the angle and quality of the scan. The visible fragments of text include:

BamHI  
|  
721 AAGAGCCTCTCCCTGTCTCCGGGTAAATAATGGATCCGCGG 761  
-----+-----+-----+-----+-----  
TTCTCGGAGAGGGACAGAGGCCCATTTATTACCTAGGCGCC  
a       K   S   L   S   L   S   P   G   K   \*

FIGURE 21A

NdeI  
|  
CATATGGACAAAACCTCACACATGTCCACCTTGTCCAGCTCCGGAACCTCTGGGGGGACCG  
1 -----+-----+-----+-----+-----+-----+-----+ 60  
GTATACCTGTTTTGAGTGTGTACAGGTGGAACAGGTCGAGGCCTTGAGGACCCCCCTGGC

a M D K T H T C P P C P A P E L L G G P -

TCAGTCTTCCTCTTCCCCCAAAACCAAGGACACCCTCATGATCTCCCGGACCCCTGAG  
61 -----+-----+-----+-----+-----+-----+-----+ 120  
AGTCAGAAGGAGAAGGGGGGTTTTGGGTTCCTGTGGGAGTACTAGAGGGCCTGGGGACTC

a S V F L F P P K P K D T L M I S R T P E -

GTCACATGCGTGGTGGTGGACGTGAGCCACGAAGACCCTGAGGTCAAGTTCAACTGGTAC  
121 -----+-----+-----+-----+-----+-----+-----+ 180  
CAGTGTACGCACCACCACCTGCACTCGGTGCTTCTGGGACTCCAGTTCAAGTTGACCATG

a V T C V V V D V S H E D P E V K F N W Y -

GTGGACGGCGTGGAGGTGCATAATGCCAAGACAAAGCCGCGGGAGGAGCAGTACAACAGC  
181 -----+-----+-----+-----+-----+-----+-----+ 240  
CACCTGCCGCACCTCCACGTATTACGGTTCTGTTTCGGCGCCCTCCTCGTCATGTTGTCG

a V D G V E V H N A K T K P R E E Q Y N S -

ACGTACCGTGTGGTCAGCGTCCTCACCGTCCTGCACCAGGACTGGCTGAATGGCAAGGAG  
241 -----+-----+-----+-----+-----+-----+-----+ 300  
TGCATGGCACACCAGTCGCAGGAGTGGCAGGACGTGGTCTGACCGACTTACCGTTCCTC

a T Y R V V S V L T V L H Q D W L N G K E -

TACAAGTGCAAGGTCTCCAACAAAGCCCTCCCAGCCCCATCGAGAAAACCATCTCCAAA  
301 -----+-----+-----+-----+-----+-----+-----+ 360  
ATGTTTCACGTTCCAGAGGTTGTTTCGGGAGGGTCTGGGGGTAGCTCTTTTGGTAGAGGTTT

a Y K C K V S N K A L P A P I E K T I S K -

GCCAAAGGGCAGCCCCGAGAACCACAGGTGTACACCCTGCCCCCATCCCGGGATGAGCTG  
361 -----+-----+-----+-----+-----+-----+-----+ 420  
CGGTTTCCCGTCGGGGCTCTTGGTGTCCACATGTGGGACGGGGGTAGGGCCCTACTCGAC

a A K G Q P R E P Q V Y T L P P S R D E L -

ACCAAGAACCAGGTGAGCCTGACCTGCCTGGTCAAAGGCTTCTATCCCAGCGACATCGCC  
421 -----+-----+-----+-----+-----+-----+-----+ 480  
TGGTTCCTTGGTCCAGTCGGAAGTGGACGACAGTTTCCGAAGATAGGGTCGCTGTAGCGG

a T K N Q V S L T C L V K G F Y P S D I A -

GTGGAGTGGGAGAGCAATGGGCAGCCGGAGAACAACCTACAAGACCACGCCTCCCGTGCTG  
481 -----+-----+-----+-----+-----+-----+-----+ 540  
CACCTCACCCCTCTCGTTACCCGTCGGCCTCTTGTGATGTTCTGGTGGGAGGGCAGGAC

a V E W E S N G Q P E N N Y K T T P P V L -

GACTCCGACGGCTCCTTCTTCTCTACAGCAAGCTCACCGTGGACAAGAGCAGGTGGCAG  
541 -----+-----+-----+-----+-----+-----+-----+ 600  
CTGAGGCTGCCGAGGAAGAAGGAGATGTCGTTGAGTGGCACCTGTTCTCGTCCACCGTC

a D S D G S F F L Y S K L T V D K S R W Q -

[illegible]

a



FIGURE 22A

NdeI  
|  
CATATGTTTCGAATGGACCCCGGGTTACTGGCAGCCGTACGCTCTGCCGCTGGGTGGAGGC 60  
1 -----+-----+-----+-----+-----+-----+-----+  
GTATACAAGCTTACCTGGGGCCCAATGACCGTCGGCATGCGAGACGGCGACCCACCTCCG  
a M F E W T P G Y W Q P Y A L P L G G G -  
GGTGGGGACAAACTCACACATGTCCACCTTGCCAGCACCTGAACCTCCTGGGGGGACCG  
61 -----+-----+-----+-----+-----+-----+-----+ 120  
CCACCCCTGTTTTGAGTGTGTACAGGTGGAACGGGTCGTGGACTTGAGGACCCCCCTGGC  
a G G D K T H T C P P C P A P E L L G G P -  
TCAGTTTTCTCTTCCCCCAAAACCAAGGACACCCTCATGATCTCCCGGACCCCTGAG  
121 -----+-----+-----+-----+-----+-----+-----+ 180  
AGTCAAAGGAGAAGGGGGTTTTGGGTTCCTGTGGGAGTACTAGAGGGCCTGGGGACTC  
a S V F L F P P K P K D T L M I S R T P E -  
GTCACATGCGTGGTGGTGGACGTGAGCCACGAAGACCCTGAGGTCAAGTTCAACTGGTAC  
181 -----+-----+-----+-----+-----+-----+-----+ 240  
CAGTGTACGCACCACCACCTGCACTCGGTGCTTCTGGGACTCCAGTTCAAGTTGACCATG  
a V T C V V V D V S H E D P E V K F N W Y -  
GTGGACGGCGTGGAGGTGCATAATGCCAAGACAAAGCCGCGGGAGGAGCAGTACAACAGC  
241 -----+-----+-----+-----+-----+-----+-----+ 300  
CACCTGCCGCACCTCCACGTATTACGGTTCTGTTTCGGCGCCCTCCTCGTCATGTTGTCTG  
a V D G V E V H N A K T K P R E E Q Y N S -  
ACGTACCGTGTGGTCAGCGTCCTCACCGTCCTGCACCAGGACTGGCTGAATGGCAAGGAG  
301 -----+-----+-----+-----+-----+-----+-----+ 360  
TGCATGGCACACCAGTCGCAGGAGTGGCAGGACGTGGTCCCTGACCGACTTACCGTTCCTC  
a T Y R V V S V L T V L H Q D W L N G K E -  
TACAAGTGCAAGGTCTCCAACAAAGCCCTCCCAGCCCCATCGAGAAAACCATCTCCAAA  
361 -----+-----+-----+-----+-----+-----+-----+ 420  
ATGTTACAGTTCAGAGGTTGTTTCGGGAGGGTCGGGGGTAGCTCTTTTGGTAGAGGTTT  
a Y K C K V S N K A L P A P I E K T I S K -  
GCCAAAGGGCAGCCCCGAGAACCACAGGTGTACACCCTGCCCCCATCCCGGGATGAGCTG  
421 -----+-----+-----+-----+-----+-----+-----+ 480  
CGGTTTCCCGTCGGGGCTCTTGGTGTCCACATGTGGGACGGGGGTAGGGCCCTACTCGAC  
a A K G Q P R E P Q V Y T L P P S R D E L -  
ACCAAGAACCAGGTGACCTGACCTGCCTGGTCAAAGGCTTCTATCCCAGCGACATCGCC  
481 -----+-----+-----+-----+-----+-----+-----+ 540  
TGTTCTTGGTCCAGTCGGACTGGACGGACAGTTTCCGAAGATAGGGTCGCTGTAGCGG  
a T K N Q V S L T C L V K G F Y P S D I A -  
GTGGAGTGGGAGAGCAATGGGCAGCCGGAACAACACTACAAGACCACGCCTCCCGTGCTG  
541 -----+-----+-----+-----+-----+-----+-----+ 600  
CACCTCACCTCTCGTTACCCGTCGGCCTCTTGTGATGTTCTGGTGGGAGGGGCACGAC  
a V E W E S N G Q P E N N Y K T T P P V L -



FIGURE 23A

NdeI  
|  
CATATGGACAAAACTCACACATGTCCACCGTGCCAGCACCTGAACTCCTGGGGGGACCG  
1 -----+-----+-----+-----+-----+-----+-----+ 60  
GTATACCTGTTTTGAGTGTGTACAGGTGGCAGGGTCGTGGACTTGAGGACCCCCCTGGC

a M D K T H T C P P C P A P E L L G G P -

TCAGTTTTCTCTTCCCCCAAACCAAGGACACCCTCATGATCTCCCGGACCCCTGAG  
61 -----+-----+-----+-----+-----+-----+-----+ 120  
AGTCAAAGGAGAAGGGGGTTTTGGGTTCTGTGGGAGTACTAGAGGGCCTGGGGACTC

a S V F L F P P K P K D T L M I S R T P E -

GTCACATGCGTGGTGGTGGACGTGAGCCACGAAGACCCTGAGGTCAAGTTCAACTGGTAC  
121 -----+-----+-----+-----+-----+-----+-----+ 180  
CAGTGTTACGCACCACCACCTGCACTCGGTGCTTCTGGGACTCCAGTTCAAGTTGACCATG

a V T C V V V D V S H E D P E V K F N W Y -

GTGGACGGCGTGGAGGTGCATAATGCCAAGACAAAGCCGCGGGAGGAGCAGTACAACAGC  
181 -----+-----+-----+-----+-----+-----+-----+ 240  
CACCTGCCGCACCTCCACGTATTACGGTTCTGTTTCGGCGCCCTCCTCGTCATGTTGTCTG

a V D G V E V H N A K T K P R E E Q Y N S -

ACGTACCGTGTGGTCAGCGTCCTCACCCTCCTGCACCAGGACTGGCTGAATGGCAAGGAG  
241 -----+-----+-----+-----+-----+-----+-----+ 300  
TGCATGGCACACCAGTCGCAGGAGTGGCAGGACGTGGTCTGACCGACTTACCGTTCTCTC

a T Y R V V S V L T V L H Q D W L N G K E -

TACAAGTGCAAGGTCTCCAACAAAGCCCTCCAGCCCCATCGAGAAAACCATCTCCAAA  
301 -----+-----+-----+-----+-----+-----+-----+ 360  
ATGTTTCACGTTCCAGAGGTTGTTTCGGGAGGGTCGGGGGTAGCTCTTTTGGTAGAGGTTT

a Y K C K V S N K A L P A P I E K T I S K -

GCCAAAGGGCAGCCCCGAGAACCACAGGTGTACACCCTGCCCCCATCCCGGGATGAGCTG  
361 -----+-----+-----+-----+-----+-----+-----+ 420  
CGGTTTCCCGTCGGGGCTCTTGGTGTCCACATGTGGGACGGGGGTAGGGCCCTACTCGAC

a A K G Q P R E P Q V Y T L P P S R D E L -

ACCAAGAACCAGGTGAGCCTGACCTGCCTGGTCAAAGGCTTCTATCCCAGCGACATCGCC  
421 -----+-----+-----+-----+-----+-----+-----+ 480  
TGTTCTTGGTCCAGTCGGAAGTGGACGGACAGTTTCCGAAGATAGGGTCGCTGTAGCGG

a T K N Q V S L T C L V K G F Y P S D I A -

GTGGAGTGGGAGAGCAATGGGCAGCCGAGAACTACAAGACCACGCCTCCCGTGTCTG  
481 -----+-----+-----+-----+-----+-----+-----+ 540  
CACCTCACCTCTCGTTACCCGTGCGCCTCTTGTGATGTTCTGGTGGGAGGGGACGAC

a V E W E S N G Q P E N N Y K T T P P V L -

GACTCCGACGGCTCCTTCTTCTCTACAGCAAGCTCACCGTGGACAAGAGCAGGTGGCAG  
541 -----+-----+-----+-----+-----+-----+-----+ 600  
CTGAGGCTGCCGAGGAAGAAGGAGATGTCGTTTCGAGTGGCACCTGTTCTCGTCCACCGTC

a D S D G S F F L Y S K L T V D K S R W Q -



**FIGURE 24A**

NdeI  
|  
CATATGGTTGAACCGAACTGTGACATCCATGTTATGTGGGAATGGGAATGTTTTGAACGT  
1 -----+-----+-----+-----+-----+-----+-----+ 60  
GTATACCAACTTGGCTTGACACTGTAGGTACAATACACCCTTACCCTTACAAAACCTTGCA

a           M V E P N C D I H V M W E W E C F E R -

CTGGGTGGTGGTGGTGGTGACAAACTCACACATGTCCACCGTGCCAGCACCTGAACTC  
61 -----+-----+-----+-----+-----+-----+-----+ 120  
GACCCACCACCACCACCCTGTTTTGAGTGTGTACAGGTGGCAGGGTCGTGGACTTGAG

a           L G G G G G D K T H T C P P C P A P E L -

CTGGGGGGACCGTCAGTTTTCTCTTCCCCCAAAACCAAGGACACCCTCATGATCTCC  
121 -----+-----+-----+-----+-----+-----+-----+ 180  
GACCCCCCTGGCAGTCAAAGGAGAAGGGGGTGGTTCCTGTGGGAGTACTAGAGG

a           L G G P S V F L F P P K P K D T L M I S -

CGGACCCCTGAGGTCACATGCGTGGTGGTGGACGTGAGCCACGAAGACCCTGAGGTCAAG  
181 -----+-----+-----+-----+-----+-----+-----+ 240  
GCCTGGGGACTCCAGTGTACGCACCACCACCTGCACTCGGTGCTTCTGGGACTCCAGTTC

a           R T P E V T C V V V D V S H E D P E V K -

TTCAACTGGTACGTGGACGGCGTGGAGGTGCATAATGCCAAGACAAAGCCGCGGGAGGAG  
241 -----+-----+-----+-----+-----+-----+-----+ 300  
AAGTTGACCATGCACCTGCCGCACCTCCACGTATTACGGTTCTGTTTCGGCGCCCTCCTC

a           F N W Y V D G V E V H N A K T K P R E E -

CAGTACAACAGCACGTACCGTGTGGTCAGCGTCCTCACCGTCCTGCACCAGGACTGGCTG  
301 -----+-----+-----+-----+-----+-----+-----+ 360  
GTCATGTTGTGCGTGCATGGCACACCAGTCGCAGGAGTGGCAGGACGTGGTCCCTGACCGAC

a           Q Y N S T Y R V V S V L T V L H Q D W L -

AATGGCAAGGAGTACAAGTGCAAGGTCTCCAACAAAGCCCTCCCAGCCCCATCGAGAAA  
361 -----+-----+-----+-----+-----+-----+-----+ 420  
TTACCGTTCCCTCATGTTTCCAGTTCCAGAGTTGTTTCGGGAGGGTCGGGGGTAGCTCTTT

a           N G K E Y K C K V S N K A L P A P I E K -

ACCATCTCCAAAGCCAAAGGGCAGCCCCGAGAACCACAGGTGTACACCCTGCCCCCATCC  
421 -----+-----+-----+-----+-----+-----+-----+ 480  
TGGTAGAGGTTTCGGTTTCCCGTCGGGGCTCTTGGTGTCCACATGTGGGACGGGGGTAGG

a           T I S K A K G Q P R E P Q V Y T L P P S -

CGGGATGAGCTGACCAAGAACCAGGTGACCTGACCTGCCTGGTCAAAGGCTTCTATCCC  
481 -----+-----+-----+-----+-----+-----+-----+ 540  
GCCCTACTCGACTGGTTCTTGGTCCAGTCGGACTGGACGGACCAGTTTCCGAAGATAGGG

a           R D E L T K N Q V S L T C L V K G F Y P -

AGCGACATCGCCGTGGAGTGGGAGAGCAATGGGCAGCCGAGAACAACTACAAGACCACG  
541 -----+-----+-----+-----+-----+-----+-----+ 600  
TCGCTGTAGCGGCACCTCACCTCTCGTTACCCGTCGGCCTCTTGTGATGTTCTGGTGC

a           S D I A V E W E S N G Q P E N N Y K T T -

1000 900 800 700 600 500 400 300 200 100 0



FIGURE 25A

NdeI  
|  
CATATGGACAAACTCACACATGTCCACCTTGTCCAGCTCCGGAACCTCTGGGGGGACCG  
1 -----+-----+-----+-----+-----+-----+ 60  
GTATACCTGTTTTGAGTGTGTACAGGTGGAACAGGTTCGAGGCCTTGAGGACCCCCCTGGC  
a M D K T H T C P P C P A P E L L G G P -  
TCAGTCTTCCTCTTCCCCCAAACCCAAGGACACCCTCATGATCTCCCGGACCCCTGAG  
61 -----+-----+-----+-----+-----+-----+ 120  
AGTCAGAAGGAGAAGGGGGTTTTGGGTTCCTGTGGGAGTACTAGAGGGCCTGGGGACTC  
a S V F L F P P K P K D T L M I S R T P E -  
GTCACATGCGTGGTGGTGGACGTGAGCCACGAAGACCCTGAGGTCAAGTTCAACTGGTAC  
121 -----+-----+-----+-----+-----+-----+ 180  
CAGTGTACGCACCACCACCTGCACTCGGTGCTTCTGGGACTCCAGTTCAAGTTGACCATG  
a V T C V V V D V S H E D P E V K F N W Y -  
GTGGACGGCGTGGAGGTGCATAATGCCAAGACAAAGCCGCGGGAGGAGCAGTACAACAGC  
181 -----+-----+-----+-----+-----+-----+ 240  
CACCTGCCGCACCTCCACGTATTACGGTTCTGTTCGGCGCCCTCCTCGTCATGTTGTCTG  
a V D G V E V H N A K T K P R E E Q Y N S -  
ACGTACCGTGTGGTCAGCGTCCTCACCGTCCTGCACCAGGACTGGCTGAATGGCAAGGAG  
241 -----+-----+-----+-----+-----+-----+ 300  
TGCATGGCACACCAGTCGCAGGAGTGGCAGGACGTGGTCCCTGACCGACTTACCGTTCCTC  
a T Y R V V S V L T V L H Q D W L N G K E -  
TACAAGTGCAAGGTCTCCAACAAAGCCCTCCCAGCCCCATCGAGAAAACCATCTCCAAA  
301 -----+-----+-----+-----+-----+-----+ 360  
ATGTTTCACGTTCCAGAGGTTGTTTCGGGAGGGTCGGGGGTAGCTCTTTTGGTAGAGGTTT  
a Y K C K V S N K A L P A P I E K T I S K -  
GCCAAAGGGCAGCCCCGAGAACCACAGGTGTACACCCTGCCCCCATCCCGGGATGAGCTG  
361 -----+-----+-----+-----+-----+-----+ 420  
CGGTTTCCCGTCGGGGCTCTTGGTGTCCACATGTGGGACGGGGGTAGGGCCCTACTCGAC  
a A K G Q P R E P Q V Y T L P P S R D E L -  
ACCAAGAACCAGGTCAGCCTGACCTGCCTGGTCAAAGGCTTCTATCCCAGCGACATCGCC  
421 -----+-----+-----+-----+-----+-----+ 480  
TGGTTCCTTGGTCCAGTCGGACTGGACGGACCAGTTTCCGAAGATAGGGTCGCTGTAGCGG  
a T K N Q V S L T C L V K G F Y P S D I A -  
GTGGAGTGGGAGAGCAATGGGCAGCCGGAGAACAACACTACAAGACCACGCCTCCCGTGCTG  
481 -----+-----+-----+-----+-----+-----+ 540  
CACCTCACCTCTCGTTACCCGTCGGCCTCTTGTGATGTTCTGGTGGGAGGGGCACGAC  
a V E W E S N G Q P E N N Y K T T P P V L -  
GACTCCGACGGCTCCTTCTTCTCTACAGCAAGCTCACCCTGGACAAGAGCAGGTGGCAG  
541 -----+-----+-----+-----+-----+-----+ 600  
CTGAGGCTGCCGAGGAAGAAGGAGATGTCGTTTCGAGTGGCACCTGTTCTCGTCCACCGTC  
a D S D G S F F L Y S K L T V D K S R W Q -

[illegible]

a





**FIGURE 26B**

```

      GTGCTGGACTCCGACGGCTCCTTCTTCCTCTACAGCAAGCTCACCGTGGACAAGAGCAGG
601  -----+-----+-----+-----+-----+-----+ 660
      CACGACCTGAGGCTGCCGAGGAAGAAGGAGATGTCGTTCGAGTGGCACCTGTTCTCGTCC
a      V  L  D  S  D  G  S  F  F  L  Y  S  K  L  T  V  D  K  S  R  -

      TGGCAGCAGGGGAACGTCTTCTCATGCTCCGTGATGCATGAGGCTCTGCACAACCACTAC
661  -----+-----+-----+-----+-----+-----+ 720
      ACCGTCGTCCCCTTGCAGAAGAGTACGAGGCACTACGTACTCCGAGACGTGTTGGTGATG
a      W  Q  Q  G  N  V  F  S  C  S  V  M  H  E  A  L  H  N  H  Y  -

                                     BamHI
                                     |
      ACGCAGAAGAGCCTCTCCCTGTCTCCGGGTAAATAATGGATCC
721  -----+-----+-----+-----+-----+ 763
      TGCGTCTTCTCGGAGAGGGACAGAGGCCCATTTATTACCTAGG
a      T  Q  K  S  L  S  L  S  P  G  K  *
```

CCCTCTTCCTCTACAGCAAGCTCACCGTGGACAAGAGCAGG

**DECLARATION AND POWER OF ATTORNEY**

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name.

I believe I am the original, first, and sole inventor (if only one name is listed below) or a joint inventor (if plural names are listed below) of the invention entitled

**MODIFIED PEPTIDES AS THERAPEUTIC AGENTS**

which is described and claimed in the specification which:

- ☐ is attached hereto.
- ☐ was filed on \_\_\_\_\_  
as Application Serial No. \_\_\_\_\_  
and was amended on \_\_\_\_\_ (if applicable)

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is material to the examination of this application in accordance with Title 37, Code of Federal Regulations, § 1.56 (a).

I hereby claim foreign priority benefits under Title 35, United States Code, § 119(a) of any foreign application(s) for patent or inventor's certificate listed below and have also identified below any foreign application for patent or inventor's certificate having a filing date before that of the application on which priority is claimed:

PRIOR FOREIGN APPLICATION(S)			
Country	Application Number	Filing Date (day, month, year)	Priority Claimed

I hereby claim the benefit under Title 35, United States Code, § 119(e) of any United States provisional application(s) listed below.

PROVISIONAL APPLICATIONS(S)	
Application Number	Filing Date (day, month, year)
60/105,371	October 23, 1998

**DECLARATION AND POWER OF ATTORNEY (cont'd)**

I hereby claim the benefit under Title 35, United States Code, § 120 of any United States application(s) listed below and, insofar as the subject matter of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code, § 112, I acknowledge the duty to disclose material information as defined in Title 37, Code of Federal Regulations, § 1.56(a) which occurred between the filing date of the prior application and the filing date of this application:

PRIOR U.S. APPLICATIONS		
APPLICATION SERIAL NO.	FILING DATE	STATUS

**Power of Attorney:** As a named inventor I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and transact all business in the Patent and Trademark Office connected therewith:

Ron K. Levy, Registration No.: 31,539; Steven M. Odre, Registration No.: 29,094; and Timothy J. Gaul, Registration No.: 33,111 said attorney(s)/agent(s) to have in addition full power of revocation, including the power to revoke any power herein granted.

Please send all future correspondence to:

U.S. Patent Operations/TJG  
Dept. 430, M/S 27-4-A  
AMGEN INC.  
One Amgen Center Drive  
Thousand Oaks, California 91320-1799

Direct Telephone Calls To:

Timothy J. Gaul  
Attorney/Agent for Applicant(s)  
Registration No.: 33,111  
Phone: (805) 447- 2688

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application or any patent issuing thereon.

Full Name of Sole  
or First Inventor:

Ulrich Feige

Inventor's Signature:

Date:

Residence and  
Post Office Address:

3117 Deer Valley Avenue, Newbury Park, California 91320 U.S.A.

(Address, City, State, Zip Code, Country)

Citizenship:

**DECLARATION AND POWER OF ATTORNEY (cont'd)**

Full Name of Second  
Joint Inventor, if Any:

Chuan-Fa Liu

Inventor's Signature:

Date:

Residence and  
Post Office Address:

1425 Clover Creek Drive, Longmont, Colorado 80503 U.S.A.

(Address, City, State, Zip Code, Country)

Citizenship:

Full Name of Third  
Joint Inventor, if Any:

Janet C. Cheetham

Inventor's Signature:

Date:

Residence and  
Post Office Address:

1695 East Valley Road, Montecito, California 93108 U.S.A.

(Address, City, State, Zip Code, Country)

Citizenship:

Full Name of Fourth  
Joint Inventor, if Any:

Thomas Charles Boone

Inventor's Signature:

Date:

Residence and  
Post Office Address:

3010 Deer Valley Avenue, Newbury Park, California 91320

(Address, City, State, Zip Code, Country)

Citizenship:

U.S. Citizen

# SEQUENCE LISTING

<110> LIU, CHUAN-FA  
FEIGE, ULRICH  
CHEETHAM, JANET  
BOONE, THOMAS CHARLES

<120> MODIFIED PEPTIDES AS THERAPEUTIC AGENTS

<130> A-527

<140> NOT YET RECEIVED

<141> 1999-10-22

<150> 60/105,371

<151> 1998-10-23

<160> 1133

<170> PatentIn Ver. 2.1

<210> 1

<211> 684

<212> DNA

<213> HUMAN

<220>

<221> CDS

<222> (1)..(684)

<400> 1

atg gac aaa act cac aca tgt cca cct tgt cca gct ccg gaa ctc ctg	48
Met Asp Lys Thr His Thr Cys Pro Pro Cys Pro Ala Pro Glu Leu Leu	
1 5 10 15	

ggg gga ccg tca gtc ttc ctc ttc ccc cca aaa ccc aag gac acc ctc	96
Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr Leu	
20 25 30	

atg atc tcc cgg acc cct gag gtc aca tgc gtg gtg gtg gac gtg agc	144
Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val Ser	
35 40 45	

cac gaa gac cct gag gtc aag ttc aac tgg tac gtg gac ggc gtg gag	192
His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr Val Asp Gly Val Glu	
50 55 60	

gtg cat aat gcc aag aca aag ccg cgg gag gag cag tac aac agc acg	240
---	-----

Val	His	Asn	Ala	Lys	Thr	Lys	Pro	Arg	Glu	Glu	Gln	Tyr	Asn	Ser	Thr		
65					70					75					80		
tac	cgt	gtg	gtc	agc	gtc	ctc	acc	gtc	ctg	cac	cag	gac	tgg	ctg	aat	288	
Tyr	Arg	Val	Val	Ser	Val	Leu	Thr	Val	Leu	His	Gln	Asp	Trp	Leu	Asn		
				85					90					95			
ggc	aag	gag	tac	aag	tgc	aag	gtc	tcc	aac	aaa	gcc	ctc	cca	gcc	ccc	336	
Gly	Lys	Glu	Tyr	Lys	Cys	Lys	Val	Ser	Asn	Lys	Ala	Leu	Pro	Ala	Pro		
			100					105					110				
atc	gag	aaa	acc	atc	tcc	aaa	gcc	aaa	ggg	cag	ccc	cga	gaa	cca	cag	384	
Ile	Glu	Lys	Thr	Ile	Ser	Lys	Ala	Lys	Gly	Gln	Pro	Arg	Glu	Pro	Gln		
			115				120					125					
gtg	tac	acc	ctg	ccc	cca	tcc	cgg	gat	gag	ctg	acc	aag	aac	cag	gtc	432	
Val	Tyr	Thr	Leu	Pro	Pro	Ser	Arg	Asp	Glu	Leu	Thr	Lys	Asn	Gln	Val		
			130				135					140					
agc	ctg	acc	tgc	ctg	gtc	aaa	ggc	ttc	tat	ccc	agc	gac	atc	gcc	gtg	480	
Ser	Leu	Thr	Cys	Leu	Val	Lys	Gly	Phe	Tyr	Pro	Ser	Asp	Ile	Ala	Val		
145					150					155					160		
gag	tgg	gag	agc	aat	ggg	cag	ccg	gag	aac	aac	tac	aag	acc	acg	cct	528	
Glu	Trp	Glu	Ser	Asn	Gly	Gln	Pro	Glu	Asn	Asn	Tyr	Lys	Thr	Thr	Pro		
				165					170					175			
ccc	gtg	ctg	gac	tcc	gac	ggc	tcc	ttc	ttc	ctc	tac	agc	aag	ctc	acc	576	
Pro	Val	Leu	Asp	Ser	Asp	Gly	Ser	Phe	Phe	Leu	Tyr	Ser	Lys	Leu	Thr		
			180					185						190			
gtg	gac	aag	agc	agg	tgg	cag	cag	ggg	aac	gtc	ttc	tca	tgc	tcc	gtg	624	
Val	Asp	Lys	Ser	Arg	Trp	Gln	Gln	Gly	Asn	Val	Phe	Ser	Cys	Ser	Val		
			195				200					205					
atg	cat	gag	gct	ctg	cac	aac	cac	tac	acg	cag	aag	agc	ctc	tcc	ctg	672	
Met	His	Glu	Ala	Leu	His	Asn	His	Tyr	Thr	Gln	Lys	Ser	Leu	Ser	Leu		
			210			215					220						
tct	ccg	ggt	aaa													684	
Ser	Pro	Gly	Lys														
225																	

<210> 2  
 <211> 228  
 <212> PRT  
 <213> HUMAN

<400> 2

Met Asp Lys Thr His Thr Cys Pro Pro Cys Pro Ala Pro Glu Leu Leu  
1 5 10 15

Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr Leu  
20 25 30

Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val Ser  
35 40 45

His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr Val Asp Gly Val Glu  
50 55 60

Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Tyr Asn Ser Thr  
65 70 75 80

Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp Leu Asn  
85 90 95

Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Ala Leu Pro Ala Pro  
100 105 110

Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro Gln  
115 120 125

Val Tyr Thr Leu Pro Pro Ser Arg Asp Glu Leu Thr Lys Asn Gln Val  
130 135 140

Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val  
145 150 155 160

Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro  
165 170 175

Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys Leu Thr  
180 185 190

Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser Cys Ser Val  
195 200 205

Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser Leu  
210 215 220

Ser Pro Gly Lys  
225



<210> 3  
<211> 18  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:PEGYLATED  
PEPTIDE

<400> 3  
Gly Gly Gly Gly Ile Glu Gly Pro Thr Leu Arg Gln Trp Leu Ala Ala  
1 5 10 15

Arg Ala

<210> 4  
<211> 18  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:PEGYLATED  
PEPTIDE

<400> 4  
Gly Gly Gly Gly Ile Glu Gly Pro Thr Leu Arg Gln Trp Leu Ala Ala  
1 5 10 15

Arg Ala

<210> 5  
<211> 794  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:Fc-TMP

<220>  
<221> CDS  
<222> (39) .. (779)

<400> 5

tctagatttg ttttaactaa ttaaaggagg aataacat atg gac aaa act cac aca 56  
Met Asp Lys Thr His Thr

1

5

tgt cca cct tgt cca gct ccg gaa ctc ctg ggg gga ccg tca gtc ttc 104  
Cys Pro Pro Cys Pro Ala Pro Glu Leu Leu Gly Gly Pro Ser Val Phe  
10 15 20

ctc ttc ccc cca aaa ccc aag gac acc ctc atg atc tcc cgg acc cct 152  
Leu Phe Pro Pro Lys Pro Lys Asp Thr Leu Met Ile Ser Arg Thr Pro  
25 30 35

gag gtc aca tgc gtg gtg gtg gac gtg agc cac gaa gac cct gag gtc 200  
Glu Val Thr Cys Val Val Val Asp Val Ser His Glu Asp Pro Glu Val  
40 45 50

aag ttc aac tgg tac gtg gac ggc gtg gag gtg cat aat gcc aag aca 248  
Lys Phe Asn Trp Tyr Val Asp Gly Val Glu Val His Asn Ala Lys Thr  
55 60 65 70

aag ccg cgg gag gag cag tac aac agc acg tac cgt gtg gtc agc gtc 296  
Lys Pro Arg Glu Glu Gln Tyr Asn Ser Thr Tyr Arg Val Val Ser Val  
75 80 85

ctc acc gtc ctg cac cag gac tgg ctg aat ggc aag gag tac aag tgc 344  
Leu Thr Val Leu His Gln Asp Trp Leu Asn Gly Lys Glu Tyr Lys Cys  
90 95 100

aag gtc tcc aac aaa gcc ctc cca gcc ccc atc gag aaa acc atc tcc 392  
Lys Val Ser Asn Lys Ala Leu Pro Ala Pro Ile Glu Lys Thr Ile Ser  
105 110 115

aaa gcc aaa ggg cag ccc cga gaa cca cag gtg tac acc ctg ccc cca 440  
Lys Ala Lys Gly Gln Pro Arg Glu Pro Gln Val Tyr Thr Leu Pro Pro  
120 125 130

tcc cgg gat gag ctg acc aag aac cag gtc agc ctg acc tgc ctg gtc 488  
Ser Arg Asp Glu Leu Thr Lys Asn Gln Val Ser Leu Thr Cys Leu Val  
135 140 145 150

aaa ggc ttc tat ccc agc gac atc gcc gtg gag tgg gag agc aat ggg 536  
Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val Glu Trp Glu Ser Asn Gly  
155 160 165

cag ccg gag aac aac tac aag acc acg cct ccc gtg ctg gac tcc gac 584  
Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro Pro Val Leu Asp Ser Asp

170	175	180	
ggc tcc ttc ttc ctc tac agc aag ctc acc gtg gac aag agc agg tgg			632
Gly Ser Phe Phe Leu Tyr Ser Lys Leu Thr Val Asp Lys Ser Arg Trp			
185	190	195	
cag cag ggg aac gtc ttc tca tgc tcc gtg atg cat gag gct ctg cac			680
Gln Gln Gly Asn Val Phe Ser Cys Ser Val Met His Glu Ala Leu His			
200	205	210	
aac cac tac acg cag aag agc ctc tcc ctg tct ccg ggt aaa ggt gga			728
Asn His Tyr Thr Gln Lys Ser Leu Ser Leu Ser Pro Gly Lys Gly Gly			
215	220	225	230
ggg ggt ggt atc gaa ggt ccg act ctg cgt cag tgg ctg gct gct cgt			776
Gly Gly Gly Ile Glu Gly Pro Thr Leu Arg Gln Trp Leu Ala Ala Arg			
235	240	245	
gct taatctcgag gatcc			794
Ala			
<210> 6			
<211> 247			
<212> PRT			
<213> Artificial Sequence			
<223> Description of Artificial Sequence:Fc-TMP			
<400> 6			
Met Asp Lys Thr His Thr Cys Pro Pro Cys Pro Ala Pro Glu Leu Leu			
1	5	10	15
Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr Leu			
20	25	30	
Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val Ser			
35	40	45	
His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr Val Asp Gly Val Glu			
50	55	60	
Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Tyr Asn Ser Thr			
65	70	75	80
Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp Leu Asn			
85	90	95	
Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Ala Leu Pro Ala Pro			

100	105	110
Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro Gln		
115	120	125
Val Tyr Thr Leu Pro Pro Ser Arg Asp Glu Leu Thr Lys Asn Gln Val		
130	135	140
Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val		
145	150	155
Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro		
165	170	175
Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys Leu Thr		
180	185	190
Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser Cys Ser Val		
195	200	205
Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser Leu		
210	215	220
Ser Pro Gly Lys Gly Gly Gly Gly Gly Ile Glu Gly Pro Thr Leu Arg		
225	230	235
Gln Trp Leu Ala Ala Arg Ala		
245		

<210> 7

<211> 861

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:Fc-TMP-TMP

<220>

<221> CDS

<222> (39)..(842)

<400> 7

tctagatttg ttttaactaa ttaaaggagg aataacat atg gac aaa act cac aca 56  
Met Asp Lys Thr His Thr

1

5

tgt cca cct tgt cca gct ccg gaa ctc ctg ggg gga ccg tca gtc ttc	104
Cys Pro Pro Cys Pro Ala Pro Glu Leu Leu Gly Gly Pro Ser Val Phe	
10 15 20	
ctc ttc ccc cca aaa ccc aag gac acc ctc atg atc tcc cgg acc cct	152
Leu Phe Pro Pro Lys Pro Lys Asp Thr Leu Met Ile Ser Arg Thr Pro	
25 30 35	
gag gtc aca tgc gtg gtg gtg gac gtg agc cac gaa gac cct gag gtc	200
Glu Val Thr Cys Val Val Val Asp Val Ser His Glu Asp Pro Glu Val	
40 45 50	
aag ttc aac tgg tac gtg gac ggc gtg gag gtg cat aat gcc aag aca	248
Lys Phe Asn Trp Tyr Val Asp Gly Val Glu Val His Asn Ala Lys Thr	
55 60 65 70	
aag ccg cgg gag gag cag tac aac agc acg tac cgt gtg gtc agc gtc	296
Lys Pro Arg Glu Glu Gln Tyr Asn Ser Thr Tyr Arg Val Val Ser Val	
75 80 85	
ctc acc gtc ctg cac cag gac tgg ctg aat ggc aag gag tac aag tgc	344
Leu Thr Val Leu His Gln Asp Trp Leu Asn Gly Lys Glu Tyr Lys Cys	
90 95 100	
aag gtc tcc aac aaa gcc ctc cca gcc ccc atc gag aaa acc atc tcc	392
Lys Val Ser Asn Lys Ala Leu Pro Ala Pro Ile Glu Lys Thr Ile Ser	
105 110 115	
aaa gcc aaa ggg cag ccc cga gaa cca cag gtg tac acc ctg ccc cca	440
Lys Ala Lys Gly Gln Pro Arg Glu Pro Gln Val Tyr Thr Leu Pro Pro	
120 125 130	
tcc cgg gat gag ctg acc aag aac cag gtc agc ctg acc tgc ctg gtc	488
Ser Arg Asp Glu Leu Thr Lys Asn Gln Val Ser Leu Thr Cys Leu Val	
135 140 145 150	
aaa ggc ttc tat ccc agc gac atc gcc gtg gag tgg gag agc aat ggg	536
Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val Glu Trp Glu Ser Asn Gly	
155 160 165	
cag ccg gag aac aac tac aag acc acg cct ccc gtg ctg gac tcc gac	584
Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro Pro Val Leu Asp Ser Asp	
170 175 180	
ggc tcc ttc ttc ctc tac agc aag ctc acc gtg gac aag agc agg tgg	632
Gly Ser Phe Phe Leu Tyr Ser Lys Leu Thr Val Asp Lys Ser Arg Trp	
185 190 195	

cag cag ggg aac gtc ttc tca tgc tcc gtg atg cat gag gct ctg cac 680  
 Gln Gln Gly Asn Val Phe Ser Cys Ser Val Met His Glu Ala Leu His  
 200 205 210

aac cac tac acg cag aag agc ctc tcc ctg tct ccg ggt aaa ggt gga 728  
 Asn His Tyr Thr Gln Lys Ser Leu Ser Leu Ser Pro Gly Lys Gly Gly  
 215 220 225 230

ggt ggt ggt atc gaa ggt ccg act ctg cgt cag tgg ctg gct gct cgt 776  
 Gly Gly Gly Ile Glu Gly Pro Thr Leu Arg Gln Trp Leu Ala Ala Arg  
 235 240 245

gct ggt ggt gga ggt ggc ggc gga ggt att gag ggc cca acc ctt cgc 824  
 Ala Gly Gly Gly Gly Gly Gly Gly Gly Ile Glu Gly Pro Thr Leu Arg  
 250 255 260

caa tgg ctt gca gca cgc gcataatctc gaggatccg 861  
 Gln Trp Leu Ala Ala Arg  
 265

<210> 8

<211> 268

<212> PRT

<213> Artificial Sequence

<223> Description of Artificial Sequence:Fc-TMP-TMP

<400> 8

Met Asp Lys Thr His Thr Cys Pro Pro Cys Pro Ala Pro Glu Leu Leu  
 1 5 10 15

Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr Leu  
 20 25 30

Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val Ser  
 35 40 45

His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr Val Asp Gly Val Glu  
 50 55 60

Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Tyr Asn Ser Thr  
 65 70 75 80

Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp Leu Asn  
 85 90 95

Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Ala Leu Pro Ala Pro  
 100 105 110

Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro Gln  
 115 120 125

Val Tyr Thr Leu Pro Pro Ser Arg Asp Glu Leu Thr Lys Asn Gln Val  
 130 135 140

Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val  
 145 150 155 160

Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro  
 165 170 175

Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys Leu Thr  
 180 185 190

Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser Cys Ser Val  
 195 200 205

Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser Leu  
 210 215 220

Ser Pro Gly Lys Gly Gly Gly Gly Gly Ile Glu Gly Pro Thr Leu Arg  
 225 230 235 240

Gln Trp Leu Ala Ala Arg Ala Gly Gly Gly Gly Gly Gly Gly Gly Ile  
 245 250 255

Glu Gly Pro Thr Leu Arg Gln Trp Leu Ala Ala Arg  
 260 265

<210> 9

<211> 855

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:TMP-TMP-Fc

<220>

<221> CDS

<222> (39) .. (845)

<400> 9

tctagatttg ttttaactaa ttaaaggagg aataacat atg atc gaa ggt ccg act 56  
 Met Ile Glu Gly Pro Thr

	1	5	
ctg cgt cag tgg ctg gct gct cgt gct ggc ggt ggt ggc gga ggg ggt	104		
Leu Arg Gln Trp Leu Ala Ala Arg Ala Gly Gly Gly Gly Gly Gly Gly			
10 15 20			
ggc att gag ggc cca acc ctt cgc caa tgg ctt gca gca cgc gca ggg	152		
Gly Ile Glu Gly Pro Thr Leu Arg Gln Trp Leu Ala Ala Arg Ala Gly			
25 30 35			
gga ggc ggt ggg gac aaa act cac aca tgt cca cct tgc cca gca cct	200		
Gly Gly Gly Gly Asp Lys Thr His Thr Cys Pro Pro Cys Pro Ala Pro			
40 45 50			
gaa ctc ctg ggg gga ccg tca gtt ttc ctc ttc ccc cca aaa ccc aag	248		
Glu Leu Leu Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys			
55 60 65 70			
gac acc ctc atg atc tcc cgg acc cct gag gtc aca tgc gtg gtg gtg	296		
Asp Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val			
75 80 85			
gac gtg agc cac gaa gac cct gag gtc aag ttc aac tgg tac gtg gac	344		
Asp Val Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr Val Asp			
90 95 100			
ggc gtg gag gtg cat aat gcc aag aca aag ccg cgg gag gag cag tac	392		
Gly Val Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Tyr			
105 110 115			
aac agc acg tac cgt gtg gtc agc gtc ctc acc gtc ctg cac cag gac	440		
Asn Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp			
120 125 130			
tgg ctg aat ggc aag gag tac aag tgc aag gtc tcc aac aaa gcc ctc	488		
Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Ala Leu			
135 140 145 150			
cca gcc ccc atc gag aaa acc atc tcc aaa gcc aaa ggg cag ccc cga	536		
Pro Ala Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg			
155 160 165			
gaa cca cag gtg tac acc ctg ccc cca tcc cgg gat gag ctg acc aag	584		
Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Arg Asp Glu Leu Thr Lys			
170 175 180			
aac cag gtc agc ctg acc tgc ctg gtc aaa ggc ttc tat ccc agc gac	632		
Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp			



185	190	195	
atc gcc gtg gag tgg gag agc aat ggg cag ccg gag aac aac tac aag			680
Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys			
200	205	210	
acc acg cct ccc gtg ctg gac tcc gac ggc tcc ttc ttc ctc tac agc			728
Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser			
215	220	225	230
aag ctc acc gtg gac aag agc agg tgg cag cag ggg aac gtc ttc tca			776
Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser			
235	240	245	
tgc tcc gtg atg cat gag gct ctg cac aac cac tac acg cag aag agc			824
Cys Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser			
250	255	260	
ctc tcc ctg tct ccg ggt aaa taatggatcc			855
Leu Ser Leu Ser Pro Gly Lys			
265			
<210> 10			
<211> 269			
<212> PRT			
<213> Artificial Sequence			
<223> Description of Artificial Sequence:TMP-TMP-Fc			
<400> 10			
Met Ile Glu Gly Pro Thr Leu Arg Gln Trp Leu Ala Ala Arg Ala Gly			
1	5	10	15
Gly Gly Gly Gly Gly Gly Gly Ile Glu Gly Pro Thr Leu Arg Gln Trp			
20	25	30	
Leu Ala Ala Arg Ala Gly Gly Gly Gly Gly Asp Lys Thr His Thr Cys			
35	40	45	
Pro Pro Cys Pro Ala Pro Glu Leu Leu Gly Gly Pro Ser Val Phe Leu			
50	55	60	
Phe Pro Pro Lys Pro Lys Asp Thr Leu Met Ile Ser Arg Thr Pro Glu			
65	70	75	80
Val Thr Cys Val Val Val Asp Val Ser His Glu Asp Pro Glu Val Lys			
85	90	95	

Phe	Asn	Trp	Tyr	Val	Asp	Gly	Val	Glu	Val	His	Asn	Ala	Lys	Thr	Lys	100	105	110	
Pro	Arg	Glu	Glu	Gln	Tyr	Asn	Ser	Thr	Tyr	Arg	Val	Val	Ser	Val	Leu	115	120	125	
Thr	Val	Leu	His	Gln	Asp	Trp	Leu	Asn	Gly	Lys	Glu	Tyr	Lys	Cys	Lys	130	135	140	
Val	Ser	Asn	Lys	Ala	Leu	Pro	Ala	Pro	Ile	Glu	Lys	Thr	Ile	Ser	Lys	145	150	155	160
Ala	Lys	Gly	Gln	Pro	Arg	Glu	Pro	Gln	Val	Tyr	Thr	Leu	Pro	Pro	Ser	165	170	175	
Arg	Asp	Glu	Leu	Thr	Lys	Asn	Gln	Val	Ser	Leu	Thr	Cys	Leu	Val	Lys	180	185	190	
Gly	Phe	Tyr	Pro	Ser	Asp	Ile	Ala	Val	Glu	Trp	Glu	Ser	Asn	Gly	Gln	195	200	205	
Pro	Glu	Asn	Asn	Tyr	Lys	Thr	Thr	Pro	Pro	Val	Leu	Asp	Ser	Asp	Gly	210	215	220	
Ser	Phe	Phe	Leu	Tyr	Ser	Lys	Leu	Thr	Val	Asp	Lys	Ser	Arg	Trp	Gln	225	230	235	240
Gln	Gly	Asn	Val	Phe	Ser	Cys	Ser	Val	Met	His	Glu	Ala	Leu	His	Asn	245	250	255	
His	Tyr	Thr	Gln	Lys	Ser	Leu	Ser	Leu	Ser	Pro	Gly	Lys	260	265					

<210> 11

<211> 789

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:TMP-Fc

<220>

<221> CDS

<222> (39) .. (779)

<400> 11

tctagatttg ttttaactaa ttaaaggagg aataacat atg atc gaa ggt ccg act 56  
Met Ile Glu Gly Pro Thr  
1 5

ctg cgt cag tgg ctg gct gct cgt gct ggt gga ggc ggt ggg gac aaa 104  
Leu Arg Gln Trp Leu Ala Ala Arg Ala Gly Gly Gly Gly Gly Asp Lys  
10 15 20

act cac aca tgt cca cct tgc cca gca cct gaa ctc ctg ggg gga ccg 152  
Thr His Thr Cys Pro Pro Cys Pro Ala Pro Glu Leu Leu Gly Gly Pro  
25 30 35

tca gtt ttc ctc ttc ccc cca aaa ccc aag gac acc ctc atg atc tcc 200  
Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr Leu Met Ile Ser  
40 45 50

cgg acc cct gag gtc aca tgc gtg gtg gtg gac gtg agc cac gaa gac 248  
Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val Ser His Glu Asp  
55 60 65 70

cct gag gtc aag ttc aac tgg tac gtg gac ggc gtg gag gtg cat aat 296  
Pro Glu Val Lys Phe Asn Trp Tyr Val Asp Gly Val Glu Val His Asn  
75 80 85

gcc aag aca aag ccg cgg gag gag cag tac aac agc acg tac cgt gtg 344  
Ala Lys Thr Lys Pro Arg Glu Glu Gln Tyr Asn Ser Thr Tyr Arg Val  
90 95 100

gtc agc gtc ctc acc gtc ctg cac cag gac tgg ctg aat ggc aag gag 392  
Val Ser Val Leu Thr Val Leu His Gln Asp Trp Leu Asn Gly Lys Glu  
105 110 115

tac aag tgc aag gtc tcc aac aaa gcc ctc cca gcc ccc atc gag aaa 440  
Tyr Lys Cys Lys Val Ser Asn Lys Ala Leu Pro Ala Pro Ile Glu Lys  
120 125 130

acc atc tcc aaa gcc aaa ggg cag ccc cga gaa cca cag gtg tac acc 488  
Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro Gln Val Tyr Thr  
135 140 145 150

ctg ccc cca tcc cgg gat gag ctg acc aag aac cag gtc agc ctg acc 536  
Leu Pro Pro Ser Arg Asp Glu Leu Thr Lys Asn Gln Val Ser Leu Thr  
155 160 165

tgc ctg gtc aaa ggc ttc tat ccc agc gac atc gcc gtg gag tgg gag 584  
Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val Glu Trp Glu  
170 175 180

agc aat ggg cag ccg gag aac aac tac aag acc acg cct ccc gtg ctg 632  
 Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro Pro Val Leu  
 185 190 195

gac tcc gac ggc tcc ttc ttc ctc tac agc aag ctc acc gtg gac aag 680  
 Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys Leu Thr Val Asp Lys  
 200 205 210

agc agg tgg cag cag ggg aac gtc ttc tca tgc tcc gtg atg cat gag 728  
 Ser Arg Trp Gln Gln Gly Asn Val Phe Ser Cys Ser Val Met His Glu  
 215 220 225 230

gct ctg cac aac cac tac acg cag aag agc ctc tcc ctg tct ccg ggt 776  
 Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser Leu Ser Pro Gly  
 235 240 245

aaa taatggatcc 789  
 Lys

<210> 12

<211> 247

<212> PRT

<213> Artificial Sequence

<223> Description of Artificial Sequence:TMP-Fc

<400> 12

Met Ile Glu Gly Pro Thr Leu Arg Gln Trp Leu Ala Ala Arg Ala Gly  
 1 5 10 15

Gly Gly Gly Gly Asp Lys Thr His Thr Cys Pro Pro Cys Pro Ala Pro  
 20 25 30

Glu Leu Leu Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys  
 35 40 45

Asp Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val  
 50 55 60

Asp Val Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr Val Asp  
 65 70 75 80

Gly Val Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Tyr  
 85 90 95

Asn Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp  
 100 105 110

Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Ala Leu  
 115 120 125

Pro Ala Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg  
 130 135 140

Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Arg Asp Glu Leu Thr Lys  
 145 150 155 160

Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp  
 165 170 175

Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys  
 180 185 190

Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser  
 195 200 205

Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser  
 210 215 220

Cys Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser  
 225 230 235 240

Leu Ser Leu Ser Pro Gly Lys  
 245

<210> 13

<211> 14

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:TMP

<400> 13

Ile Glu Gly Pro Thr Leu Arg Gln Trp Leu Ala Ala Arg Ala  
 1 5 10

<210> 14

<211> 36

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:TMP-TMP

<400> 14

Ile Glu Gly Pro Thr Leu Arg Gln Trp Leu Ala Ala Arg Ala Gly Gly  
1 5 10 15

Gly Gly Gly Gly Gly Gly Ile Glu Gly Pro Thr Leu Arg Gln Trp Leu  
20 25 30

Ala Ala Arg Ala  
35

<210> 15

<211> 812

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:Fc-EMP

<220>

<221> CDS

<222> (39)..(797)

<400> 15

tctagatttg ttttaactaa ttaaaggagg aataacat atg gac aaa act cac aca 56  
Met Asp Lys Thr His Thr  
1 5

tgt cca cct tgt cca gct ccg gaa ctc ctg ggg gga ccg tca gtc ttc 104  
Cys Pro Pro Cys Pro Ala Pro Glu Leu Leu Gly Gly Pro Ser Val Phe  
10 15 20

ctc ttc ccc cca aaa ccc aag gac acc ctc atg atc tcc cgg acc cct 152  
Leu Phe Pro Pro Lys Pro Lys Asp Thr Leu Met Ile Ser Arg Thr Pro  
25 30 35

gag gtc aca tgc gtg gtg gtg gac gtg agc cac gaa gac cct gag gtc 200  
Glu Val Thr Cys Val Val Val Asp Val Ser His Glu Asp Pro Glu Val  
40 45 50

aag ttc aac tgg tac gtg gac ggc gtg gag gtg cat aat gcc aag aca 248  
Lys Phe Asn Trp Tyr Val Asp Gly Val Glu Val His Asn Ala Lys Thr  
55 60 65 70

aag ccg cgg gag gag cag tac aac agc acg tac cgt gtg gtc agc gtc 296  
Lys Pro Arg Glu Glu Gln Tyr Asn Ser Thr Tyr Arg Val Val Ser Val  
75 80 85

ctc acc gtc ctg cac cag gac tgg ctg aat ggc aag gag tac aag tgc 344  
Leu Thr Val Leu His Gln Asp Trp Leu Asn Gly Lys Glu Tyr Lys Cys  
90 95 100

aag gtc tcc aac aaa gcc ctc cca gcc ccc atc gag aaa acc atc tcc 392  
Lys Val Ser Asn Lys Ala Leu Pro Ala Pro Ile Glu Lys Thr Ile Ser  
105 110 115

aaa gcc aaa ggg cag ccc cga gaa cca cag gtg tac acc ctg ccc cca 440  
Lys Ala Lys Gly Gln Pro Arg Glu Pro Gln Val Tyr Thr Leu Pro Pro  
120 125 130

tcc cgg gat gag ctg acc aag aac cag gtc agc ctg acc tgc ctg gtc 488  
Ser Arg Asp Glu Leu Thr Lys Asn Gln Val Ser Leu Thr Cys Leu Val  
135 140 145 150

aaa ggc ttc tat ccc agc gac atc gcc gtg gag tgg gag agc aat ggg 536  
Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val Glu Trp Glu Ser Asn Gly  
155 160 165

cag ccg gag aac aac tac aag acc acg cct ccc gtg ctg gac tcc gac 584  
Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro Pro Val Leu Asp Ser Asp  
170 175 180

ggc tcc ttc ttc ctc tac agc aag ctc acc gtg gac aag agc agg tgg 632  
Gly Ser Phe Phe Leu Tyr Ser Lys Leu Thr Val Asp Lys Ser Arg Trp  
185 190 195

cag cag ggg aac gtc ttc tca tgc tcc gtg atg cat gag gct ctg cac 680  
Gln Gln Gly Asn Val Phe Ser Cys Ser Val Met His Glu Ala Leu His  
200 205 210

aac cac tac acg cag aag agc ctc tcc ctg tct ccg ggt aaa ggt gga 728  
Asn His Tyr Thr Gln Lys Ser Leu Ser Leu Ser Pro Gly Lys Gly Gly  
215 220 225 230

ggg ggt ggt gga ggt act tac tct tgc cac ttc ggc ccg ctg act tgg 776  
Gly Gly Gly Gly Gly Thr Tyr Ser Cys His Phe Gly Pro Leu Thr Trp  
235 240 245

gtt tgc aaa ccg cag ggt ggt taatctcgtg gatcc 812  
Val Cys Lys Pro Gln Gly Gly  
250

<210> 16  
 <211> 253  
 <212> PRT  
 <213> Artificial Sequence  
 <223> Description of Artificial Sequence:Fc-EMP

<400> 16

Met Asp Lys Thr His Thr Cys Pro Pro Cys Pro Ala Pro Glu Leu Leu  
 1 5 10 15

Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr Leu  
 20 25 30

Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val Ser  
 35 40 45

His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr Val Asp Gly Val Glu  
 50 55 60

Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Tyr Asn Ser Thr  
 65 70 75 80

Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp Leu Asn  
 85 90 95

Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Ala Leu Pro Ala Pro  
 100 105 110

Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro Gln  
 115 120 125

Val Tyr Thr Leu Pro Pro Ser Arg Asp Glu Leu Thr Lys Asn Gln Val  
 130 135 140

Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val  
 145 150 155 160

Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro  
 165 170 175

Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys Leu Thr  
 180 185 190

Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser Cys Ser Val  
 195 200 205

Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser Leu



210	215	220
Ser Pro Gly Lys Gly Gly Gly Gly Gly Gly Gly Thr Tyr Ser Cys His		
225	230	235 240
Phe Gly Pro Leu Thr Trp Val Cys Lys Pro Gln Gly Gly		
245	250	

<210> 17  
 <211> 807  
 <212> DNA  
 <213> Artificial Sequence

<220>  
 <223> Description of Artificial Sequence:EMP-Fc

<220>  
 <221> CDS  
 <222> (39)..(797)

<400> 17  
 tctagatttg ttttaactaa ttaaaggagg aataacat atg gga ggt act tac tct 56  
 Met Gly Gly Thr Tyr Ser  
 1 5

tgc cac ttc ggc ccg ctg act tgg gta tgt aag cca caa ggg ggt ggg 104  
 Cys His Phe Gly Pro Leu Thr Trp Val Cys Lys Pro Gln Gly Gly Gly  
 10 15 20

gga ggc ggg ggg gac aaa act cac aca tgt cca cct tgc cca gca cct 152  
 Gly Gly Gly Gly Asp Lys Thr His Thr Cys Pro Pro Cys Pro Ala Pro  
 25 30 35

gaa ctc ctg ggg gga ccg tca gtt ttc ctc ttc ccc cca aaa ccc aag 200  
 Glu Leu Leu Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys  
 40 45 50

gac acc ctc atg atc tcc cgg acc cct gag gtc aca tgc gtg gtg gtg 248  
 Asp Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val  
 55 60 65 70

gac gtg agc cac gaa gac cct gag gtc aag ttc aac tgg tac gtg gac 296  
 Asp Val Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr Val Asp  
 75 80 85

ggc gtg gag gtg cat aat gcc aag aca aag ccg cgg gag gag cag tac 344

Gly Val Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Tyr	
90 95 100	
aac agc acg tac cgt gtg gtc agc gtc ctc acc gtc ctg cac cag gac	392
Asn Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp	
105 110 115	
tgg ctg aat ggc aag gag tac aag tgc aag gtc tcc aac aaa gcc ctc	440
Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Ala Leu	
120 125 130	
cca gcc ccc atc gag aaa acc atc tcc aaa gcc aaa ggg cag ccc cga	488
Pro Ala Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg	
135 140 145 150	
gaa cca cag gtg tac acc ctg ccc cca tcc cgg gat gag ctg acc aag	536
Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Arg Asp Glu Leu Thr Lys	
155 160 165	
aac cag gtc agc ctg acc tgc ctg gtc aaa ggc ttc tat ccc agc gac	584
Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp	
170 175 180	
atc gcc gtg gag tgg gag agc aat ggg cag ccg gag aac aac tac aag	632
Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys	
185 190 195	
acc acg cct ccc gtg ctg gac tcc gac ggc tcc ttc ttc ctc tac agc	680
Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser	
200 205 210	
aag ctc acc gtg gac aag agc agg tgg cag cag ggg aac gtc ttc tca	728
Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser	
215 220 225 230	
tgc tcc gtg atg cat gag gct ctg cac aac cac tac acg cag aag agc	776
Cys Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser	
235 240 245	
ctc tcc ctg tct ccg ggt aaa taatggatcc	807
Leu Ser Leu Ser Pro Gly Lys	
250	

<210> 18

<211> 253

<212> PRT

<213> Artificial Sequence

<223> Description of Artificial Sequence:EMP-Fc

<400> 18

Met	Gly	Gly	Thr	Tyr	Ser	Cys	His	Phe	Gly	Pro	Leu	Thr	Trp	Val	Cys	1	5	10	15
Lys	Pro	Gln	Gly	Gly	Gly	Gly	Gly	Gly	Gly	Asp	Lys	Thr	His	Thr	Cys	20	25	30	
Pro	Pro	Cys	Pro	Ala	Pro	Glu	Leu	Leu	Gly	Gly	Pro	Ser	Val	Phe	Leu	35	40	45	
Phe	Pro	Pro	Lys	Pro	Lys	Asp	Thr	Leu	Met	Ile	Ser	Arg	Thr	Pro	Glu	50	55	60	
Val	Thr	Cys	Val	Val	Val	Asp	Val	Ser	His	Glu	Asp	Pro	Glu	Val	Lys	65	70	75	80
Phe	Asn	Trp	Tyr	Val	Asp	Gly	Val	Glu	Val	His	Asn	Ala	Lys	Thr	Lys	85	90	95	
Pro	Arg	Glu	Glu	Gln	Tyr	Asn	Ser	Thr	Tyr	Arg	Val	Val	Ser	Val	Leu	100	105	110	
Thr	Val	Leu	His	Gln	Asp	Trp	Leu	Asn	Gly	Lys	Glu	Tyr	Lys	Cys	Lys	115	120	125	
Val	Ser	Asn	Lys	Ala	Leu	Pro	Ala	Pro	Ile	Glu	Lys	Thr	Ile	Ser	Lys	130	135	140	
Ala	Lys	Gly	Gln	Pro	Arg	Glu	Pro	Gln	Val	Tyr	Thr	Leu	Pro	Pro	Ser	145	150	155	160
Arg	Asp	Glu	Leu	Thr	Lys	Asn	Gln	Val	Ser	Leu	Thr	Cys	Leu	Val	Lys	165	170	175	
Gly	Phe	Tyr	Pro	Ser	Asp	Ile	Ala	Val	Glu	Trp	Glu	Ser	Asn	Gly	Gln	180	185	190	
Pro	Glu	Asn	Asn	Tyr	Lys	Thr	Thr	Pro	Pro	Val	Leu	Asp	Ser	Asp	Gly	195	200	205	
Ser	Phe	Phe	Leu	Tyr	Ser	Lys	Leu	Thr	Val	Asp	Lys	Ser	Arg	Trp	Gln	210	215	220	
Gln	Gly	Asn	Val	Phe	Ser	Cys	Ser	Val	Met	His	Glu	Ala	Leu	His	Asn	225	230	235	240

His Tyr Thr Gln Lys Ser Leu Ser Leu Ser Pro Gly Lys  
245 250

<210> 19  
<211> 881  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:EMP-EMP-Fc

<220>  
<221> CDS  
<222> (41)..(871)

<400> 19  
tctagatttg agttttaact tttagaagga ggaataaaat atg gga ggt act tac 55  
Met Gly Gly Thr Tyr  
1 5

tct tgc cac ttc ggc cca ctg act tgg gtt tgc aaa ccg cag ggt ggc 103  
Ser Cys His Phe Gly Pro Leu Thr Trp Val Cys Lys Pro Gln Gly Gly  
10 15 20

ggc ggc ggc ggc ggt ggt acc tat tcc tgt cat ttt ggc ccg ctg acc 151  
Gly Gly Gly Gly Gly Gly Thr Tyr Ser Cys His Phe Gly Pro Leu Thr  
25 30 35

tgg gta tgt aag cca caa ggg ggt ggg gga ggc ggg ggg gac aaa act 199  
Trp Val Cys Lys Pro Gln Gly Gly Gly Gly Gly Gly Gly Asp Lys Thr  
40 45 50

cac aca tgt cca cct tgc cca gca cct gaa ctc ctg ggg gga ccg tca 247  
His Thr Cys Pro Pro Cys Pro Ala Pro Glu Leu Leu Gly Gly Pro Ser  
55 60 65

gtt ttc ctc ttc ccc cca aaa ccc aag gac acc ctc atg atc tcc cgg 295  
Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr Leu Met Ile Ser Arg  
70 75 80 85

acc cct gag gtc aca tgc gtg gtg gtg gac gtg agc cac gaa gac cct 343  
Thr Pro Glu Val Thr Cys Val Val Val Asp Val Ser His Glu Asp Pro  
90 95 100

gag gtc aag ttc aac tgg tac gtg gac ggc gtg gag gtg cat aat gcc 391  
Glu Val Lys Phe Asn Trp Tyr Val Asp Gly Val Glu Val His Asn Ala

105	110	115	
aag aca aag ccg cgg gag gag cag tac aac agc acg tac cgt gtg gtc			439
Lys Thr Lys Pro Arg Glu Glu Gln Tyr Asn Ser Thr Tyr Arg Val Val			
120	125	130	
agc gtc ctc acc gtc ctg cac cag gac tgg ctg aat ggc aag gag tac			487
Ser Val Leu Thr Val Leu His Gln Asp Trp Leu Asn Gly Lys Glu Tyr			
135	140	145	
aag tgc aag gtc tcc aac aaa gcc ctc cca gcc ccc atc gag aaa acc			535
Lys Cys Lys Val Ser Asn Lys Ala Leu Pro Ala Pro Ile Glu Lys Thr			
150	155	160	165
atc tcc aaa gcc aaa ggg cag ccc cga gaa cca cag gtg tac acc ctg			583
Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro Gln Val Tyr Thr Leu			
170	175	180	
ccc cca tcc cgg gat gag ctg acc aag aac cag gtc agc ctg acc tgc			631
Pro Pro Ser Arg Asp Glu Leu Thr Lys Asn Gln Val Ser Leu Thr Cys			
185	190	195	
ctg gtc aaa ggc ttc tat ccc agc gac atc gcc gtg gag tgg gag agc			679
Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val Glu Trp Glu Ser			
200	205	210	
aat ggg cag ccg gag aac aac tac aag acc acg cct ccc gtg ctg gac			727
Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro Pro Val Leu Asp			
215	220	225	
tcc gac ggc tcc ttc ttc ctc tac agc aag ctc acc gtg gac aag agc			775
Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys Leu Thr Val Asp Lys Ser			
230	235	240	245
agg tgg cag cag ggg aac gtc ttc tca tgc tcc gtg atg cat gag gct			823
Arg Trp Gln Gln Gly Asn Val Phe Ser Cys Ser Val Met His Glu Ala			
250	255	260	
ctg cac aac cac tac acg cag aag agc ctc tcc ctg tct ccg ggt aaa			871
Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser Leu Ser Pro Gly Lys			
265	270	275	
taatggatcc			881

<210> 20  
 <211> 277  
 <212> PRT

<213> Artificial Sequence

<223> Description of Artificial Sequence:EMP-EMP-Fc

<400> 20

Met Gly Gly Thr Tyr Ser Cys His Phe Gly Pro Leu Thr Trp Val Cys  
1 5 10 15

Lys Pro Gln Gly Gly Gly Gly Gly Gly Gly Thr Tyr Ser Cys His  
20 25 30

Phe Gly Pro Leu Thr Trp Val Cys Lys Pro Gln Gly Gly Gly Gly Gly  
35 40 45

Gly Gly Asp Lys Thr His Thr Cys Pro Pro Cys Pro Ala Pro Glu Leu  
50 55 60

Leu Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr  
65 70 75 80

Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val  
85 90 95

Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr Val Asp Gly Val  
100 105 110

Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Tyr Asn Ser  
115 120 125

Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp Leu  
130 135 140

Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Ala Leu Pro Ala  
145 150 155 160

Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro  
165 170 175

Gln Val Tyr Thr Leu Pro Pro Ser Arg Asp Glu Leu Thr Lys Asn Gln  
180 185 190

Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala  
195 200 205

Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr  
210 215 220

Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys Leu  
225 230 235 240

Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser Cys Ser  
245 250 255

Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser  
260 265 270

Leu Ser Pro Gly Lys  
275

<210> 21  
<211> 884  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:Fc-EMP-EMP

<220>  
<221> CDS  
<222> (39)..(869)

<400> 21  
tctagatttg ttttaactaa ttaaaggagg aataacat atg gac aaa act cac aca 56  
Met Asp Lys Thr His Thr  
1 5

tgt cca cct tgc cca gca cct gaa ctc ctg ggg gga ccg tca gtt ttc 104  
Cys Pro Pro Cys Pro Ala Pro Glu Leu Leu Gly Gly Pro Ser Val Phe  
10 15 20

ctc ttc ccc cca aaa ccc aag gac acc ctc atg atc tcc cgg acc cct 152  
Leu Phe Pro Pro Lys Pro Lys Asp Thr Leu Met Ile Ser Arg Thr Pro  
25 30 35

gag gtc aca tgc gtg gtg gtg gac gtg agc cac gaa gac cct gag gtc 200  
Glu Val Thr Cys Val Val Val Asp Val Ser His Glu Asp Pro Glu Val  
40 45 50

aag ttc aac tgg tac gtg gac ggc gtg gag gtg cat aat gcc aag aca 248  
Lys Phe Asn Trp Tyr Val Asp Gly Val Glu Val His Asn Ala Lys Thr  
55 60 65 70

aag ccg cgg gag gag cag tac aac agc acg tac cgt gtg gtc agc gtc 296  
Lys Pro Arg Glu Glu Gln Tyr Asn Ser Thr Tyr Arg Val Val Ser Val  
75 80 85

ctc acc gtc ctg cac cag gac tgg ctg aat ggc aag gag tac aag tgc 344  
 Leu Thr Val Leu His Gln Asp Trp Leu Asn Gly Lys Glu Tyr Lys Cys  
 90 95 100

aag gtc tcc aac aaa gcc ctc cca gcc ccc atc gag aaa acc atc tcc 392  
 Lys Val Ser Asn Lys Ala Leu Pro Ala Pro Ile Glu Lys Thr Ile Ser  
 105 110 115

aaa gcc aaa ggg cag ccc cga gaa cca cag gtg tac acc ctg cct cca 440  
 Lys Ala Lys Gly Gln Pro Arg Glu Pro Gln Val Tyr Thr Leu Pro Pro  
 120 125 130

tcc cgg gat gag ctg acc aag aac cag gtc agc ctg acc tgc ctg gtc 488  
 Ser Arg Asp Glu Leu Thr Lys Asn Gln Val Ser Leu Thr Cys Leu Val  
 135 140 145 150

aaa ggc ttc tat ccc agc gac atc gcc gtg gag tgg gag agc aat ggg 536  
 Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val Glu Trp Glu Ser Asn Gly  
 155 160 165

cag ccg gag aac aac tac aag acc acg cct ccc gtg ctg gac tcc gac 584  
 Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro Pro Val Leu Asp Ser Asp  
 170 175 180

ggc tcc ttc ttc ctc tac agc aag ctc acc gtg gac aag agc agg tgg 632  
 Gly Ser Phe Phe Leu Tyr Ser Lys Leu Thr Val Asp Lys Ser Arg Trp  
 185 190 195

cag cag ggg aac gtc ttc tca tgc tcc gtg atg cat gag gct ctg cac 680  
 Gln Gln Gly Asn Val Phe Ser Cys Ser Val Met His Glu Ala Leu His  
 200 205 210

aac cac tac acg cag aag agc ctc tcc ctg tct ccg ggt aaa ggt gga 728  
 Asn His Tyr Thr Gln Lys Ser Leu Ser Leu Ser Pro Gly Lys Gly Gly  
 215 220 225 230

ggt ggt ggc gga ggt act tac tct tgc cac ttc ggc cca ctg act tgg 776  
 Gly Gly Gly Gly Gly Thr Tyr Ser Cys His Phe Gly Pro Leu Thr Trp  
 235 240 245

gtt tgc aaa ccg cag ggt ggc ggc ggc ggc ggc ggt ggt acc tat tcc 824  
 Val Cys Lys Pro Gln Gly Gly Gly Gly Gly Gly Gly Gly Thr Tyr Ser  
 250 255 260

tgt cat ttt ggc ccg ctg acc tgg gta tgt aag cca caa ggg ggt 869  
 Cys His Phe Gly Pro Leu Thr Trp Val Cys Lys Pro Gln Gly Gly  
 265 270 275



taatctcgag gatcc

884

<210> 22

<211> 277

<212> PRT

<213> Artificial Sequence

<223> Description of Artificial Sequence:Fc-EMP-EMP

<400> 22

Met Asp Lys Thr His Thr Cys Pro Pro Cys Pro Ala Pro Glu Leu Leu  
1 5 10 15

Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr Leu  
20 25 30

Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val Ser  
35 40 45

His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr Val Asp Gly Val Glu  
50 55 60

Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Tyr Asn Ser Thr  
65 70 75 80

Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp Leu Asn  
85 90 95

Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Ala Leu Pro Ala Pro  
100 105 110

Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro Gln  
115 120 125

Val Tyr Thr Leu Pro Pro Ser Arg Asp Glu Leu Thr Lys Asn Gln Val  
130 135 140

Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val  
145 150 155 160

Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro  
165 170 175

Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys Leu Thr  
180 185 190

Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser Cys Ser Val

195                      200                      205  
 Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser Leu  
       210                      215                      220  
 Ser Pro Gly Lys Gly Gly Gly Gly Gly Gly Gly Thr Tyr Ser Cys His  
 225                      230                      235                      240  
 Phe Gly Pro Leu Thr Trp Val Cys Lys Pro Gln Gly Gly Gly Gly Gly  
                          245                      250                      255  
 Gly Gly Gly Thr Tyr Ser Cys His Phe Gly Pro Leu Thr Trp Val Cys  
                          260                      265                      270  
 Lys Pro Gln Gly Gly  
                          275

<210> 23  
 <211> 1545  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> Description of Artificial Sequence:pAMG216

<400> 23  
 cgtaacgtat gcatggtctc cccatgcgag agtagggaac tgccaggcat caaataaaaac 60  
 gaaaggctca gtcgaaagac tgggcctttc gttttatctg ttgtttgtcg gtgaacgctc 120  
 tcctgagtag gacaaatccg ccgggagcgg atttgaacgt tgcgaagcaa cggcccggag 180  
 ggtggcgggc aggacgcccg ccataaactg ccaggcatca aattaagcag aaggccatcc 240  
 tgacggatgg cctttttgcg tttctacaaa ctcttttggt tatttttcta aatacattca 300  
 aatatggacg tcgtacttaa ctttttaaagt atgggcaatc aattgctcct gttaaaattg 360  
 ctttagaaat actttggcag cggtttggtg tattgagttt catttgcgca ttggttaaatt 420  
 ggaaagtgac cgtgcgctta ctacagccta atatttttga aatatcccaa gagctttttc 480  
 cttcgcatgc ccacgctaaa cattcttttt ctcttttggt taaatcgttg tttgatttat 540  
 tatttgctat atttattttt cgataattat caactagaga aggaacaatt aatggtatgt 600  
 tcatacacgc atgtaaaaat aaactatcta tatagttgtc tttctctgaa tgtgcaaaac 660  
 taagcattcc gaagccatta ttagcagtat gaataggga actaaacca gtgataagac 720  
 ctgatgattt cgcttcttta attacatttg gagatttttt atttacagca ttgttttcaa 780  
 atatattcca attaatcggg gaatgatttg agttagaata atctactata ggatcatatt 840  
 ttattaaatt agcgtcatca taatattgcc tccatttttt agggtaatta tccagaattg 900  
 aaatatcaga tttaaccata gaatgaggat aatgatcgc gagtaaataa tattcacaat 960  
 gtaccatttt agtcatatca gataagcatt gattaatatc attattgctt ctacaggctt 1020  
 taattttatt aattattctg taagtgtcgt cggcatttat gtctttcata cccatctctt 1080  
 tatccttacc tattgtttgt cgcaagtttt gcgtgttata tatcattaaa acggtaatag 1140  
 attgacattt gattctaata aattggattt ttgtcacact attatatcgc ttgaaataca 1200

attgtttaac ataagtacct gtaggacgt acaggtttac gcaagaaaat ggtttggttat 1260  
 agtcgattaa tcgatttgat tctagatttg ttttaactaa ttaaaggagg aataacatat 1320  
 ggtaacgcg ttggaattcg agctcactag tgtcgacctg cagggtacca tggaagctta 1380  
 ctcgaggatc cgcggaaaga agaagaagaa gaagaaagcc cgaaaggaag ctgagttggc 1440  
 tgctgccacc gctgagcaat aactagcata accccttggg gcctctaaac gggctcttgag 1500  
 gggttttttg ctgaaaggag gaaccgctct tcacgctctt cacgc 1545

<210> 24

<211> 14

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:TPO-MIMETIC  
 PEPTIDE

<400> 24

Ile Glu Gly Pro Thr Leu Arg Gln Trp Leu Ala Ala Lys Ala  
 1 5 10

<210> 25

<211> 14

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:TPO-MIMETIC  
 PEPTIDE

<400> 25

Ile Glu Gly Pro Thr Leu Arg Glu Trp Leu Ala Ala Arg Ala  
 1 5 10

<210> 26

<211> 29

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:TPO-MIMETIC  
 PEPTIDE

<220>

<223> At position 15, Xaa=a linker sequence of 1 to 20  
amino acids

<400> 26

Ile Glu Gly Pro Thr Leu Arg Gln Trp Leu Ala Ala Arg Ala Xaa Ile  
1 5 10 15

Glu Gly Pro Thr Leu Arg Gln Trp Leu Ala Ala Arg Ala  
20 25

<210> 27

<211> 29

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:TPO-MIMETIC  
PEPTIDE

<220>

<223> At position 15, Xaa=a linker sequence of 1 to 20  
amino acids

<400> 27

Ile Glu Gly Pro Thr Leu Arg Gln Trp Leu Ala Ala Lys Ala Xaa Ile  
1 5 10 15

Glu Gly Pro Thr Leu Arg Gln Trp Leu Ala Ala Lys Ala  
20 25

<210> 28

<211> 29

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:TPO-MIMETIC  
PEPTIDE

<220>

<223> At position 9 disulfide linkage with residue 24

<220>

<223> At position 24 disulfide linkage with residue 9

<400> 28

Ile Glu Gly Pro Thr Leu Arg Gln Cys Leu Ala Ala Arg Ala Xaa Ile  
1 5 10 15

Glu Gly Pro Thr Leu Arg Gln Cys Leu Ala Ala Arg Ala  
20 25

<210> 29

<211> 31

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:TPO-MIMETIC  
PEPTIDE

<220>

<223> At position 16 bromoacetyl group linked to  
sidechain

<400> 29

Ile Glu Gly Pro Thr Leu Arg Gln Trp Leu Ala Ala Arg Ala Xaa Lys  
1 5 10 15

Xaa Ile Glu Gly Pro Thr Leu Arg Gln Trp Leu Ala Ala Arg Ala  
20 25 30

<210> 30

<211> 31

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:TPO-MIMETIC  
PEPTIDE

<220>

<223> At position 16 polyethylene glycol linked to  
sidechain

<400> 30

Ile Glu Gly Pro Thr Leu Arg Gln Trp Leu Ala Ala Arg Ala Xaa Lys  
1 5 10 15

Xaa Ile Glu Gly Pro Thr Leu Arg Gln Trp Leu Ala Ala Arg Ala  
 20 25 30

<210> 31

<211> 29

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:TPO-MIMETIC  
 PEPTIDE

<220>

<223> At position 9 disulfide bond to residue 9 of a  
 separate identical sequence

<400> 31

Ile Glu Gly Pro Thr Leu Arg Gln Cys Leu Ala Ala Arg Ala Xaa Ile  
 1 5 10 15

Glu Gly Pro Thr Leu Arg Gln Trp Leu Ala Ala Arg Ala  
 20 25

<210> 32

<211> 29

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:TPO-MIMETIC  
 PEPTIDE

<220>

<223> At position 24 disulfide bond to residue 9 of a  
 separate identical sequence

<400> 32

Ile Glu Gly Pro Thr Leu Arg Gln Trp Leu Ala Ala Arg Ala Xaa Ile  
 1 5 10 15

Glu Gly Pro Thr Leu Arg Gln Cys Leu Ala Ala Arg Ala  
 20 25

<210> 33  
<211> 9  
<212> PRT  
<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:TPO-MIMETIC  
PEPTIDE

<400> 33  
Val Arg Asp Gln Ile Xaa Xaa Xaa Leu  
1 5

<210> 34  
<211> 6  
<212> PRT  
<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:TPO-MIMETIC  
PEPTIDE

<400> 34  
Thr Leu Arg Glu Trp Leu  
1 5

<210> 35  
<211> 10  
<212> PRT  
<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:TPO-MIMETIC  
PEPTIDE

<400> 35  
Gly Arg Val Arg Asp Gln Val Ala Gly Trp  
1 5 10

<210> 36

<211> 10  
<212> PRT  
<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:TPO-MIMETIC  
PEPTIDE

<400> 36

Gly Arg Val Lys Asp Gln Ile Ala Gln Leu  
1 5 10

<210> 37

<211> 10

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:Description of  
Artificial SequenceTPO-MIMETIC PEPTIDE

<400> 37

Gly Val Arg Asp Gln Val Ser Trp Ala Leu  
1 5 10

<210> 38

<211> 10

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:TPO-MIMETIC  
PEPTIDE

<400> 38

Glu Ser Val Arg Glu Gln Val Met Lys Tyr  
1 5 10

<210> 39

<211> 10

<212> PRT

<213> Artificial Sequence



<220>

<223> Description of Artificial Sequence:TPO-MIMETIC  
PEPTIDE

<400> 39

Ser Val Arg Ser Gln Ile Ser Ala Ser Leu  
1 5 10

<210> 40

<211> 10

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:TPO-MIMETIC  
PEPTIDE

<400> 40

Gly Val Arg Glu Thr Val Tyr Arg His Met  
1 5 10

<210> 41

<211> 11

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:INTEGRIN  
BINDING PEPTIDE

<400> 41

Gly Val Arg Glu Val Ile Val Met His Met Leu  
1 5 10

<210> 42

<211> 11

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:TPO-MIMETIC

PEPTIDE

<400> 42

Gly Arg Val Arg Asp Gln Ile Trp Ala Ala Leu  
1 5 10

<210> 43

<211> 11

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:TPO-MIMETIC  
PEPTIDE

<400> 43

Ala Gly Val Arg Asp Gln Ile Leu Ile Trp Leu  
1 5 10

<210> 44

<211> 11

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:TPO-MIMETIC  
PEPTIDE

<400> 44

Gly Arg Val Arg Asp Gln Ile Met Leu Ser Leu  
1 5 10

<210> 45

<211> 11

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:TPO-MIMETIC  
PEPTIDE

<400> 45

Gly Arg Val Arg Asp Gln Ile Xaa Xaa Xaa Leu  
1 5 10

<210> 46

<211> 10

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:TPO-MIMETIC  
PEPTIDE

<400> 46

Cys Thr Leu Arg Gln Trp Leu Gln Gly Cys  
1 5 10

<210> 47

<211> 10

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:TPO-MIMETIC  
PEPTIDE

<400> 47

Cys Thr Leu Gln Glu Phe Leu Glu Gly Cys  
1 5 10

<210> 48

<211> 10

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:TPO-MIMETIC  
PEPTIDE

<400> 48

Cys Thr Arg Thr Glu Trp Leu His Gly Cys  
1 5 10

<210> 49  
<211> 12  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:TPO-MIMETIC  
PEPTIDE

<400> 49  
Cys Thr Leu Arg Glu Trp Leu His Gly Gly Phe Cys  
1 5 10

<210> 50  
<211> 12  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:Fc-TMP

<400> 50  
Cys Thr Leu Arg Glu Trp Val Phe Ala Gly Leu Cys  
1 5 10

<210> 51  
<211> 13  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:Fc-TMP

<400> 51  
Cys Thr Leu Arg Gln Trp Leu Ile Leu Leu Gly Met Cys  
1 5 10

<210> 52  
<211> 14  
<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:TPO-MIMETIC  
PEPTIDE

<400> 52

Cys Thr Leu Ala Glu Phe Leu Ala Ser Gly Val Glu Gln Cys  
1 5 10

<210> 53

<211> 14

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:Fc-TMP

<400> 53

Cys Ser Leu Gln Glu Phe Leu Ser His Gly Gly Tyr Val Cys  
1 5 10

<210> 54

<211> 14

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:Fc-TMP

<400> 54

Cys Thr Leu Arg Glu Phe Leu Asp Pro Thr Thr Ala Val Cys  
1 5 10

<210> 55

<211> 14

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:TPO-MIMETIC  
PEPTIDE

<400> 55

Cys Thr Leu Lys Glu Trp Leu Val Ser His Glu Val Trp Cys  
1 5 10

<210> 56

<211> 10

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:TPO-MIMETIC  
PEPTIDE

<400> 56

Cys Thr Leu Arg Glu Trp Leu Xaa Xaa Cys  
1 5 10

<210> 57

<211> 11

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:TPO-MIMETIC  
PEPTIDE

<400> 57

Cys Thr Leu Arg Glu Trp Leu Xaa Xaa Xaa Cys  
1 5 10

<210> 58

<211> 12

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:TPO-MIMETIC  
PEPTIDE

<400> 58

Cys Thr Leu Arg Glu Trp Leu Xaa Xaa Xaa Xaa Cys

1

5

10

<210> 59

<211> 13

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:TPO-MIMETIC  
PEPTIDE

<400> 59

Cys Thr Leu Arg Glu Trp Leu Xaa Xaa Xaa Xaa Xaa Cys  
1 5 10

<210> 60

<211> 14

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:TPO-MIMETIC  
PEPTIDE

<400> 60

Cys Thr Leu Arg Glu Trp Leu Xaa Xaa Xaa Xaa Xaa Xaa Cys  
1 5 10

<210> 61

<211> 10

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:TPO-MIMETIC  
PEPTIDE

<400> 61

Arg Glu Gly Pro Thr Leu Arg Gln Trp Met  
1 5 10

<210> 62  
<211> 10  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:TPO-MIMETIC  
PEPTIDE

<400> 62  
Glu Gly Pro Thr Leu Arg Gln Trp Leu Ala  
1 5 10

<210> 63  
<211> 10  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:TPO-MIMETIC  
PEPTIDE

<400> 63  
Glu Arg Gly Pro Phe Trp Ala Lys Ala Cys  
1 5 10

<210> 64  
<211> 10  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:TPO-MIMETIC  
PEPTIDE

<400> 64  
Arg Glu Gly Pro Arg Cys Val Met Trp Met  
1 5 10

<210> 65  
<211> 14



<212> PRT  
<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:TPO-MIMETIC  
PEPTIDE

<400> 65

Cys Gly Thr Glu Gly Pro Thr Leu Ser Thr Trp Leu Asp Cys  
1 5 10

<210> 66

<211> 14

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:TPO-MIMETIC  
PEPTIDE

<400> 66

Cys Glu Gln Asp Gly Pro Thr Leu Leu Glu Trp Leu Lys Cys  
1 5 10

<210> 67

<211> 14

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:TPO-MIMETIC  
PEPTIDE

<400> 67

Cys Glu Leu Val Gly Pro Ser Leu Met Ser Trp Leu Thr Cys  
1 5 10

<210> 68

<211> 14

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:TPO-MIMETIC  
PEPTIDE

<400> 68

Cys Leu Thr Gly Pro Phe Val Thr Gln Trp Leu Tyr Glu Cys  
1 5 10

<210> 69

<211> 14

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:TPO-MIMETIC  
PEPTIDE

<400> 69

Cys Arg Ala Gly Pro Thr Leu Leu Glu Trp Leu Thr Leu Cys  
1 5 10

<210> 70

<211> 14

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:TPO-MIMETIC  
PEPTIDE

<400> 70

Cys Ala Asp Gly Pro Thr Leu Arg Glu Trp Ile Ser Phe Cys  
1 5 10

<210> 71

<211> 13

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:TPO-MIMETIC  
PEPTIDE

<400> 71

Cys Xaa Glu Gly Pro Thr Leu Arg Glu Trp Leu Xaa Cys  
1 5 10

<210> 72

<211> 14

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:TPO-MIMETIC  
PEPTIDE

<400> 72

Cys Xaa Xaa Glu Gly Pro Thr Leu Arg Glu Trp Leu Xaa Cys  
1 5 10

<210> 73

<211> 14

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:TPO-MIMETIC  
PEPTIDE

<400> 73

Cys Xaa Glu Gly Pro Thr Leu Arg Glu Trp Leu Xaa Xaa Cys  
1 5 10

<210> 74

<211> 15

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:TPO-MIMETIC  
PEPTIDE

<400> 74

Cys Xaa Xaa Glu Gly Pro Thr Leu Arg Glu Trp Leu Xaa Xaa Cys

1

5

10

15

&lt;210&gt; 75

&lt;211&gt; 16

&lt;212&gt; PRT

&lt;213&gt; Artificial Sequence

&lt;220&gt;

<223> Description of Artificial Sequence:TPO-MIMETIC  
PEPTIDE

&lt;400&gt; 75

Gly Gly Cys Thr Leu Arg Glu Trp Leu His Gly Gly Phe Cys Gly Gly  
1 5 10 15

&lt;210&gt; 76

&lt;211&gt; 18

&lt;212&gt; PRT

&lt;213&gt; Artificial Sequence

&lt;220&gt;

<223> Description of Artificial Sequence:TPO-MIMETIC  
PEPTIDE

&lt;400&gt; 76

Gly Gly Cys Ala Asp Gly Pro Thr Leu Arg Glu Trp Ile Ser Phe Cys  
1 5 10 15

Gly Gly

&lt;210&gt; 77

&lt;211&gt; 19

&lt;212&gt; PRT

&lt;213&gt; Artificial Sequence

&lt;220&gt;

<223> Description of Artificial Sequence:TPO-MIMETIC  
PEPTIDE

&lt;400&gt; 77

Gly Asn Ala Asp Gly Pro Thr Leu Arg Gln Trp Leu Glu Gly Arg Arg

1

5

10

15

Pro Lys Asn

&lt;210&gt; 78

&lt;211&gt; 19

&lt;212&gt; PRT

&lt;213&gt; Artificial Sequence

&lt;220&gt;

<223> Description of Artificial Sequence:TPO-MIMETIC  
PEPTIDE

&lt;400&gt; 78

Leu Ala Ile Glu Gly Pro Thr Leu Arg Gln Trp Leu His Gly Asn Gly  
1 5 10 15

Arg Asp Thr

&lt;210&gt; 79

&lt;211&gt; 19

&lt;212&gt; PRT

&lt;213&gt; Artificial Sequence

&lt;220&gt;

<223> Description of Artificial Sequence:TPO-MIMETIC  
PEPTIDE

&lt;400&gt; 79

His Gly Arg Val Gly Pro Thr Leu Arg Glu Trp Lys Thr Gln Val Ala  
1 5 10 15

Thr Lys Lys

&lt;210&gt; 80

&lt;211&gt; 18

&lt;212&gt; PRT

&lt;213&gt; Artificial Sequence

<220>

<223> Description of Artificial Sequence:TPO-MIMETIC  
PEPTIDE

<400> 80

Thr	Ile	Lys	Gly	Pro	Thr	Leu	Arg	Gln	Trp	Leu	Lys	Ser	Arg	Glu	His
1				5					10					15	

Thr Ser

<210> 81

<211> 18

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:TPO-MIMETIC  
PEPTIDE

<400> 81

Ile	Ser	Asp	Gly	Pro	Thr	Leu	Lys	Glu	Trp	Leu	Ser	Val	Thr	Arg	Gly
1				5					10					15	

Ala Ser

<210> 82

<211> 18

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:TPO-MIMETIC  
PEPTIDE

<400> 82

Ser	Ile	Glu	Gly	Pro	Thr	Leu	Arg	Glu	Trp	Leu	Thr	Ser	Arg	Thr	Pro
1				5					10					15	

His Ser

<210> 83  
<211> 14  
<212> PRT  
<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:EPO-MIMETIC  
PEPTIDE

<400> 83

Tyr Xaa Cys Xaa Xaa Gly Pro Xaa Thr Trp Xaa Cys Xaa Pro  
1 5 10

<210> 84  
<211> 28  
<212> PRT  
<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:EPO-MIMETIC  
PEPTIDE

<400> 84

Tyr Xaa Cys Xaa Xaa Gly Pro Xaa Thr Trp Xaa Cys Xaa Pro Tyr Xaa  
1 5 10 15

Cys Xaa Xaa Gly Pro Xaa Thr Trp Xaa Cys Xaa Pro  
20 25

<210> 85  
<211> 29  
<212> PRT  
<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:EPO-MIMETIC  
PEPTIDE

<220>

<223> At position 15, Xaa=a linker sequence of 1 to 20  
amino acids

<400> 85

Tyr Xaa Cys Xaa Xaa Gly Pro Xaa Thr Trp Xaa Cys Xaa Pro Xaa Tyr  
 1 5 10 15

Xaa Cys Xaa Xaa Gly Pro Xaa Thr Trp Xaa Cys Xaa Pro  
 20 25

<210> 86  
 <211> 14  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Description of Artificial Sequence:EPO-MIMETIC  
 PEPTIDE

<220>  
 <223> At position 15 linked through epsilon amine to  
 lysyl, which is linked to a separate identical  
 sequence through that sequence's alpha amine

<400> 86  
 Tyr Xaa Cys Xaa Xaa Gly Pro Xaa Thr Trp Xaa Cys Xaa Pro  
 1 5 10

<210> 87  
 <211> 20  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Description of Artificial Sequence:EPO-MIMETIC  
 PEPTIDE

<400> 87  
 Gly Gly Thr Tyr Ser Cys His Phe Gly Pro Leu Thr Trp Val Cys Lys  
 1 5 10 15

Pro Gln Gly Gly  
 20

<210> 88  
 <211> 20



<212> PRT  
<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:EPO-MIMETIC  
PEPTIDE

<400> 88

Gly Gly Asp Tyr His Cys Arg Met Gly Pro Leu Thr Trp Val Cys Lys  
1 5 10 15

Pro Leu Gly Gly  
20

<210> 89

<211> 20

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:EPO-MIMETIC  
PEPTIDE

<400> 89

Gly Gly Val Tyr Ala Cys Arg Met Gly Pro Ile Thr Trp Val Cys Ser  
1 5 10 15

Pro Leu Gly Gly  
20

<210> 90

<211> 20

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:EPO-MIMETIC  
PEPTIDE

<400> 90

Val Gly Asn Tyr Met Cys His Phe Gly Pro Ile Thr Trp Val Cys Arg  
1 5 10 15

Pro Gly Gly Gly

<210> 91  
 <211> 20  
 <212> PRT  
 <213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:EPO-MIMETIC  
 PEPTIDE

<400> 91

Gly Gly Leu Tyr Leu Cys Arg Phe Gly Pro Val Thr Trp Asp Cys Gly  
 1 5 10 15

Tyr Lys Gly Gly  
 20

<210> 92  
 <211> 40  
 <212> PRT  
 <213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:EPO-MIMETIC  
 PEPTIDE

<400> 92

Gly Gly Thr Tyr Ser Cys His Phe Gly Pro Leu Thr Trp Val Cys Lys  
 1 5 10 15

Pro Gln Gly Gly Gly Gly Thr Tyr Ser Cys His Phe Gly Pro Leu Thr  
 20 25 30

Trp Val Cys Lys Pro Gln Gly Gly  
 35 40

<210> 93  
 <211> 41  
 <212> PRT  
 <213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:EPO-MIMETIC  
PEPTIDE

<220>

<223> At position 21, Xaa=a linker sequence of 1 to 20  
amino acids

<400> 93

Gly Gly Thr Tyr Ser Cys His Phe Gly Pro Leu Thr Trp Val Cys Lys  
1 5 10 15

Pro Gln Gly Gly Xaa Gly Gly Thr Tyr Ser Cys His Phe Gly Pro Leu  
20 25 30

Thr Trp Val Cys Lys Pro Gln Gly Gly  
35 40

<210> 94

<211> 23

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:EPO-MIMETIC  
PEPTIDE

<400> 94

Gly Gly Thr Tyr Ser Cys His Phe Gly Pro Leu Thr Trp Val Cys Lys  
1 5 10 15

Pro Gln Gly Gly Ser Ser Lys  
20

<210> 95

<211> 46

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:TPO-MIMETIC  
PEPTIDE

<400> 95

Gly Gly Thr Tyr Ser Cys His Phe Gly Pro Leu Thr Trp Val Cys Lys  
 1 5 10 15

Pro Gln Gly Gly Ser Ser Lys Gly Gly Thr Tyr Ser Cys His Phe Gly  
 20 25 30

Pro Leu Thr Trp Val Cys Lys Pro Gln Gly Gly Ser Ser Lys  
 35 40 45

<210> 96

<211> 47

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:TPO-MIMETIC  
 PEPTIDE

<220>

<223> At position 24, Xaa=a linker sequence of 1 to 20  
 amino acids

<400> 96

Gly Gly Thr Tyr Ser Cys His Phe Gly Pro Leu Thr Trp Val Cys Lys  
 1 5 10 15

Pro Gln Gly Gly Ser Ser Lys Xaa Gly Gly Thr Tyr Ser Cys His Phe  
 20 25 30

Gly Pro Leu Thr Trp Val Cys Lys Pro Gln Gly Gly Ser Ser Lys  
 35 40 45

<210> 97

<211> 22

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:EPO-MIMETIC  
 PEPTIDE

<220>

<223> At position 22 linked through epsilon amine to  
 lysyl, which is linked to a separate identical

sequence through that sequence's alpha amine

<400> 97

Gly Gly Thr Tyr Ser Cys His Phe Gly Pro Leu Thr Trp Val Cys Lys  
1 5 10 15

Pro Gln Gly Gly Ser Ser  
20

<210> 98

<211> 23

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:EPO-MIMETIC  
PEPTIDE

<220>

<223> At position 23 biotin linked to the sidechain  
through a linker

<400> 98

Gly Gly Thr Tyr Ser Cys His Phe Gly Pro Leu Thr Trp Val Cys Lys  
1 5 10 15

Pro Gln Gly Gly Ser Ser Lys  
20

<210> 99

<211> 5

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:G-CSF MIMETIC  
PEPTIDE

<220>

<223> At position 4 disulfide bond to residue 4 of a  
separate identical sequence

<400> 99

Glu Glu Asp Cys Lys

1

5

<210> 100

<211> 5

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:G-CSF MIMETIC  
PEPTIDE

<220>

<223> At position 4, Xaa is an isoteric ethylene spacer  
linked to a separate identical sequence

<400> 100

Glu Glu Asp Xaa Lys

1

5

<210> 101

<211> 5

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:G-CSF MIMETIC  
PEPTIDE

<220>

<223> At position 1, Xaa is a pyroglutamic acid residue

<220>

<223> At position 4, Xaa is an isoteric ethylene spacer  
linked to a separate identical sequence

<400> 101

Xaa Glu Asp Xaa Lys

1

5

<210> 102

<211> 5

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:EPO-MIMETIC  
PEPTIDE

<220>

<223> At position 1, Xaa is a picolinic acid residue

<220>

<223> At position 4, Xaa is an isoteric ethylene spacer  
linked to a separate identical sequence

<400> 102

Xaa Ser Asp Xaa Lys  
1 5

<210> 103

<211> 11

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:EPO-MIMETIC  
PEPTIDE

<220>

<223> At position 6, Xaa=a linker sequence of 1 to 20  
amino acids

<400> 103

Glu Glu Asp Cys Lys Xaa Glu Glu Asp Cys Lys  
1 5 10

<210> 104

<211> 11

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:EPO-MIMETIC  
PEPTIDE

<220>

<223> At position 6, Xaa=a linker sequence of 1 to 20  
amino acids

<400> 104

Glu Glu Asp Xaa Lys Xaa Glu Glu Asp Xaa Lys  
1 5 10

<210> 105

<211> 6

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:ANTIVIRAL (HBV)  
PEPTIDE

<400> 105

Leu Leu Gly Arg Met Lys  
1 5

<210> 106

<211> 11

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:TNF-ANTAGONIST  
PEPTIDE

<400> 106

Tyr Cys Phe Thr Ala Ser Glu Asn His Cys Tyr  
1 5 10

<210> 107

<211> 11

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:TNF-ANTAGONIST  
PEPTIDE



<400> 107

Tyr Cys Phe Thr Asn Ser Glu Asn His Cys Tyr  
1 5 10

<210> 108

<211> 11

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:TNF-ANTAGONIST  
PEPTIDE

<400> 108

Tyr Cys Phe Thr Arg Ser Glu Asn His Cys Tyr  
1 5 10

<210> 109

<211> 9

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:TNF-ANTAGONIST  
PEPTIDE

<400> 109

Phe Cys Ala Ser Glu Asn His Cys Tyr  
1 5

<210> 110

<211> 9

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:TNF-ANTAGONIST  
PEPTIDE

<400> 110

Tyr Cys Ala Ser Glu Asn His Cys Tyr  
1 5

<210> 111  
 <211> 9  
 <212> PRT  
 <213> Artificial Sequence  
  
 <220>  
 <223> Description of Artificial Sequence:TNF-ANTAGONIST  
 PEPTIDE

<400> 111  
 Phe Cys Asn Ser Glu Asn His Cys Tyr  
 1 5

<210> 112  
 <211> 9  
 <212> PRT  
 <213> Artificial Sequence  
  
 <220>  
 <223> Description of Artificial Sequence:TNF-ANTAGONIST  
 PEPTIDE

<400> 112  
 Phe Cys Asn Ser Glu Asn Arg Cys Tyr  
 1 5

<210> 113  
 <211> 10  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Description of Artificial Sequence:TNF-ANTAGONIST  
 PEPTIDE

<400> 113  
 Phe Cys Asn Ser Val Glu Asn Arg Cys Tyr  
 1 5 10

<210> 114  
 <211> 11  
 <212> PRT  
 <213> Artificial Sequence  
  
 <220>  
 <223> Description of Artificial Sequence:TNF-ANTAGONIST  
 PEPTIDE  
  
 <400> 114  
 Tyr Cys Ser Gln Ser Val Ser Asn Asp Cys Phe  
 1 5 10

<210> 115  
 <211> 9  
 <212> PRT  
 <213> Artificial Sequence  
  
 <220>  
 <223> Description of Artificial Sequence:TNF-ANTAGONIST  
 PEPTIDE  
  
 <400> 115  
 Phe Cys Val Ser Asn Asp Arg Cys Tyr  
 1 5

<210> 116  
 <211> 11  
 <212> PRT  
 <213> Artificial Sequence  
  
 <220>  
 <223> Description of Artificial Sequence:TNF-ANTAGONIST  
 PEPTIDE  
  
 <400> 116  
 Tyr Cys Arg Lys Glu Leu Gly Gln Val Cys Tyr  
 1 5 10

<210> 117  
 <211> 9  
 <212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:TNF-ANTAGONIST

<400> 117

Tyr Cys Lys Glu Pro Gly Gln Cys Tyr  
1 5

<210> 118

<211> 9

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:TNF-ANTAGONIST

<400> 118

Tyr Cys Arg Lys Glu Met Gly Cys Tyr  
1 5

<210> 119

<211> 9

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:TNF-ANTAGONIST

<400> 119

Phe Cys Arg Lys Glu Met Gly Cys Tyr  
1 5

<210> 120

<211> 9

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:TNF-ANTAGONIST

<400> 120

Tyr Cys Trp Ser Gln Asn Leu Cys Tyr  
1 5

<210> 121  
<211> 10  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:TNF-ANTAGONIST

<400> 121  
Tyr Cys Glu Leu Ser Gln Tyr Leu Cys Tyr  
1 5 10

<210> 122  
<211> 9  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:TNF-ANTAGONIST

<400> 122  
Tyr Cys Trp Ser Gln Asn Tyr Cys Tyr  
1 5

<210> 123  
<211> 9  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:TNF-ANTAGONIST

<400> 123  
Tyr Cys Trp Ser Gln Tyr Leu Cys Tyr  
1 5

<210> 124

<211> 37  
<212> PRT  
<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:EPO-MIMETIC  
PEPTIDE

<400> 124

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Gly Pro Xaa Xaa  
1 5 10 15

Xaa Xaa Xaa Xaa Thr Trp Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa  
20 25 30

Xaa Xaa Xaa Xaa Xaa  
35

<210> 125  
<211> 15  
<212> PRT  
<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:CTLA4-MIMETIC  
PEPTIDE

<400> 125

Gly Phe Val Cys Ser Gly Ile Phe Ala Val Gly Val Gly Arg Cys  
1 5 10 15

<210> 126  
<211> 15  
<212> PRT  
<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:CTLA4-MIMETIC  
PEPTIDE

<400> 126

Ala Pro Gly Val Arg Leu Gly Cys Ala Val Leu Gly Arg Tyr Cys  
1 5 10 15

<210> 127  
<211> 27  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:C3B ANTAGONIST

<400> 127  
Ile Cys Val Val Gln Asp Trp Gly His His Arg Cys Thr Ala Gly His  
1 5 10 15  
Met Ala Asn Leu Thr Ser His Ala Ser Ala Ile  
20 25

<210> 128  
<211> 13  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:C3B ANTAGONIST  
PEPTIDE

<400> 128  
Ile Cys Val Val Gln Asp Trp Gly His His Arg Cys Thr  
1 5 10

<210> 129  
<211> 11  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:C3B ANTAGONIST  
PEPTIDE

<400> 129  
Cys Val Val Gln Asp Trp Gly His His Ala Cys  
1 5 10

<210> 130  
<211> 6  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:MDM/HDM  
ANTAGONIST PEPTIDE

<400> 130  
Thr Phe Ser Asp Leu Trp  
1 5

<210> 131  
<211> 12  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:MDM/HDM  
ANTAGONIST PEPTIDE

<400> 131  
Gln Glu Thr Phe Ser Asp Leu Trp Lys Leu Leu Pro  
1 5 10

<210> 132  
<211> 12  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:MDM/HDM  
ANTAGONIST PEPTIDE

<400> 132  
Gln Pro Thr Phe Ser Asp Leu Trp Lys Leu Leu Pro  
1 5 10

<210> 133  
<211> 12



<212> PRT  
<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:MDM/HDM  
ANTAGONIST PEPTIDE

<400> 133

Gln Glu Thr Phe Ser Asp Tyr Trp Lys Leu Leu Pro  
1 5 10

<210> 134

<211> 12

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:MDM/HDM  
ANTAGONIST PEPTIDE

<400> 134

Gln Pro Thr Phe Ser Asp Tyr Trp Lys Leu Leu Pro  
1 5 10

<210> 135

<211> 12

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:MDM/HDM  
ANTAGONIST PEPTIDE

<400> 135

Met Pro Arg Phe Met Asp Tyr Trp Glu Gly Leu Asn  
1 5 10

<210> 136

<211> 12

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:C3B ANTAGONIST

<400> 136

Val Gln Asn Phe Ile Asp Tyr Trp Thr Gln Gln Phe  
1 5 10

<210> 137

<211> 12

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:MDM/HDM  
ANTAGONIST PEPTIDE

<400> 137

Thr Gly Pro Ala Phe Thr His Tyr Trp Ala Thr Phe  
1 5 10

<210> 138

<211> 15

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:MDM/HDM  
ANTAGONIST PEPTIDE

<400> 138

Ile Asp Arg Ala Pro Thr Phe Arg Asp His Trp Phe Ala Leu Val  
1 5 10 15

<210> 139

<211> 15

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:MDM/HDM  
ANTAGONIST PEPTIDE

<400> 139

Pro Arg Pro Ala Leu Val Phe Ala Asp Tyr Trp Glu Thr Leu Tyr  
1 5 10 15

<210> 140

<211> 15

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:MDM/HDM  
ANTAGONIST PEPTIDE

<400> 140

Pro Ala Phe Ser Arg Phe Trp Ser Asp Leu Ser Ala Gly Ala His  
1 5 10 15

<210> 141

<211> 15

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:MDM/HDM  
ANTAGONIST PEPTIDE

<400> 141

Pro Ala Phe Ser Arg Phe Trp Ser Lys Leu Ser Ala Gly Ala His  
1 5 10 15

<210> 142

<211> 10

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:MDM/HDM  
ANTAGONIST PEPTIDE

<400> 142

Pro Xaa Phe Xaa Asp Tyr Trp Xaa Xaa Leu  
1 5 10

<210> 143  
<211> 12  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:MDM/HDM  
ANTAGONIST PEPTIDE

<400> 143  
Gln Glu Thr Phe Ser Asp Leu Trp Lys Leu Leu Pro  
1 5 10

<210> 144  
<211> 12  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:MDM/HDM  
ANTAGONIST PEPTIDE

<400> 144  
Gln Pro Thr Phe Ser Asp Leu Trp Lys Leu Leu Pro  
1 5 10

<210> 145  
<211> 12  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:MDM/HDM  
ANTAGONIST PEPTIDE

<400> 145  
Gln Glu Thr Phe Ser Asp Tyr Trp Lys Leu Leu Pro  
1 5 10

<210> 146  
<211> 12  
<212> PRT  
<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:MDM/HDM  
ANTAGONIST PEPTIDE

<400> 146

Gln Pro Thr Phe Ser Asp Tyr Trp Lys Leu Leu Pro  
1 5 10

<210> 147  
<211> 12  
<212> PRT  
<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:SELECTIN  
ANTAGONIST PEPTIDE

<400> 147

Asp Ile Thr Trp Asp Gln Leu Trp Asp Leu Met Lys  
1 5 10

<210> 148  
<211> 12  
<212> PRT  
<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:SELECTIN  
ANTAGONIST PEPTIDE

<400> 148

Asp Ile Thr Trp Asp Glu Leu Trp Lys Ile Met Asn  
1 5 10

<210> 149  
<211> 12  
<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:SELECTIN  
ANTAGONIST PEPTIDE

<400> 149

Asp Tyr Thr Trp Phe Glu Leu Trp Asp Met Met Gln  
1 5 10

<210> 150

<211> 12

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:SELECTIN  
ANTAGONIST PEPTIDE

<400> 150

Gln Ile Thr Trp Ala Gln Leu Trp Asn Met Met Lys  
1 5 10

<210> 151

<211> 12

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:MDM/HDM  
ANTAGONIST PEPTIDE

<400> 151

Asp Met Thr Trp His Asp Leu Trp Thr Leu Met Ser  
1 5 10

<210> 152

<211> 12

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:MDM/HDM  
ANTAGONIST PEPTIDE

<400> 152

Asp Tyr Ser Trp His Asp Leu Trp Glu Met Met Ser  
1 5 10

<210> 153

<211> 12

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:MDM/HDM  
ANTAGONIST PEPTIDE

<400> 153

Glu Ile Thr Trp Asp Gln Leu Trp Glu Val Met Asn  
1 5 10

<210> 154

<211> 12

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:MDM/HDM  
ANTAGONIST PEPTIDE

<400> 154

His Val Ser Trp Glu Gln Leu Trp Asp Ile Met Asn  
1 5 10

<210> 155

<211> 12

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:SELECTIN  
ANTAGONIST PEPTIDE

<400> 155

His Ile Thr Trp Asp Gln Leu Trp Arg Ile Met Thr  
1 5 10

<210> 156

<211> 13

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:SELECTIN  
ANTAGONIST PEPTIDE

<400> 156

Arg Asn Met Ser Trp Leu Glu Leu Trp Glu His Met Lys  
1 5 10

<210> 157

<211> 18

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:SELECTIN

<400> 157

Ala Glu Trp Thr Trp Asp Gln Leu Trp His Val Met Asn Pro Ala Glu  
1 5 10 15

Ser Gln

<210> 158

<211> 14

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:SELECTIN

<400> 158

His Arg Ala Glu Trp Leu Ala Leu Trp Glu Gln Met Ser Pro



1 5 10

<210> 159  
<211> 14  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:SELECTIN  
ANTAGONIST PEPTIDE

<400> 159  
Lys Lys Glu Asp Trp Leu Ala Leu Trp Arg Ile Met Ser Val  
1 5 10

<210> 160  
<211> 11  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:SELECTIN

<400> 160  
Ile Thr Trp Asp Gln Leu Trp Asp Leu Met Lys  
1 5 10

<210> 161  
<211> 12  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:SELECTIN

<400> 161  
Asp Ile Thr Trp Asp Gln Leu Trp Asp Leu Met Lys  
1 5 10

<210> 162

<211> 12  
<212> PRT  
<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:SELECTIN

<400> 162

Asp Ile Thr Trp Asp Gln Leu Trp Asp Leu Met Lys  
1 5 10

<210> 163

<211> 12

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:SELECTIN  
ANTAGONIST PEPTIDE

<400> 163

Asp Ile Thr Trp Asp Gln Leu Trp Asp Leu Met Lys  
1 5 10

<210> 164

<211> 13

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:CALMODULIN  
ANTAGONIST PEPTIDE

<400> 164

Ser Cys Val Lys Trp Gly Lys Lys Glu Phe Cys Gly Ser  
1 5 10

<210> 165

<211> 12

<212> PRT

<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:CALMODULIN

<400> 165  
Ser Cys Trp Lys Tyr Trp Gly Lys Glu Cys Gly Ser  
1 5 10

<210> 166  
<211> 13  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:CALMODULIN  
ANTAGONIST PEPTIDE

<400> 166  
Ser Cys Tyr Glu Trp Gly Lys Leu Arg Trp Cys Gly Ser  
1 5 10

<210> 167  
<211> 13  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence: CALMODULIN  
ANTAGONIST PEPTIDE

<400> 167  
Ser Cys Leu Arg Trp Gly Lys Trp Ser Asn Cys Gly Ser  
1 5 10

<210> 168  
<211> 13  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:CALMODULIN  
ANTAGONIST PEPTIDE

<400> 168

Ser Cys Trp Arg Trp Gly Lys Tyr Gln Ile Cys Gly Ser  
1 5 10

<210> 169

<211> 13

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:CALMODULIN  
ANTAGONIST PEPTIDE

<400> 169

Ser Cys Val Ser Trp Gly Ala Leu Lys Leu Cys Gly Ser  
1 5 10

<210> 170

<211> 13

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:CALMODULIN  
ANTAGONIST PEPTIDE

<400> 170

Ser Cys Ile Arg Trp Gly Gln Asn Thr Phe Cys Gly Ser  
1 5 10

<210> 171

<211> 13

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:CALMODULIN  
ANTAGONIST PEPTIDE

<400> 171

Ser Cys Trp Gln Trp Gly Asn Leu Lys Ile Cys Gly Ser  
1 5 10

<210> 172  
<211> 13  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:CALMODULIN  
ANTAGONIST PEPTIDE

<400> 172  
Ser Cys Val Arg Trp Gly Gln Leu Ser Ile Cys Gly Ser  
1 5 10

<210> 173  
<211> 21  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:CALMODULIN  
ANTAGONIST PEPTIDE

<400> 173  
Leu Lys Lys Phe Asn Ala Arg Arg Lys Leu Lys Gly Ala Ile Leu Thr  
1 5 10 15

Thr Met Leu Ala Lys  
20

<210> 174  
<211> 18  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:CALMODULIN

<400> 174  
Arg Arg Trp Lys Lys Asn Phe Ile Ala Val Ser Ala Ala Asn Arg Phe  
1 5 10 15

Lys Lys

<210> 175

<211> 18

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:CALMODULIN

<400> 175

Arg Lys Trp Gln Lys Thr Gly His Ala Val Arg Ala Ile Gly Arg Leu  
1 5 10 15

Ser Ser

<210> 176

<211> 14

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:CALMODULIN  
ANTAGONIST PEPTIDE

<400> 176

Ile Asn Leu Lys Ala Leu Ala Ala Leu Ala Lys Lys Ile Leu  
1 5 10

<210> 177

<211> 18

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:CALMODULIN  
ANTAGONIST PEPTIDE

<400> 177

Lys Ile Trp Ser Ile Leu Ala Pro Leu Gly Thr Thr Leu Val Lys Leu

1

5

10

15

Val Ala

<210> 178

<211> 14

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:CALMODULIN  
ANTAGONIST PEPTIDE

<400> 178

Leu Lys Lys Leu Leu Lys Leu Leu Lys Lys Leu Leu Lys Leu

1

5

10

<210> 179

<211> 18

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:CALMODULIN  
ANTAGONIST PEPTIDE

<400> 179

Leu Lys Trp Lys Lys Leu Leu Lys Leu Leu Lys Lys Leu Leu Lys Lys

1

5

10

15

Leu Leu

<210> 180

<211> 17

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:CALMODULIN  
ANTAGONIST PEPTIDE

<400> 180

Ala Glu Trp Pro Ser Leu Thr Glu Ile Lys Thr Leu Ser His Phe Ser  
1 5 10 15

Val

<210> 181

<211> 17

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:CALMODULIN  
ANTAGONIST PEPTIDE

<400> 181

Ala Glu Trp Pro Ser Pro Thr Arg Val Ile Ser Thr Thr Tyr Phe Gly  
1 5 10 15

Ser

<210> 182

<211> 17

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:CALMODULIN  
ANTAGONIST PEPTIDE

<400> 182

Ala Glu Leu Ala His Trp Pro Pro Val Lys Thr Val Leu Arg Ser Phe  
1 5 10 15

Thr

<210> 183

<211> 17



<212> PRT  
<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:CALMODULIN  
ANTAGONIST PEPTIDE

<400> 183

Ala Glu Gly Ser Trp Leu Gln Leu Leu Asn Leu Met Lys Gln Met Asn  
1 5 10 15

Asn

<210> 184

<211> 10

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:CALMODULIN  
ANTAGONIST PEPTIDE

<400> 184

Ala Glu Trp Pro Ser Leu Thr Glu Ile Lys  
1 5 10

<210> 185

<211> 27

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial  
Sequence:VINCULIN-BINDING PEPTIDE

<400> 185

Ser Thr Gly Gly Phe Asp Asp Val Tyr Asp Trp Ala Arg Gly Val Ser  
1 5 10 15

Ser Ala Leu Thr Thr Thr Leu Val Ala Thr Arg  
20 25

<210> 186  
<211> 27  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial  
Sequence:VINCULIN-BINDING PEPTIDE

<400> 186  
Ser Thr Gly Gly Phe Asp Asp Val Tyr Asp Trp Ala Arg Arg Val Ser  
1 5 10 15  
Ser Ala Leu Thr Thr Thr Leu Val Ala Thr Arg  
20 25

<210> 187  
<211> 30  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:VINCULIN  
BINDING PEPTIDE

<400> 187  
Ser Arg Gly Val Asn Phe Ser Glu Trp Leu Tyr Asp Met Ser Ala Ala  
1 5 10 15  
Met Lys Glu Ala Ser Asn Val Phe Pro Ser Arg Arg Ser Arg  
20 25 30

<210> 188  
<211> 30  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:VINCULIN  
BINDING PEPTIDE

<400> 188  
Ser Ser Gln Asn Trp Asp Met Glu Ala Gly Val Glu Asp Leu Thr Ala

1	5	10	15
Ala Met Leu Gly Leu Leu Ser Thr Ile His Ser Ser Ser Arg			
20	25	30	

<210> 189  
 <211> 31  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Description of Artificial Sequence:VINCULIN  
 BINDING PEPTIDE

<400> 189
Ser Ser Pro Ser Leu Tyr Thr Gln Phe Leu Val Asn Tyr Glu Ser Ala
1 5 10 15

Ala Thr Arg Ile Gln Asp Leu Leu Ile Ala Ser Arg Pro Ser Arg
20 25 30

<210> 190  
 <211> 31  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Description of Artificial Sequence:VINCULIN  
 BINDING PEPTIDE

<400> 190
Ser Ser Thr Gly Trp Val Asp Leu Leu Gly Ala Leu Gln Arg Ala Ala
1 5 10 15

Asp Ala Thr Arg Thr Ser Ile Pro Pro Ser Leu Gln Asn Ser Arg
20 25 30

<210> 191  
 <211> 18  
 <212> PRT  
 <213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:VINCULIN  
BINDING PEPTIDE

<400> 191

Asp Val Tyr Thr Lys Lys Glu Leu Ile Glu Cys Ala Arg Arg Val Ser  
1 5 10 15

Glu Lys

<210> 192

<211> 22

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:C4BP-BINDING  
PEPTIDE

<400> 192

Glu Lys Gly Ser Tyr Tyr Pro Gly Ser Gly Ile Ala Gln Phe His Ile  
1 5 10 15

Asp Tyr Asn Asn Val Ser  
20

<210> 193

<211> 22

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:C4BP-BINDING  
PEPTIDE

<400> 193

Ser Gly Ile Ala Gln Phe His Ile Asp Tyr Asn Asn Val Ser Ser Ala  
1 5 10 15

Glu Gly Trp His Val Asn  
20

<210> 194  
<211> 34  
<212> PRT  
<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:C4BP-BINDING  
PEPTIDE

<400> 194

Leu Val Thr Val Glu Lys Gly Ser Tyr Tyr Pro Gly Ser Gly Ile Ala  
1 5 10 15

Gln Phe His Ile Asp Tyr Asn Asn Val Ser Ser Ala Glu Gly Trp His  
20 25 30

Val Asn

<210> 195  
<211> 14  
<212> PRT  
<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:C4BP-BINDING  
PEPTIDE

<400> 195

Ser Gly Ile Ala Gln Phe His Ile Asp Tyr Asn Asn Val Ser  
1 5 10

<210> 196  
<211> 17  
<212> PRT  
<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:UKR ANTAGONIST  
PEPTIDE

<400> 196

Ala Glu Pro Met Pro His Ser Leu Asn Phe Ser Gln Tyr Leu Trp Tyr

1 5 10 15

Thr

<210> 197

<211> 17

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:UKR ANTAGONIST  
PEPTIDE

<400> 197

Ala Glu His Thr Tyr Ser Ser Leu Trp Asp Thr Tyr Ser Pro Leu Ala  
1 5 10 15

Phe

<210> 198

<211> 17

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial  
Sequence:VINCULIN-BINDING PEPTIDE

<400> 198

Ala Glu Leu Asp Leu Trp Met Arg His Tyr Pro Leu Ser Phe Ser Asn  
1 5 10 15

Arg

<210> 199

<211> 17

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:UKR ANTAGONIST  
PEPTIDE

<400> 199

Ala Glu Ser Ser Leu Trp Thr Arg Tyr Ala Trp Pro Ser Met Pro Ser  
1 5 10 15

Tyr

<210> 200

<211> 17

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:UKR ANTAGONIST  
PEPTIDE

<400> 200

Ala Glu Trp His Pro Gly Leu Ser Phe Gly Ser Tyr Leu Trp Ser Lys  
1 5 10 15

Thr

<210> 201

<211> 17

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:UKR ANTAGONIST  
PEPTIDE

<400> 201

Ala Glu Pro Ala Leu Leu Asn Trp Ser Phe Phe Phe Asn Pro Gly Leu  
1 5 10 15

His

<210> 202  
<211> 17  
<212> PRT  
<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:UKR ANTAGONIST  
PEPTIDE

<400> 202

Ala Glu Trp Ser Phe Tyr Asn Leu His Leu Pro Glu Pro Gln Thr Ile  
1 5 10 15

Phe

<210> 203  
<211> 17  
<212> PRT  
<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:UKR ANTAGONIST  
PEPTIDE

<400> 203

Ala Glu Pro Leu Asp Leu Trp Ser Leu Tyr Ser Leu Pro Pro Leu Ala  
1 5 10 15

Met

<210> 204  
<211> 17  
<212> PRT  
<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:UKR ANTAGONIST  
PEPTIDE

<400> 204

Ala Glu Pro Thr Leu Trp Gln Leu Tyr Gln Phe Pro Leu Arg Leu Ser



1

5

10

15

Gly

<210> 205

<211> 17

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:UKR ANTAGONIST  
PEPTIDE

<400> 205

Ala Glu Ile Ser Phe Ser Glu Leu Met Trp Leu Arg Ser Thr Pro Ala  
1 5 10 15

Phe

<210> 206

<211> 17

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:UKR ANTAGONIST  
PEPTIDE

<400> 206

Ala Glu Leu Ser Glu Ala Asp Leu Trp Thr Thr Trp Phe Gly Met Gly  
1 5 10 15

Ser

<210> 207

<211> 17

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:UKR ANTAGONIST  
PEPTIDE

<400> 207

Ala Glu Ser Ser Leu Trp Arg Ile Phe Ser Pro Ser Ala Leu Met Met  
1 5 10 15

Ser

<210> 208

<211> 17

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:UKR ANTAGONIST  
PEPTIDE

<400> 208

Ala Glu Ser Leu Pro Thr Leu Thr Ser Ile Leu Trp Gly Lys Glu Ser  
1 5 10 15

Val

<210> 209

<211> 17

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:UKR ANTAGONIST  
PEPTIDE

<400> 209

Ala Glu Thr Leu Phe Met Asp Leu Trp His Asp Lys His Ile Leu Leu  
1 5 10 15

Thr

<210> 210  
<211> 17  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:UKR ANTAGONIST  
PEPTIDE

<400> 210  
Ala Glu Ile Leu Asn Phe Pro Leu Trp His Glu Pro Leu Trp Ser Thr  
1 5 10 15

Glu

<210> 211  
<211> 17  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:UKR ANTAGONIST  
PEPTIDE

<400> 211  
Ala Glu Ser Gln Thr Gly Thr Leu Asn Thr Leu Phe Trp Asn Thr Leu  
1 5 10 15

Arg

<210> 212  
<211> 9  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<220>  
<223> At position 1, Xaa is V, L, I, E, P, G, Y, M, T,

or D

<220>

<223> At position 2, Xaa is Y, W or F

<220>

<223> At position 3, Xaa is E, F, V, W or Y

<220>

<223> At position 5, Xaa is P or azetidine

<220>

<223> At position 7, Xaa is S, A, V or L

<220>

<223> At position 8, Xaa is M, F, V, R, Q, K, T, S, D,  
L, I or E

<220>

<223> At position 9, Xaa is E, L, W, V, H, I, G, A, D,  
L, Y, N, Q or P

<400> 212

Xaa Xaa Xaa Gln Xaa Tyr Xaa Xaa Xaa

1

5

<210> 213

<211> 21

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 213

Thr Ala Asn Val Ser Ser Phe Glu Trp Thr Pro Tyr Tyr Trp Gln Pro

1

5

10

15

Tyr Ala Leu Pro Leu

20

<210> 214

<211> 18

<212> PRT  
<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 214

Ser Trp Thr Asp Tyr Gly Tyr Trp Gln Pro Tyr Ala Leu Pro Ile Ser  
1 5 10 15

Gly Leu

<210> 215

<211> 21

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 215

Glu Thr Pro Phe Thr Trp Glu Glu Ser Asn Ala Tyr Tyr Trp Gln Pro  
1 5 10 15

Tyr Ala Leu Pro Leu  
20

<210> 216

<211> 21

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 216

Glu Asn Thr Tyr Ser Pro Asn Trp Ala Asp Ser Met Tyr Trp Gln Pro  
1 5 10 15

Tyr Ala Leu Pro Leu

<210> 217  
 <211> 21  
 <212> PRT  
 <213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
 PEPTIDE

<400> 217

Ser	Val	Gly	Glu	Asp	His	Asn	Phe	Trp	Thr	Ser	Glu	Tyr	Trp	Gln	Pro
1				5				10						15	

Tyr	Ala	Leu	Pro	Leu
		20		

<210> 218  
 <211> 21  
 <212> PRT  
 <213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
 PEPTIDE

<400> 218

Asp	Gly	Tyr	Asp	Arg	Trp	Arg	Gln	Ser	Gly	Glu	Arg	Tyr	Trp	Gln	Pro
1				5				10						15	

Tyr	Ala	Leu	Pro	Leu
		20		

<210> 219  
 <211> 11  
 <212> PRT  
 <213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
 PEPTIDE

<400> 219

Phe Glu Trp Thr Pro Gly Tyr Trp Gln Pro Tyr  
1 5 10

<210> 220

<211> 11

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 220

Phe Glu Trp Thr Pro Gly Tyr Trp Gln His Tyr  
1 5 10

<210> 221

<211> 11

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<220>

<223> At position 10, Xaa=azetidine

<400> 221

Phe Glu Trp Thr Pro Gly Tyr Trp Gln Xaa Tyr  
1 5 10

<210> 222

<211> 11

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<220>

<223> At position 1, optionally acetylated at N-terminus

<220>

<223> At position 10, Xaa=azetidine

<400> 222

Phe Glu Trp Thr Pro Gly Trp Tyr Gln Xaa Tyr  
1 5 10

<210> 223

<211> 12

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<220>

<223> At position 11, Xaa=azetidine

<400> 223

Phe Glu Trp Thr Pro Gly Trp Pro Tyr Gln Xaa Tyr  
1 5 10

<210> 224

<211> 11

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<220>

<223> At position 10, Xaa=azetidine

<400> 224

Phe Ala Trp Thr Pro Gly Tyr Trp Gln Xaa Tyr  
1 5 10



<210> 225  
 <211> 11  
 <212> PRT  
 <213> Artificial Sequence  
  
 <220>  
 <223> Description of Artificial Sequence:IL-1 ANTAGONIST  
 PEPTIDE

<220>  
 <223> At position 10, Xaa=azetidine

<400> 225  
 Phe Glu Trp Ala Pro Gly Tyr Trp Gln Xaa Tyr  
 1 5 10

<210> 226  
 <211> 11  
 <212> PRT  
 <213> Artificial Sequence  
  
 <220>  
 <223> Description of Artificial Sequence:IL-1 ANTAGONIST  
 PEPTIDE

<220>  
 <223> At position 10, Xaa=azetidine

<400> 226  
 Phe Glu Trp Val Pro Gly Tyr Trp Gln Xaa Tyr  
 1 5 10

<210> 227  
 <211> 11  
 <212> PRT  
 <213> Artificial Sequence  
  
 <220>  
 <223> Description of Artificial Sequence:IL-1 ANTAGONIST  
 PEPTIDE

<220>  
 <223> At position 10, Xaa=azetidine

<400> 227

Phe Glu Trp Thr Pro Gly Tyr Trp Gln Xaa Tyr  
1 5 10

<210> 228

<211> 11

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<220>

<223> At position 1, optionally acetylated at N-terminus

<220>

<223> At position 10, Xaa=azetidine

<400> 228

Phe Glu Trp Thr Pro Gly Tyr Trp Gln Xaa Tyr  
1 5 10

<210> 229

<211> 11

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<220>

<223> At position 6, products="MeGly"

<220>

<223> At position 10, Xaa=azetidine

<400> 229

Phe Glu Trp Thr Pro Xaa Trp Tyr Gln Xaa Tyr  
1 5 10

<210> 230  
<211> 11  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<220>  
<223> At position 6, Xaa=MeGly

<220>  
<223> At position 10, Xaa=azetidine

<400> 230  
Phe Glu Trp Thr Pro Xaa Trp Tyr Gln Xaa Tyr  
1 5 10

<210> 231  
<211> 11  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 231  
Phe Glu Trp Thr Pro Gly Tyr Tyr Gln Pro Tyr  
1 5 10

<210> 232  
<211> 11  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 232  
Phe Glu Trp Thr Pro Gly Trp Trp Gln Pro Tyr

1

5

10

&lt;210&gt; 233

&lt;211&gt; 11

&lt;212&gt; PRT

&lt;213&gt; Artificial Sequence

&lt;220&gt;

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

&lt;400&gt; 233

Phe Glu Trp Thr Pro Asn Tyr Trp Gln Pro Tyr

1

5

10

&lt;210&gt; 234

&lt;211&gt; 11

&lt;212&gt; PRT

&lt;213&gt; Artificial Sequence

&lt;220&gt;

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

&lt;220&gt;

&lt;223&gt; At position 5, Xaa=pipecolic acid

&lt;220&gt;

&lt;223&gt; At position 10, Xaa=azetidine

&lt;400&gt; 234

Phe Glu Trp Thr Xaa Val Tyr Trp Gln Xaa Tyr

1

5

10

&lt;210&gt; 235

&lt;211&gt; 11

&lt;212&gt; PRT

&lt;213&gt; Artificial Sequence

&lt;220&gt;

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<220>

<223> At position 5, Xaa=pipecolic acid

<220>

<223> At position 10, Xaa=azetidine

<400> 235

Phe	Glu	Trp	Thr	Xaa	Gly	Tyr	Trp	Gln	Xaa	Tyr
1				5					10	

<210> 236

<211> 11

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<220>

<223> At position 6, Xaa=Aib

<220>

<223> At position 10, Xaa=azetidine

<400> 236

Phe	Glu	Trp	Thr	Pro	Xaa	Tyr	Trp	Gln	Xaa	Tyr
1				5					10	

<210> 237

<211> 11

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<220>

<223> At position 5, Xaa=MeGly

<220>

<223> At position 10, Xaa=azetidine

<400> 237

Phe Glu Trp Thr Xaa Gly Tyr Trp Gln Xaa Tyr  
1 5 10

<210> 238

<211> 11

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<220>

<223> At position 11, amino group added at C-terminus

<400> 238

Phe Glu Trp Thr Pro Gly Tyr Trp Gln Pro Tyr  
1 5 10

<210> 239

<211> 11

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<220>

<223> At position 11, amino group added at C-terminus

<400> 239

Phe Glu Trp Thr Pro Gly Tyr Trp Gln His Tyr  
1 5 10

<210> 240

<211> 11

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<220>

<223> At position 10, Xaa is an azetidine residue

<220>

<223> At position 11 amino group added at C-terminus

<400> 240

Phe Glu Trp Thr Pro Gly Trp Tyr Gln Xaa Tyr  
1 5 10

<210> 241

<211> 11

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<220>

<223> At position 1, optionally acetylated at  
N-terminus

<220>

<223> At position 10, Xaa is an azetidine residue

<220>

<223> At position 11 amino group added at C-terminus

<400> 241

Phe Glu Trp Thr Pro Gly Trp Tyr Gln Xaa Tyr  
1 5 10

<210> 242

<211> 11

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST

# PEPTIDE

<220>

<223> At position 8, Xaa is a phyosphotyrosyl residue

<220>

<223> At position 10, Xaa is an azetidine residue

<220>

<223> At position 11, amino group added at C-terminus

<400> 242

Phe Glu Trp Thr Pro Gly Trp Xaa Gln Xaa Tyr  
 1 5 10

<210> 243

<211> 11

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
 PEPTIDE

<220>

<223> At position 10, Xaa is an azetidine residue

<220>

<223> At position 11 amino group added at C-terminus

<400> 243

Phe Ala Trp Thr Pro Gly Tyr Trp Gln Xaa Tyr  
 1 5 10

<210> 244

<211> 11

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
 PEPTIDE

<220>



<223> At position 10, Xaa is an azetidine residue

<220>

<223> At position 11 amino group added at C-terminus

<400> 244

Phe Glu Trp Ala Pro Gly Tyr Trp Gln Xaa Tyr  
1 5 10

<210> 245

<211> 11

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<220>

<223> At position 10, Xaa is an azetidine residue

<220>

<223> At position 11 amino group added at C-terminus

<400> 245

Phe Glu Trp Val Pro Gly Tyr Trp Gln Xaa Tyr  
1 5 10

<210> 246

<211> 11

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<220>

<223> At position 10, Xaa is an azetidine residue

<220>

<223> At position 11 amino group added at C-terminus

<400> 246

Phe	Glu	Trp	Thr	Pro	Gly	Tyr	Trp	Gln	Xaa	Tyr
1				5					10	

<210> 247

<211> 11

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<220>

<223> At position 1 acetylated at N-terminus

<220>

<223> At position 10, Xaa is an azetidine residue

<220>

<223> At position 11 amino group added at C-terminus

<400> 247

Xaa	Glu	Trp	Thr	Pro	Gly	Tyr	Trp	Gln	Xaa	Tyr
1				5					10	

<210> 248

<211> 11

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<220>

<223> At position 6, D amino acid residue

<220>

<223> At position 10, Xaa is an azetidine residue

<220>

<223> At position 11 amino group added at C-terminus

<400> 248

Phe Glu Trp Thr Pro Ala Trp Tyr Gln Xaa Tyr  
 1 5 10

<210> 249

<211> 11

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
 PEPTIDE

<220>

<223> At position 6, Xaa is a sarcosine residue

<220>

<223> At position 10, Xaa is an azetidine residue

<220>

<223> At position 11 amino group added at C-terminus

<400> 249

Phe Glu Trp Thr Pro Xaa Trp Tyr Gln Xaa Tyr  
 1 5 10

<210> 250

<211> 11

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
 PEPTIDE

<220>

<223> At position 11 amino group added at C-terminus

<400> 250

Phe Glu Trp Thr Pro Gly Tyr Tyr Gln Pro Tyr  
 1 5 10

<210> 251

<211> 11  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<220>  
<223> At position 11 amino group added at C-terminus

<400> 251  
Phe Glu Trp Thr Pro Gly Trp Trp Gln Pro Tyr  
1 5 10

<210> 252  
<211> 11  
<212> PRT  
<213> Artificial Sequence  
  
<220>  
<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<220>  
<223> At position 11 amino group added at C-terminus

<400> 252  
Phe Glu Trp Thr Pro Asn Tyr Trp Gln Pro Tyr  
1 5 10

<210> 253  
<211> 11  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<220>  
<223> At position 6, D amino acid residue

<220>

<223> At position 10, Xaa is an azetidine residue

<220>

<223> At position 11, amino group added at C-terminus

<400> 253

Phe	Glu	Trp	Thr	Pro	Val	Tyr	Trp	Gln	Xaa	Tyr
1				5					10	

<210> 254

<211> 11

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<220>

<223> At position 5, Xaa is a pipecolic acid residue

<220>

<223> At position 10, Xaa is an azetidine residue

<220>

<223> At position 11, amino group added at C-terminus

<400> 254

Phe	Glu	Trp	Thr	Xaa	Gly	Tyr	Trp	Gln	Xaa	Tyr
1				5					10	

<210> 255

<211> 11

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<220>

<223> At position 6, Xaa=pipecolic acid

<220>

<223> At position 10, Xaa=azetidine

<400> 255

Phe Glu Trp Thr Pro Xaa Tyr Trp Gln Xaa Tyr  
1 5 10

<210> 256

<211> 11

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<220>

<223> At position 5, Xaa=MeGly

<220>

<223> At position 10, Xaa=azetidine

<400> 256

Phe Glu Trp Thr Xaa Gly Tyr Trp Gln Xaa Tyr  
1 5 10

<210> 257

<211> 15

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:INTEGRIN  
BINDING PEPTIDE

<400> 257

Phe Glu Trp Thr Pro Gly Tyr Trp Gln Pro Tyr Ala Leu Pro Leu  
1 5 10 15

<210> 258

<211> 11

<212> PRT

<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<220>  
<223> At position 1, Xaa is a 1-naphthylalanine residue

<220>  
<223> At position 10, Xaa is an azetidine residue

<220>  
<223> At position 11, amino group added at C-terminus

<400> 258  
Xaa Glu Trp Thr Pro Gly Tyr Tyr Gln Xaa Tyr  
1 5 10

<210> 259  
<211> 11  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<220>  
<223> At position 10, Xaa is a azetidine residue

<220>  
<223> At position 11, amino group added at C-terminus

<400> 259  
Tyr Glu Trp Thr Pro Gly Tyr Tyr Gln Xaa Tyr  
1 5 10

<210> 260  
<211> 11  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:IL-1 ANTAGONIST

PEPTIDE

<220>

<223> At position 10, Xaa is an azetidine residue

<220>

<223> At position 11, amino group added at C-terminus

<400> 260

Phe Glu Trp Val Pro Gly Tyr Tyr Gln Xaa Tyr

1

5

10

<210> 261

<211> 11

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<220>

<223> At position 6, D amino acid residue

<220>

<223> At position 10, Xaa is an azetidine residue

<220>

<223> At position 11, amino group added at C-terminus

<400> 261

Phe Glu Trp Thr Pro Ser Tyr Tyr Gln Xaa Tyr

1

5

10

<210> 262

<211> 11

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<220>



<223> At position 6, D amino acid residue

<220>

<223> At position 10, Xaa is an azetidine residue

<220>

<223> At position 11, amino group added at C-terminus

<400> 262

Phe Glu Trp Thr Pro Asn Tyr Tyr Gln Xaa Tyr

1

5

10

<210> 263

<211> 4

<212> PRT

<213> Artificial Sequence )

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 263

Thr Lys Pro Arg

1

<210> 264

<211> 5

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 264

Arg Lys Ser Ser Lys

1

5

<210> 265

<211> 5

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 265

Arg Lys Gln Asp Lys  
1 5

<210> 266

<211> 6

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 266

Asn Arg Lys Gln Asp Lys  
1 5

<210> 267

<211> 6

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 267

Arg Lys Gln Asp Lys Arg  
1 5

<210> 268

<211> 9

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST

PEPTIDE

<400> 268

Glu Asn Arg Lys Gln Asp Lys Arg Phe

1

5

<210> 269

<211> 6

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 269

Val Thr Lys Phe Tyr Phe

1

5

<210> 270

<211> 5

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 270

Val Thr Lys Phe Tyr

1

5

<210> 271

<211> 5

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 271

Val Thr Asp Phe Tyr  
1 5

<210> 272  
<211> 17  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 272  
Ser Gly Ser Gly Val Leu Lys Arg Pro Leu Pro Ile Leu Pro Val Thr  
1 5 10 15

Arg

<210> 273  
<211> 17  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:MCA/MCP  
PROTEASE INHIBITOR PEPTIDE

<400> 273  
Arg Trp Leu Ser Ser Arg Pro Leu Pro Pro Leu Pro Leu Pro Pro Arg  
1 5 10 15

Thr

<210> 274  
<211> 20  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:MCA/MCPPROTEASE

# INHIBITOR PEPTIDE

<400> 274

Gly Ser Gly Ser Tyr Asp Thr Leu Ala Leu Pro Ser Leu Pro Leu His  
1 5 10 15

Pro Met Ser Ser  
20

<210> 275

<211> 20

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:MCA/MCP  
PROTEASE INHIBITOR PEPTIDE

<400> 275

Gly Ser Gly Ser Tyr Asp Thr Arg Ala Leu Pro Ser Leu Pro Leu His  
1 5 10 15

Pro Met Ser Ser  
20

<210> 276

<211> 20

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:MCA/MCP  
PROTEASE INHIBITOR PEPTIDE

<400> 276

Gly Ser Gly Ser Ser Gly Val Thr Met Tyr Pro Lys Leu Pro Pro His  
1 5 10 15

Trp Ser Met Ala  
20

<210> 277

<211> 20  
<212> PRT  
<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:MCA/MCP  
PROTEASE INHIBITOR PEPTIDE

<400> 277

Gly Ser Gly Ser Ser Gly Val Arg Met Tyr Pro Lys Leu Pro Pro His  
1 5 10 15

Trp Ser Met Ala  
20

<210> 278

<211> 20

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:MCA/MCP  
PROTEASE INHIBITOR PEPTIDE

<400> 278

Gly Ser Gly Ser Ser Ser Met Arg Met Val Pro Thr Ile Pro Gly Ser  
1 5 10 15

Ala Lys His Gly  
20

<210> 279

<211> 6

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:ANTI-HBV  
PEPTIDE

<400> 279

Leu Leu Gly Arg Met Lys  
1 5

<210> 280  
<211> 8  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:ANTI-HBV  
PEPTIDE

<400> 280  
Ala Leu Leu Gly Arg Met Lys Gly  
1 5

<210> 281  
<211> 6  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:ANTI-HBV  
PEPTIDE

<400> 281  
Leu Asp Pro Ala Phe Arg  
1 5

<210> 282  
<211> 7  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:SH3 ANTAGONIST

<400> 282  
Arg Pro Leu Pro Pro Leu Pro  
1 5

<210> 283  
<211> 7

<212> PRT  
<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:SH3 ANTAGONIST

<400> 283

Arg Glu Leu Pro Pro Leu Pro  
1 5

<210> 284

<211> 7

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:MSH3 ANTAGONIST

<400> 284

Ser Pro Leu Pro Pro Leu Pro  
1 5

<210> 285

<211> 7

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:SH3 ANTAGONIST

<400> 285

Gly Pro Leu Pro Pro Leu Pro  
1 5

<210> 286

<211> 7

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:SH3 ANTAGONIST



<400> 286

Arg Pro Leu Pro Ile Pro Pro

1

5

<210> 287

<211> 7

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:MAST CELL  
ANTAGONISTS/MAST CELL PROTEASE INHIBITOR

<400> 287

Arg Pro Leu Pro Ile Pro Pro

1

5

<210> 288

<211> 7

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:SH3 ANTAGONIST

<400> 288

Arg Arg Leu Pro Pro Thr Pro

1

5

<210> 289

<211> 7

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:SH3 ANTAGONIST

<400> 289

Arg Gln Leu Pro Pro Thr Pro

1

5

<210> 290  
 <211> 7  
 <212> PRT  
 <213> Artificial Sequence  
  
 <220>  
 <223> Description of Artificial Sequence:SH3 ANTAGONIST  
  
 <400> 290  
 Arg Pro Leu Pro Ser Arg Pro  
 1 5

<210> 291  
 <211> 7  
 <212> PRT  
 <213> Artificial Sequence  
  
 <220>  
 <223> Description of Artificial Sequence:SH3 ANTAGONIST  
  
 <400> 291  
 Arg Pro Leu Pro Thr Arg Pro  
 1 5

<210> 292  
 <211> 7  
 <212> PRT  
 <213> Artificial Sequence  
  
 <220>  
 <223> Description of Artificial Sequence:SH3 ANTAGONIST  
  
 <400> 292  
 Ser Arg Leu Pro Pro Leu Pro  
 1 5

<210> 293  
 <211> 7  
 <212> PRT  
 <213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:SH3 ANTAGONIST

<400> 293  
Arg Ala Leu Pro Ser Pro Pro  
1 5

<210> 294  
<211> 7  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:SH3 ANTAGONIST

<400> 294  
Arg Arg Leu Pro Arg Thr Pro  
1 5

<210> 295  
<211> 7  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:SH3 ANTAGONIST

<400> 295  
Arg Pro Val Pro Pro Ile Thr  
1 5

<210> 296  
<211> 7  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:SH3 ANTAGONIST

<400> 296  
Ile Leu Ala Pro Pro Val Pro  
1 5

<210> 297  
<211> 7  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:SH3 ANTAGONIST

<400> 297  
Arg Pro Leu Pro Met Leu Pro  
1 5

<210> 298  
<211> 7  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:SH3 ANTAGONIST

<400> 298  
Arg Pro Leu Pro Ile Leu Pro  
1 5

<210> 299  
<211> 7  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:SH3 ANTAGONIST

<400> 299  
Arg Pro Leu Pro Ser Leu Pro  
1 5

<210> 300  
<211> 7  
<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:SH3 ANTAGONIST

<400> 300

Arg Pro Leu Pro Ser Leu Pro  
1 5

<210> 301

<211> 7

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:SH3 ANTAGONIST

<400> 301

Arg Pro Leu Pro Met Ile Pro  
1 5

<210> 302

<211> 7

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:SH3 ANTAGONIST

<400> 302

Arg Pro Leu Pro Leu Ile Pro  
1 5

<210> 303

<211> 7

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:SH3 ANTAGONIST

<400> 303

Arg Pro Leu Pro Pro Thr Pro  
1 5

<210> 304

<211> 7

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:SH3 ANTAGONIST

<400> 304

Arg Ser Leu Pro Pro Leu Pro  
1 5

<210> 305

<211> 7

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:SH3 ANTAGONIST

<400> 305

Arg Pro Gln Pro Pro Pro Pro  
1 5

<210> 306

<211> 7

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:SH3 ANTAGONIST

<400> 306

Arg Gln Leu Pro Ile Pro Pro  
1 5

<210> 307

<211> 12  
<212> PRT  
<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:SH3 ANTAGONIST

<400> 307

Xaa Xaa Xaa Arg Pro Leu Pro Pro Leu Pro Xaa Pro  
1 5 10

<210> 308

<211> 12

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:SH3 ANTAGONIST

<400> 308

Xaa Xaa Xaa Arg Pro Leu Pro Pro Ile Pro Xaa Xaa  
1 5 10

<210> 309

<211> 12

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:SH3 ANTAGONIST

<400> 309

Xaa Xaa Xaa Arg Pro Leu Pro Pro Leu Pro Xaa Xaa  
1 5 10

<210> 310

<211> 12

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:SH3 ANTAGONIST

<400> 310

Arg Xaa Xaa Arg Pro Leu Pro Pro Leu Pro Xaa Pro  
1 5 10

<210> 311

<211> 12

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:SH3 ANTAGONIST

<400> 311

Arg Xaa Xaa Arg Pro Leu Pro Pro Leu Pro Pro Pro  
1 5 10

<210> 312

<211> 12

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:SH3 ANTAGONIST

<400> 312

Pro Pro Pro Tyr Pro Pro Pro Pro Ile Pro Xaa Xaa  
1 5 10

<210> 313

<211> 12

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:SH3 ANTAGONIST

<400> 313

Pro Pro Pro Tyr Pro Pro Pro Pro Val Pro Xaa Xaa  
1 5 10



<210> 314  
 <211> 10  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Description of Artificial Sequence:SH3 ANTAGONIST

<400> 314  
 Leu Xaa Xaa Arg Pro Leu Pro Xaa Xaa Pro  
 1 5 10

<210> 315  
 <211> 10  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Description of Artificial Sequence:SH3 ANTAGONIST

<220>  
 <223> At position 1, Xaa is an aliphatic amino acid residue

<400> 315  
 Xaa Xaa Xaa Arg Pro Leu Pro Xaa Leu Pro  
 1 5 10

<210> 316  
 <211> 10  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Description of Artificial Sequence:SH3 ANTAGONIST

<220>  
 <223> At position 4, Xaa is an aromatic amino acid residue

<220>  
 <223> At position 9, Xaa is an aliphatic amino acid residue

<400> 316

Pro Pro Xaa Xaa Tyr Pro Pro Pro Xaa Pro  
1 5 10

<210> 317

<211> 11

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:SH3 ANTAGONIST

<220>

<223> At position 1, Xaa is a basic amino acid residue

<220>

<223> At position 4, Xaa is an aliphatic amino acid  
residue

<400> 317

Xaa Pro Pro Xaa Pro Xaa Lys Pro Xaa Trp Leu  
1 5 10

<210> 318

<211> 11

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:SH3 ANTAGONIST

<220>

<223> At position 4, Xaa is an aliphatic amino acid  
residue

<220>

<223> At position 6, Xaa is an aliphatic amino acid  
residue

<220>

<223> At position 8, Xaa is a basic amino acid residue

<400> 318

Arg Pro Xaa Xaa Pro Xaa Arg Xaa Ser Xaa Pro  
1 5 10

<210> 319  
<211> 11  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:SH3 ANTAGONIST

<400> 319  
Pro Pro Val Pro Pro Arg Pro Xaa Xaa Thr Leu  
1 5 10

<210> 320  
<211> 7  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:SH3 ANTAGONIST

<220>  
<223> At positions 1, 3 and 6, Xaa is an aliphatic  
amino acid residue

<400> 320  
Xaa Pro Xaa Leu Pro Xaa Lys  
1 5

<210> 321  
<211> 10  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:SH3 ANTAGONIST

<220>  
<223> At position 1, Xaa is a basic amino acid residue

<220>  
<223> At position 2, Xaa is an aromatic amino acid  
residue

<400> 321  
Xaa Xaa Asp Xaa Pro Leu Pro Xaa Leu Pro  
1 5 10

<210> 322  
<211> 7  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:INHIBITOR OF  
PLATELET AGGREGATION

<400> 322  
Cys Xaa Xaa Arg Gly Asp Cys  
1 5

<210> 323  
<211> 7  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:SRC ANTAGONIST

<400> 323  
Arg Pro Leu Pro Pro Leu Pro  
1 5

<210> 324  
<211> 6  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:SRC ANTAGONIST

<400> 324

Pro Pro Val Pro Pro Arg  
1 5

<210> 325  
<211> 11  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:ANTI-CANCER  
PEPTIDE

<400> 325  
Xaa Phe Xaa Asp Xaa Trp Xaa Xaa Leu Xaa Xaa  
1 5 10

<210> 326  
<211> 20  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:p16-MIMETIC  
PEPTIDE

<400> 326  
Lys Ala Cys Arg Arg Leu Phe Gly Pro Val Asp Ser Glu Gln Leu Ser  
1 5 10 15

Arg Asp Cys Asp  
20

<210> 327  
<211> 20  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:p16-MIMETIC  
PEPTIDE

<400> 327

Arg Glu Arg Trp Asn Phe Asp Phe Val Thr Glu Thr Pro Leu Glu Gly  
 1 5 10 15

Asp Phe Ala Trp  
 20

<210> 328  
 <211> 20  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Description of Artificial Sequence:p16-MIMETIC  
 PEPTIDE

<400> 328  
 Lys Arg Arg Gln Thr Ser Met Thr Asp Phe Tyr His Ser Lys Arg Arg  
 1 5 10 15

Leu Ile Phe Ser  
 20

<210> 329  
 <211> 20  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Description of Artificial Sequence:SH3 ANTAGONIST

<400> 329  
 Thr Ser Met Thr Asp Phe Tyr His Ser Lys Arg Arg Leu Ile Phe Ser  
 1 5 10 15

Lys Arg Lys Pro  
 20

<210> 330  
 <211> 5  
 <212> PRT  
 <213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:p16-MIMETIC  
PEPTIDE

<400> 330

Arg Arg Leu Ile Phe  
1 5

<210> 331

<211> 36

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:p16-MIMETIC  
PEPTIDE

<400> 331

Lys Arg Arg Gln Thr Ser Ala Thr Asp Phe Tyr His Ser Lys Arg Arg  
1 5 10 15

Leu Ile Phe Ser Arg Gln Ile Lys Ile Trp Phe Gln Asn Arg Arg Met  
20 25 30

Lys Trp Lys Lys  
35

<210> 332

<211> 24

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:p16-MIMETIC  
PEPTIDE

<400> 332

Lys Arg Arg Leu Ile Phe Ser Lys Arg Gln Ile Lys Ile Trp Phe Gln  
1 5 10 15

Asn Arg Arg Met Lys Trp Lys Lys  
20

<210> 333  
<211> 8  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:POLYGLYCINE  
LINKER

<400> 333  
Gly Gly Gly Lys Gly Gly Gly Gly  
1 5

<210> 334  
<211> 8  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:POLYGLYCINE  
LINKER

<400> 334  
Gly Gly Gly Asn Gly Ser Gly Gly  
1 5

<210> 335  
<211> 8  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:POLYGLYCINE  
LINKER

<400> 335  
Gly Gly Gly Cys Gly Gly Gly Gly  
1 5

<210> 336  
<211> 5



<212> PRT  
<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:FC PCR PRIMER

<400> 336

Gly Pro Asn Gly Gly  
1 5

<210> 337

<211> 42

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:TPO-MIMETIC

<400> 337

Phe Gly Gly Gly Gly Gly Ile Glu Gly Pro Thr Leu Arg Gln Trp Leu  
1 5 10 15

Ala Ala Arg Ala Gly Gly Gly Gly Gly Gly Gly Ile Glu Gly Pro  
20 25 30

Thr Leu Arg Gln Trp Leu Ala Ala Arg Ala  
35 40

<210> 338

<211> 42

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:TPO-MIMETIC

<400> 338

Ile Glu Gly Pro Thr Leu Arg Gln Trp Leu Ala Ala Arg Ala Gly Gly  
1 5 10 15

Gly Gly Gly Gly Gly Gly Ile Glu Gly Pro Thr Leu Arg Gln Trp Leu  
20 25 30

Ala Ala Arg Ala Gly Gly Gly Gly Phe

<210> 339  
 <211> 50  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Description of Artificial Sequence:TPO-MIMETIC

<400> 339  
 Phe Gly Gly Gly Gly Gly Gly Gly Thr Tyr Ser Cys His Phe Gly Pro  
 1 5 10 15  
 Leu Thr Trp Val Cys Lys Pro Gln Gly Gly Gly Gly Gly Gly Gly Gly  
 20 25 30  
 Thr Tyr Ser Cys His Phe Gly Pro Leu Thr Trp Val Cys Lys Pro Gln  
 35 40 45  
 Gly Gly  
 50

<210> 340  
 <211> 50  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Description of Artificial Sequence:EPO-MIMETIC

<400> 340  
 Gly Gly Thr Tyr Ser Cys His Phe Gly Pro Leu Thr Trp Val Cys Lys  
 1 5 10 15  
 Pro Gln Gly Gly Gly Gly Gly Gly Gly Gly Thr Tyr Ser Cys His Phe  
 20 25 30  
 Gly Pro Leu Thr Trp Val Cys Lys Pro Gln Gly Gly Gly Gly Gly Gly  
 35 40 45  
 Gly Phe  
 50

<210> 341  
<211> 28  
<212> PRT  
<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:TPO-MIMETIC  
PEPTIDES

<400> 341

Ile Glu Gly Pro Thr Leu Arg Gln Trp Leu Ala Ala Arg Ala Ile Glu  
1 5 10 15

Gly Pro Thr Leu Arg Gln Trp Leu Ala Ala Arg Ala  
20 25

<210> 342  
<211> 29  
<212> PRT  
<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:TPO-MIMETIC

<400> 342

Ile Glu Gly Pro Thr Leu Arg Gln Trp Leu Ala Ala Arg Ala Gly Ile  
1 5 10 15

Glu Gly Pro Thr Leu Arg Gln Trp Leu Ala Ala Arg Ala  
20 25

<210> 343  
<211> 30  
<212> PRT  
<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:TPO-MIMETIC

<400> 343

Ile Glu Gly Pro Thr Leu Arg Gln Trp Leu Ala Ala Arg Ala Gly Gly  
1 5 10 15

Ile Glu Gly Pro Thr Leu Arg Gln Trp Leu Ala Ala Arg Ala  
 20 25 30

<210> 344  
 <211> 31  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Description of Artificial Sequence:TPO-MIMETIC

<400> 344  
 Ile Glu Gly Pro Thr Leu Arg Gln Trp Leu Ala Ala Arg Ala Gly Gly  
 1 5 10 15

Gly Ile Glu Gly Pro Thr Leu Arg Gln Trp Leu Ala Ala Arg Ala  
 20 25 30

<210> 345  
 <211> 32  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Description of Artificial Sequence:TPO-MIMETIC

<400> 345  
 Ile Glu Gly Pro Thr Leu Arg Gln Trp Leu Ala Ala Arg Ala Gly Gly  
 1 5 10 15

Gly Gly Ile Glu Gly Pro Thr Leu Arg Gln Trp Leu Ala Ala Arg Ala  
 20 25 30

<210> 346  
 <211> 33  
 <212> PRT  
 <213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:TPO-MIMETIC

<400> 346

Ile Glu Gly Pro Thr Leu Arg Gln Trp Leu Ala Ala Arg Ala Gly Gly  
1 5 10 15

Gly Gly Gly Ile Glu Gly Pro Thr Leu Arg Gln Trp Leu Ala Ala Arg  
20 25 30

Ala

<210> 347

<211> 34

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:TPO-MIMETIC

<400> 347

Ile Glu Gly Pro Thr Leu Arg Gln Trp Leu Ala Ala Arg Ala Gly Gly  
1 5 10 15

Gly Gly Gly Gly Ile Glu Gly Pro Thr Leu Arg Gln Trp Leu Ala Ala  
20 25 30

Arg Ala

<210> 348

<211> 35

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:TPO-MIMETIC

<400> 348

Ile Glu Gly Pro Thr Leu Arg Gln Trp Leu Ala Ala Arg Ala Gly Gly  
1 5 10 15

Gly Gly Gly Gly Gly Ile Glu Gly Pro Thr Leu Arg Gln Trp Leu Ala

20

25

30

Ala Arg Ala  
35

&lt;210&gt; 349

&lt;211&gt; 36

&lt;212&gt; PRT

&lt;213&gt; Artificial Sequence

&lt;220&gt;

&lt;223&gt; Description of Artificial Sequence:TPO-MIMETIC

&lt;400&gt; 349

Ile Glu Gly Pro Thr Leu Arg Gln Trp Leu Ala Ala Arg Ala Gly Gly  
1 5 10 15

Gly Gly Gly Gly Gly Gly Ile Glu Gly Pro Thr Leu Arg Gln Trp Leu  
20 25 30

Ala Ala Arg Ala  
35

&lt;210&gt; 350

&lt;211&gt; 37

&lt;212&gt; PRT

&lt;213&gt; Artificial Sequence

&lt;220&gt;

<223> Description of Artificial Sequence:TPO-MIMETIC  
PEPTIDES

&lt;400&gt; 350

Ile Glu Gly Pro Thr Leu Arg Gln Trp Leu Ala Ala Arg Ala Gly Gly  
1 5 10 15

Gly Gly Gly Gly Gly Gly Gly Ile Glu Gly Pro Thr Leu Arg Gln Trp  
20 25 30

Leu Ala Ala Arg Ala  
35

<210> 351  
<211> 38  
<212> PRT  
<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:TPO-MIMETIC  
PEPTIDES

<400> 351

Ile Glu Gly Pro Thr Leu Arg Gln Trp Leu Ala Ala Arg Ala Gly Gly  
1 5 10 15

Gly Gly Gly Gly Gly Gly Gly Gly Ile Glu Gly Pro Thr Leu Arg Gln  
20 25 30

Trp Leu Ala Ala Arg Ala  
35

<210> 352  
<211> 42  
<212> PRT  
<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:TPO-MIMETIC  
PEPTIDES

<400> 352

Ile Glu Gly Pro Thr Leu Arg Gln Trp Leu Ala Ala Arg Ala Gly Gly  
1 5 10 15

Gly Gly Gly Gly Gly Gly Gly Gly Gly Gly Gly Gly Ile Glu Gly Pro  
20 25 30

Thr Leu Arg Gln Trp Leu Ala Ala Arg Ala  
35 40

<210> 353  
<211> 32  
<212> PRT  
<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:TPO-MIMETIC  
PEPTIDES

<400> 353

Ile Glu Gly Pro Thr Leu Arg Gln Trp Leu Ala Ala Arg Ala Gly Pro  
1 5 10 15

Asn Gly Ile Glu Gly Pro Thr Leu Arg Gln Trp Leu Ala Ala Arg Ala  
20 25 30

<210> 354

<211> 36

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:TPO-MIMETIC  
PEPTIDES

<400> 354

Ile Glu Gly Pro Thr Leu Arg Gln Cys Leu Ala Ala Arg Ala Gly Gly  
1 5 10 15

Gly Gly Gly Gly Gly Gly Ile Glu Gly Pro Thr Leu Arg Gln Cys Leu  
20 25 30

Ala Ala Arg Ala  
35

<210> 355

<211> 36

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:TPO-MIMETIC  
PEPTIDES

<400> 355

Ile Glu Gly Pro Thr Leu Arg Gln Cys Leu Ala Ala Arg Ala Gly Gly  
1 5 10 15



Gly Gly Gly Gly Gly Gly Ile Glu Gly Pro Thr Leu Arg Gln Cys Leu  
20 25 30

Ala Ala Arg Ala  
35

<210> 356  
<211> 36  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:TPO-MIMETIC  
PEPTIDES

<400> 356  
Ile Glu Gly Pro Thr Leu Arg Gln Ala Leu Ala Ala Arg Ala Gly Gly  
1 5 10 15

Gly Gly Gly Gly Gly Gly Ile Glu Gly Pro Thr Leu Arg Gln Ala Leu  
20 25 30

Ala Ala Arg Ala  
35

<210> 357  
<211> 36  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:TPO-MIMETIC  
PEPTIDES

<400> 357  
Ile Glu Gly Pro Thr Leu Arg Gln Trp Leu Ala Ala Arg Ala Gly Gly  
1 5 10 15

Gly Lys Gly Gly Gly Gly Ile Glu Gly Pro Thr Leu Arg Gln Trp Leu  
20 25 30

Ala Ala Arg Ala  
35

<210> 358

<211> 40

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:TPO-MIMETIC  
PEPTIDES

<400> 358

Ile Glu Gly Pro Thr Leu Arg Gln Trp Leu Ala Ala Arg Ala Gly Gly  
1 5 10 15

Gly Lys Asx Arg Ala Cys Gly Gly Gly Ile Glu Gly Pro Thr Leu  
20 25 30

Arg Gln Trp Leu Ala Ala Arg Ala  
35 40

<210> 359

<211> 36

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:TPO-MIMETIC  
PEPTIDES

<400> 359

Ile Glu Gly Pro Thr Leu Arg Gln Trp Leu Ala Ala Arg Ala Gly Gly  
1 5 10 15

Gly Cys Gly Gly Gly Gly Ile Glu Gly Pro Thr Leu Arg Gln Trp Leu  
20 25 30

Ala Ala Arg Ala  
35

<210> 360

<211> 39

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:TPO-MIMETIC  
PEPTIDES

<400> 360

Ile Glu Gly Pro Thr Leu Arg Gln Trp Leu Ala Ala Arg Ala Gly Gly  
1 5 10 15

Gly Lys Pro Glu Gly Gly Gly Gly Gly Ile Glu Gly Pro Thr Leu Arg  
20 25 30

Gln Trp Leu Ala Ala Arg Ala  
35

<210> 361

<211> 39

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:TPO-MIMETIC  
PEPTIDES

<400> 361

Ile Glu Gly Pro Thr Leu Arg Gln Trp Leu Ala Ala Arg Ala Gly Gly  
1 5 10 15

Gly Cys Pro Glu Gly Gly Gly Gly Gly Ile Glu Gly Pro Thr Leu Arg  
20 25 30

Gln Trp Leu Ala Ala Arg Ala  
35

<210> 362

<211> 36

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:TPO-MIMETIC  
PEPTIDES

<400> 362

Ile Glu Gly Pro Thr Leu Arg Gln Trp Leu Ala Ala Arg Ala Gly Gly  
1 5 10 15

Gly Asn Gly Ser Gly Gly Ile Glu Gly Pro Thr Leu Arg Gln Trp Leu  
20 25 30

Ala Ala Arg Ala  
35

<210> 363

<211> 36

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:TPO-MIMETIC  
PEPTIDES

<400> 363

Ile Glu Gly Pro Thr Leu Arg Gln Trp Leu Ala Ala Arg Ala Gly Gly  
1 5 10 15

Gly Cys Gly Gly Gly Gly Ile Glu Gly Pro Thr Leu Arg Gln Trp Leu  
20 25 30

Ala Ala Arg Ala  
35

<210> 364

<211> 57

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:Fc-TMP PCR  
PRIMER

<400> 364

aaaaaaggat cctcgagatt aagcacgagc agccagccac tgacgcagag tcggacc 57

<210> 365

<211> 39

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:Fc-TMP PCR  
PRIMER

<400> 365

aaaggtggag gtggtggtat cgaaggtccg actctgcgt 39

<210> 366

<211> 42

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:INTEGRIN  
BINDING PEPTIDE

<400> 366

cagtggctgg ctgctcgtgc ttaatctcga ggatcctttt tt 42

<210> 367

<211> 81

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:Fc-TMP

<400> 367

aaaggtggag gtggtggtat cgaaggtccg actctgcgtc agtggctggc tgctcgtgct 60  
taatctcgag gatccttttt t 81

<210> 368

<211> 52

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:Fc-TMP

<400> 368

ttcgatacca ccacctccac ctttaccgag agacagggag aggctcttct gc 52

<210> 369  
<211> 60  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:Fc-TMP-TMP

<400> 369  
aaaggtggag gtggtggtat cgaaggtccg actctgcgtc agtggctggc tgctcgtgct 60

<210> 370  
<211> 48  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:FC PCR PRIMER

<400> 370  
acctccacca ccagcacgag cagccagcca ctgacgcaga gtcggacc 48

<210> 371  
<211> 66  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:Fc-TMP-TMP  
OLIGONUCLEOTIDE

<400> 371  
ggtggtggag gtggcggcgg aggtattgag ggcccaacc ttcgccaatg gcttgcagca 60  
cgcgca 66

<210> 372  
<211> 76  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:Fc-TMP-TMP  
OLIGONUCLEOTIDE

<400> 372

aaaaaaagga tcctcgagat tatgcgcgtg ctgcaagcca ttggcgaagg gttgggccct 60  
caatacctcc gccgcc 76

<210> 373

<211> 126

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:Fc-TNF ALPHA  
PCR PRIMER

<220>

<221> CDS

<222> (1)..(126)

<400> 373

aaa ggt gga ggt ggt ggt atc gaa ggt ccg act ctg cgt cag tgg ctg 48  
Lys Gly Gly Gly Gly Gly Ile Glu Gly Pro Thr Leu Arg Gln Trp Leu  
1 5 10 15  
  
gct gct cgt gct ggt ggt gga ggt ggc ggc gga ggt att gag ggc cca 96  
Ala Ala Arg Ala Gly Gly Gly Gly Gly Gly Gly Ile Glu Gly Pro  
20 25 30  
  
acc ctt cgc caa tgg ctt gca gca cgc gca 126  
Thr Leu Arg Gln Trp Leu Ala Ala Arg Ala  
35 40

<210> 374

<211> 42

<212> PRT

<213> Artificial Sequence

<223> Description of Artificial Sequence:Fc-TNF ALPHA  
PCR PRIMER

<400> 374

Lys Gly Gly Gly Gly Gly Ile Glu Gly Pro Thr Leu Arg Gln Trp Leu  
1 5 10 15  
  
Ala Ala Arg Ala Gly Gly Gly Gly Gly Gly Gly Ile Glu Gly Pro  
20 25 30  
  
Thr Leu Arg Gln Trp Leu Ala Ala Arg Ala  
35 40

<210> 375  
<211> 39  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:Fc-MMP  
INHIBITOR

<220>  
<221> CDS  
<222> (4)..(732)

<400> 375  
ttt ttt cat atg atc gaa ggt ccg act ctg cgt cag tgg 39  
Phe His Met Ile Glu Gly Pro Thr Leu Arg Gln Trp  
1 5 10

<210> 376  
<211> 12  
<212> PRT  
<213> Artificial Sequence  
<223> Description of Artificial Sequence:Fc-MMP  
INHIBITOR

<400> 376  
Phe His Met Ile Glu Gly Pro Thr Leu Arg Gln Trp  
1 5 10

<210> 377  
<211> 48  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:MMP INHIBITOR  
Fc

<220>  
<221> CDS  
<222> (4)..(753)



<400> 377  
 agc acg agc agc cag cca ctg acg cag agt cgg acc ttc gat cat atg 48  
 Thr Ser Ser Gln Pro Leu Thr Gln Ser Arg Thr Phe Asp His Met  
 1 5 10 15

<210> 378  
 <211> 15  
 <212> PRT  
 <213> Artificial Sequence  
 <223> Description of Artificial Sequence:MMP INHIBITOR  
 Fc

<400> 378  
 Thr Ser Ser Gln Pro Leu Thr Gln Ser Arg Thr Phe Asp His Met  
 1 5 10 15

<210> 379  
 <211> 45  
 <212> DNA  
 <213> Artificial Sequence  
 <220>  
 <223> Description of Artificial Sequence:TMP-TMP-Fc  
 OLIGONUCLEOTIDE

<400> 379  
 ctggctgctc gtgctggtgg aggcggtggg gacaaaactc acaca 45

<210> 380  
 <211> 51  
 <212> DNA  
 <213> Artificial Sequence  
 <220>  
 <223> Description of Artificial Sequence:INTEGRIN  
 BINDING PEPTIDE

<400> 380  
 ctggctgctc gtgctggcgg tggcggcgga ggggggtggca ttgagggccc a 51

<210> 381  
 <211> 54  
 <212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:INTEGRIN  
BINDING PEPTIDE

<400> 381

aagccattgg cgaaggggttg ggccctcaat gccaccccct ccgccaccac cgcc 54

<210> 382

<211> 54

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:INTEGRIN  
BINDING PEPTIDE

<400> 382

acccttcgcc aatggcttgc agcacgcgca gggggaggcg gtggggacaa aact 54

<210> 383

<211> 27

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:INTEGRIN  
BINDING PEPTIDE

<400> 383

cccaccgcct cccctgcgc gtgctgc 27

<210> 384

<211> 189

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:INTEGRIN  
BINDING PEPTIDE

<220>

<221> CDS

<222> (10)..(189)

<400> 384

ttttttcat atg atc gaa ggt ccg act ctg cgt cag tgg ctg gct gct cgt 51

Met Ile Glu Gly Pro Thr Leu Arg Gln Trp Leu Ala Ala Arg

1

5

10

gct ggc ggt ggt ggc gga ggg ggt ggc att gag ggc cca acc ctt cgc 99

Ala Gly Gly Gly Gly Gly Gly Gly Gly Ile Glu Gly Pro Thr Leu Arg

15

20

25

30

caa tgg ctg gct gct cgt gct ggt gga ggc ggt ggg gac aaa act ctg 147

Gln Trp Leu Ala Ala Arg Ala Gly Gly Gly Gly Gly Gly Asp Lys Thr Leu

35

40

45

gct gct cgt gct ggt gga ggc ggt ggg gac aaa act cac aca 189

Ala Ala Arg Ala Gly Gly Gly Gly Gly Gly Asp Lys Thr His Thr

50

55

60

<210> 385

<211> 60

<212> PRT

<213> Artificial Sequence

<223> Description of Artificial Sequence:INTEGRIN

BINDING PEPTIDE

<400> 385

Met Ile Glu Gly Pro Thr Leu Arg Gln Trp Leu Ala Ala Arg Ala Gly

1

5

10

15

Gly Gly Gly Gly Gly Gly Gly Ile Glu Gly Pro Thr Leu Arg Gln Trp

20

25

30

Leu Ala Ala Arg Ala Gly Gly Gly Gly Gly Asp Lys Thr Leu Ala Ala

35

40

45

Arg Ala Gly Gly Gly Gly Gly Asp Lys Thr His Thr

50

55

60

<210> 386

<211> 141

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:INTEGRIN

# BINDING PEPTIDE

<400> 386

ctaattccgc tctcacctac caaacaatgc cccctgcaa aaaataaatt catataaaaa 60  
acatacagat aaccatctgc ggtgataaat tatctctggc ggtgttgaca taaataccac 120  
tggcggtgat actgagcaca t 141

<210> 387

<211> 55

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:INTEGRIN  
BINDING PEPTIDE

<400> 387

cgatttgatt ctagaaggag gaataacata tggttaacgc gttggaattc ggtac 55

<210> 388

<211> 872

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:INTEGRIN  
BINDING PEPTIDE

<400> 388

ttattttcgt gcggccgcac cattatcacc gccagaggta aactagtcaa cacgcacggt 60  
gtagatatt tatcccttgc ggtgatagat tgagcacatc gatttgattc tagaaggagg 120  
gataatatat gagcacaaaa aagaaacat taacacaaga gcagcttgag gacgcacgtc 180  
gccttaaagc aatttatgaa aaaaagaaaa atgaacttgg cttatcccag gaatctgtcg 240  
cagacaagat ggggatggg cagtcaggcg ttggtgcttt atttaatggc atcaatgcat 300  
taaattgctta taacgccgca ttgcttacia aaattctcaa agttagcgtt gaagaattta 360  
gcccttcaat cgccagagaa tctacgagat gtatgaagcg gttagtatgc agccgtcact 420  
tagaagttag tatgagtacc ctgttttttc tcatgttcag gcagggatgt tctcacctaa 480  
gcttagaacc tttaccaaag gtgatgcgga gagatgggta agcacaacca aaaaagccag 540  
tgattctgca ttctggcttg aggttgaagg taattccatg accgcaccaa caggctccaa 600  
gccaagcttt cctgacggaa tgtaattct cgttgacct gagcaggctg ttgagccagg 660  
tgatttctgc atagccagac ttgggggtga tgagtttacc ttcaagaaac tgatcaggga 720  
tagcggtcag gtgtttttac aaccactaaa cccacagtac ccaatgatcc catgcaatga 780  
gagttgttcc gttgtgggga aagttatcgc tagtcagtgg cctgaagaga cgtttggtcg 840  
atagactagt ggatccacta gtgtttctgc cc 872

<210> 389  
<211> 1197  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:INTEGRIN  
BINDING PEPTIDE

<400> 389  
ggcggaaacc gacgtccatc gaatggtgca aaacctttcg cggatatggca tgatagcgcc 60  
cggaagagag tcaattcagg gtggtgaatg tgaaaccagt aacgttatac gatgtcgcag 120  
agtatgccgg tgtctcttat cagaccgttt cccgcgtggt gaaccaggcc agccacgttt 180  
ctgcgaaaac gcgggaaaaa gtcgaagcgg cgatggcgga gctgaattac attcccaacc 240  
gcgtggcaca acaactggcg ggcaaacagt cgctcctgat tggcgttgcc acctccagtc 300  
tggccctgca cgcgcgctcg caaattgtcg cggcgattaa atctcgcgcc gatcaactgg 360  
gtgccagcgt ggtggtgtcg atggtagaac gaagcggcgt cgaagcctgt aaagcggcgg 420  
tgcacaatct tctcgcgcaa cgcgtcagtg ggctgatcat taactatccg ctggatgacc 480  
aggatgccat tgctgtggaa gctgcctgca ctaatgttcc ggcttattt ctgatgtct 540  
ctgaccagac acccatcaac agtattattt tctcccatga agacggtacg cgactgggcg 600  
tggagcatct ggtcgcattg ggtcaccagc aaatcgcgct gttagcgggc ccattaagtt 660  
ctgtctcggc gcgtctcgt ctggctggct ggcataaata tctcactcgc aatcaaattc 720  
agccgatagc ggaacgggaa ggcgactgga gtgccatgtc cgtttttcaa caaacatgc 780  
aatgctgaa tgagggcatc gttccactg cgatgctggt tgccaacgat cagatggcgc 840  
tgggcgcaat gcgcgccatt accgagtccg ggctgcgct tggcgcgat atctcggtag 900  
tgggatacga cgataccgaa gacagctcat gttatatccc gccgttaacc accatcaaac 960  
aggattttcg cctgctgggg caaacagcg tggaccgctt gctgcaactc tctcagggcc 1020  
aggcgtgtaa gggcaatcag ctgttgcccg tctcactggt gaaaagaaaa accaccctgg 1080  
cgccaatac gcaaaccgcc tctccccgcg cgttggccga ttcattaatg cagctggcac 1140  
gacaggtttc ccgactggaa agcggacagt aaggtaccat aggatccagg cacagga 1197

<210> 390  
<211> 61  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:Fc-EMP  
OLIGONUCLEOTIDE

<400> 390  
tatgaaaggt ggaggtggtg gtggaggtac ttactcttgc cacttcggcc cgctgacttg 60  
g 61

<210> 391  
<211> 72

<212> DNA  
<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:Fc-EMP  
OLIGONUCLEOTIDE

<400> 391  
cggtttgcaa acccaagtca gcggggccgaa gtggcaagag taagtacctc caccaccacc 60  
tccacctttc at 72

<210> 392  
<211> 57  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:Fc-EMP  
OLIGONUCLEOTIDE

<400> 392  
gtttgcaaac cgcagggtgg cggcggcggc ggcggtggta cctattcctg tcatttt 57

<210> 393  
<211> 60  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:Fc-EMP  
OLIGONUCLEOTIDE

<400> 393  
ccaggtcagc gggccaaaat gacaggaata ggtaccaccg ccgccgccgc cgccaccctg 60

<210> 394  
<211> 118  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:Fc-EMP PCR  
TEMPLATE

<220>

<221> CDS  
<222> (2)..(118)

<400> 394

t atg aaa ggt gga ggt ggt ggt gga ggt act tac tct tgc cac ttc ggc 49  
Met Lys Gly Gly Gly Gly Gly Gly Gly Thr Tyr Ser Cys His Phe Gly

1 5 10 15

ccg ctg act tgg gtt tgc aaa ccg cag ggt ggc ggc ggc ggc ggc ggt 97  
Pro Leu Thr Trp Val Cys Lys Pro Gln Gly Gly Gly Gly Gly Gly Gly  
20 25 30

ggt acc tat tcc tgt cat ttt 118  
Gly Thr Tyr Ser Cys His Phe  
35

<210> 395

<211> 39

<212> PRT

<213> Artificial Sequence

<223> Description of Artificial Sequence:Fc-EMP PCR  
TEMPLATE

<400> 395

Met Lys Gly Gly Gly Gly Gly Gly Gly Thr Tyr Ser Cys His Phe Gly

1 5 10 15

Pro Leu Thr Trp Val Cys Lys Pro Gln Gly Gly Gly Gly Gly Gly Gly  
20 25 30

Gly Thr Tyr Ser Cys His Phe  
35

<210> 396

<211> 61

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:Fc-EMP PCR  
PRIMER

<400> 396

gcagaagagc ctctccctgt ctccgggtaa aggtggaggt ggtggtggag gtacttactc 60  
t 61

<210> 397  
<211> 40  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:Fc-EMP PCR  
PRIMER

<400> 397  
ctaattggat ccacgagatt aaccaccctg cggtttgcaa 40

<210> 398  
<211> 22  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:Fc PRIMER

<400> 398  
aacataagta cctgtaggat cg 22

<210> 399  
<211> 61  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:Fc PRIMER

<400> 399  
agagtaagta cctccaccac cacctccacc ttaccgcgga gacagggaga ggctcttctg 60  
c 61

<210> 400  
<211> 61  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:EMP-Fc  
OLIGONUCLEOTIDE



<400> 400  
 ggcccgtga cctgggtatg taagccacaa ggggggtgggg gaggcggggg gtaatctcga 60  
 g 61

<210> 401  
 <211> 50  
 <212> DNA  
 <213> Artificial Sequence

<220>  
 <223> Description of Artificial Sequence:EMP-Fc  
 OLIGONUCLEOTIDE

<400> 401  
 gatcctcgag attaccccc gcctccccca cccccttggt gcttacatac 50

<210> 402  
 <211> 118  
 <212> DNA  
 <213> Artificial Sequence

<220>  
 <223> Description of Artificial Sequence:EMP-Fc PCR  
 TEMPLATE

<220>  
 <221> CDS  
 <222> (1)..(108)

<400> 402  
 gtt tgc aaa ccg cag ggt ggc ggc ggc ggc ggc ggt ggt acc tat tcc 48  
 Val Cys Lys Pro Gln Gly Gly Gly Gly Gly Gly Gly Thr Tyr Ser  
 1 5 10 15  
 tgt cat ttt ggc ccg ctg acc tgg gta tgt aag cca caa ggg ggt ggg 96  
 Cys His Phe Gly Pro Leu Thr Trp Val Cys Lys Pro Gln Gly Gly Gly  
 20 25 30  
 gga ggc ggg ggg taatctcgag 118  
 Gly Gly Gly Gly  
 35

<210> 403  
 <211> 36

<212> PRT  
 <213> Artificial Sequence  
 <223> Description of Artificial Sequence:EMP-Fc PCR  
 TEMPLATE

<400> 403  
 Val Cys Lys Pro Gln Gly Gly Gly Gly Gly Gly Gly Gly Thr Tyr Ser  
 1 5 10 15  
 Cys His Phe Gly Pro Leu Thr Trp Val Cys Lys Pro Gln Gly Gly Gly  
 20 25 30  
 Gly Gly Gly Gly  
 35

<210> 404  
 <211> 39  
 <212> DNA  
 <213> Artificial Sequence  
 <220>  
 <223> Description of Artificial Sequence:EMP-Fc PCR  
 PRIMER

<400> 404  
 ttattttcata tgaaaggtgg taactattcc tgtcatttt 39

<210> 405  
 <211> 43  
 <212> DNA  
 <213> Artificial Sequence  
 <220>  
 <223> Description of Artificial Sequence:EMP-Fc PCR  
 PRIMER

<400> 405  
 tggacatgtg tgagttttgt cccccccgcc tccccaccc cct 43

<210> 406  
 <211> 43  
 <212> DNA  
 <213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:Fc PRIMER

<400> 406  
agggggtggg ggaggcggg gggacaaac tcacacatgt cca 43

<210> 407  
<211> 20  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:Fc PRIMER

<400> 407  
gttattgctc agcgtggca 20

<210> 408  
<211> 60  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:EMP-EMP-Fc  
OLIGONUCLEOTIDE

<400> 408  
ttttttatcg atttgattct agatttgagt tttaactttt agaaggagga ataaaatatg 60

<210> 409  
<211> 41  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:EMP-EMP-Fc  
OLIGONUCLEOTIDE

<400> 409  
taaaagttaa aactcaaac tagaatcaaa tcgataaaaa a 41

<210> 410  
<211> 51  
<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:EMP-EMP-Fc  
OLIGONUCLEOTIDE

<400> 410

ggaggtactt actcttgcca ctcggcccg ctgacttggg ttgcaaacc g 51

<210> 411

<211> 55

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:EMP-EMP-Fc  
OLIGONUCLEOTIDE

<400> 411

agtcagcggg ccgaagtggc aagagtaagt acctccata tttattcct ccttc 55

<210> 412

<211> 60

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:EMP-EMP-Fc  
OLIGONUCLEOTIDE

<400> 412

cagggtggcg gcggcggcgg cggtggtacc tattcctgtc attttgccc gctgacctgg 60

<210> 413

<211> 60

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:EMP-EMP-Fc  
OLIGONUCLEOTIDE

<400> 413

aaaatgacag gaataggtac caccgccgcc gccgcccca ccctgcggtt tgcaaacca 60

<210> 414  
 <211> 57  
 <212> DNA  
 <213> Artificial Sequence

<220>  
 <223> Description of Artificial Sequence:EMP-EMP-Fc  
 OLIGONUCLEOTIDE

<400> 414  
 gtatgtaagc cacaaggggg tgggggagggc gggggggaca aaactcacac atgtcca 57

<210> 415  
 <211> 60  
 <212> DNA  
 <213> Artificial Sequence

<220>  
 <223> Description of Artificial Sequence:EMP-EMP-Fc  
 OLIGONUCLEOTIDE

<400> 415  
 agttttgtcc cccccgcctc cccaccccc ttgtggctta catacccagg tcagcggggc 60

<210> 416  
 <211> 228  
 <212> DNA  
 <213> Artificial Sequence

<220>  
 <223> Description of Artificial Sequence:EMP-EMP-Fc PCR  
 TEMPLATE

<220>  
 <221> CDS  
 <222> (58)..(228)

<400> 416  
 ttttttatcg atttgattct agatttgagt tttaactttt agaaggagga ataaaat 57

atg gga ggt act tac tct tgc cac ttc ggc ccg ctg act tgg gtt tgc 105  
 Met Gly Gly Thr Tyr Ser Cys His Phe Gly Pro Leu Thr Trp Val Cys  
 1 5 10 15

aaa ccg cag ggt ggc ggc ggc ggc ggc ggt ggt acc tat tcc tgt cat 153

Lys Pro Gln Gly Gly Gly Gly Gly Gly Gly Gly Thr Tyr Ser Cys His  
 20 25 30

ttt ggc ccg ctg acc tgg gta tgt aag cca caa ggg ggt ggg gga ggc 201  
 Phe Gly Pro Leu Thr Trp Val Cys Lys Pro Gln Gly Gly Gly Gly Gly  
 35 40 45

ggg ggg gac aaa act cac aca tgt cca 228  
 Gly Gly Asp Lys Thr His Thr Cys Pro  
 50 55

<210> 417

<211> 57

<212> PRT

<213> Artificial Sequence

<223> Description of Artificial Sequence:EMP-EMP-Fc PCR  
 TEMPLATE

<400> 417

Met Gly Gly Thr Tyr Ser Cys His Phe Gly Pro Leu Thr Trp Val Cys  
 1 5 10 15

Lys Pro Gln Gly Gly Gly Gly Gly Gly Gly Gly Thr Tyr Ser Cys His  
 20 25 30

Phe Gly Pro Leu Thr Trp Val Cys Lys Pro Gln Gly Gly Gly Gly Gly  
 35 40 45

Gly Gly Asp Lys Thr His Thr Cys Pro  
 50 55

<210> 418

<211> 40

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:Fc-EMP-EMP PCR  
 PRIMER

<400> 418

ctaattggat cctcgagatt aacccccttg tggcttacat 40

<210> 419

<211> 72  
<212> PRT  
<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:EPO-MIMETIC  
PEPTIDE

<400> 419

Xaa Tyr Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa  
1 5 10 15

Gly Pro Xaa Xaa Xaa Xaa Xaa Xaa Thr Trp Xaa Xaa Xaa Xaa Xaa Xaa  
20 25 30

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa  
35 40 45

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa  
50 55 60

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa  
65 70

<210> 420  
<211> 62  
<212> PRT  
<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:EPO-MIMETIC  
PEPTIDE

<400> 420

Xaa Tyr Xaa Xaa Cys Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Gly Pro  
1 5 10 15

Xaa Xaa Xaa Xaa Xaa Xaa Thr Trp Xaa Xaa Xaa Xaa Xaa Xaa Xaa Cys  
20 25 30

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa  
35 40 45

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa  
50 55 60

<210> 421  
<211> 10  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:EPO-MIMETIC  
PEPTIDE

<220>  
<223> At position 2, Xaa is R, H, L or W

<220>  
<223> At position 3, Xaa is M, F or I

<220>  
<223> At position 6, Xaa is any of the 20 genetically  
encoded amino acid residues or a D-stereoisomer  
thereof

<220>  
<223> At position 9, Xaa is D, E, I, L or V

<400> 421  
Cys Xaa Xaa Gly Pro Xaa Thr Trp Xaa Cys  
1 5 10

<210> 422  
<211> 19  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:EPO-MIMETIC  
PEPTIDE

<400> 422  
Gly Gly Thr Tyr Ser Cys His Gly Pro Leu Thr Trp Val Cys Lys Pro  
1 5 10 15

Gln Gly Gly



<210> 423  
<211> 19  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:EPO-MIMETIC  
PEPTIDE

<400> 423  
Val Gly Asn Tyr Met Ala His Met Gly Pro Ile Thr Trp Val Cys Arg  
1 5 10 15

Pro Gly Gly

<210> 424  
<211> 18  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:EPO-MIMETIC  
PEPTIDE

<400> 424  
Gly Gly Pro His His Val Tyr Ala Cys Arg Met Gly Pro Leu Thr Trp  
1 5 10 15

Ile Cys

<210> 425  
<211> 18  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:EPO-MIMETIC  
PEPTIDE

<400> 425  
Gly Gly Thr Tyr Ser Cys His Phe Gly Pro Leu Thr Trp Val Cys Lys

1 5 10 15

Pro Gln

<210> 426

<211> 20

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:EPO-MIMETIC  
PEPTIDE

<400> 426

Gly Gly Leu Tyr Ala Cys His Met Gly Pro Met Thr Trp Val Cys Gln  
1 5 10 15

Pro Leu Arg Gly  
20

<210> 427

<211> 22

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:EPO-MIMETIC  
PEPTIDE

<400> 427

Thr Ile Ala Gln Tyr Ile Cys Tyr Met Gly Pro Glu Thr Trp Glu Cys  
1 5 10 15

Arg Pro Ser Pro Lys Ala  
20

<210> 428

<211> 13

<212> PRT

<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:EPO-MIMETIC  
PEPTIDE

<400> 428  
Tyr Ser Cys His Phe Gly Pro Leu Thr Trp Val Cys Lys  
1 5 10

<210> 429  
<211> 11  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:EPO MIMETIC  
PEPTIDE

<400> 429  
Tyr Cys His Phe Gly Pro Leu Thr Trp Val Cys  
1 5 10

<210> 430  
<211> 17  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:UKR ANTAGONIST  
PEPTIDE

<400> 430  
Ala Glu Pro Val Tyr Gln Tyr Glu Leu Asp Ser Tyr Leu Arg Ser Tyr  
1 5 10 15

Tyr

<210> 431  
<211> 17  
<212> PRT  
<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:UKR ANTAGONIST  
PEPTIDE

<400> 431

Ala Glu Leu Asp Leu Ser Thr Phe Tyr Asp Ile Gln Tyr Leu Leu Arg  
1 5 10 15

Thr

<210> 432

<211> 17

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:UKR ANTAGONIST  
PEPTIDE

<400> 432

Ala Glu Phe Phe Lys Leu Gly Pro Asn Gly Tyr Val Tyr Leu His Ser  
1 5 10 15

Ala

<210> 433

<211> 11

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:UKR ANTAGONIST  
PEPTIDE

<400> 433

Phe Lys Leu Xaa Xaa Xaa Gly Tyr Val Tyr Leu  
1 5 10

<210> 434

<211> 17

<212> PRT  
<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:UKR ANTAGONIST  
PEPTIDE

<400> 434

Ala	Glu	Ser	Thr	Tyr	His	His	Leu	Ser	Leu	Gly	Tyr	Met	Tyr	Thr	Leu
1					5					10				15	

Asn

<210> 435

<211> 11

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:UKR ANTAGONIST  
PEPTIDE

<400> 435

Tyr	His	Xaa	Leu	Xaa	Xaa	Gly	Tyr	Met	Tyr	Thr
1				5					10	

<210> 436

<211> 6

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:MCA/MCP  
INHIBITOR

<400> 436

Arg	Asn	Arg	Gln	Lys	Thr
1				5	

<210> 437

<211> 4

<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:MCA/MCP  
INHIBITOR

<400> 437  
Arg Asn Arg Gln  
1

<210> 438  
<211> 5  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:MCA/MCP  
INHIBITOR

<400> 438  
Arg Asn Arg Gln Lys  
1 5

<210> 439  
<211> 5  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:MCA/MCP  
INHIBITOR

<400> 439  
Asn Arg Gln Lys Thr  
1 5

<210> 440  
<211> 4  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:MCA/MCP  
INHIBITOR

<400> 440  
Arg Gln Lys Thr  
1

<210> 441  
<211> 7  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial  
Sequence:INTEGRIN-BINDING PEPTIDE

<400> 441  
Arg Xaa Glu Thr Xaa Trp Xaa  
1 5

<210> 442  
<211> 7  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial  
Sequence:INTEGRIN-BINDING PEPTIDE

<400> 442  
Arg Xaa Glu Thr Xaa Trp Xaa  
1 5

<210> 443  
<211> 5  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial  
Sequence:INTEGRIN-BINDING PEPTIDE

<400> 443

Arg Gly Asp Gly Xaa

1 5

<210> 444

<211> 7

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial

Sequence:INTEGRIN-BINDING PEPTIDE

<400> 444

Cys Arg Gly Asp Gly Xaa Cys

1 5

<210> 445

<211> 9

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial

Sequence:INTEGRIN-BINDING PEPTIDE

<400> 445

Cys Xaa Xaa Arg Leu Asp Xaa Xaa Cys

1 5

<210> 446

<211> 9

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial

Sequence:INTEGRIN-BINDING PEPTIDE

<400> 446

Cys Ala Arg Arg Leu Asp Ala Pro Cys



1

5

<210> 447

<211> 9

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial

Sequence:INTEGRIN-BINDING PEPTIDE

<400> 447

Cys Pro Ser Arg Leu Asp Ser Pro Cys

1

5

<210> 448

<211> 9

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial

Sequence:INTEGRIN-BINDING PEPTIDE

<400> 448

Xaa Xaa Xaa Arg Gly Asp Xaa Xaa Xaa

1

5

<210> 449

<211> 9

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial

Sequence:INTEGRIN-BINDING PEPTIDE

<400> 449

Cys Xaa Cys Arg Gly Asp Cys Xaa Cys

1

5

<210> 450  
<211> 9  
<212> PRT  
<213> Artificial Sequence  
  
<220>  
<223> Description of Artificial  
Sequence:INTEGRIN-BINDING PEPTIDE

<400> 450  
Cys Asp Cys Arg Gly Asp Cys Phe Cys  
1 5

<210> 451  
<211> 9  
<212> PRT  
<213> Artificial Sequence  
  
<220>  
<223> Description of Artificial  
Sequence:INTEGRIN-BINDING PEPTIDE

<400> 451  
Cys Asp Cys Arg Gly Asp Cys Leu Cys  
1 5

<210> 452  
<211> 9  
<212> PRT  
<213> Artificial Sequence  
  
<220>  
<223> Description of Artificial  
Sequence:INTEGRIN-BINDING PEPTIDE

<400> 452  
Cys Leu Cys Arg Gly Asp Cys Ile Cys  
1 5

<210> 453  
<211> 8

<212> PRT  
<213> Artificial Sequence

<220>

<223> Description of Artificial  
Sequence:INTEGRIN-BINDING PEPTIDE

<400> 453

Xaa Xaa Asp Asp Xaa Xaa Xaa Xaa  
1 5

<210> 454

<211> 10

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial  
Sequence:INTEGRIN-BINDING PEPTIDE

<400> 454

Xaa Xaa Xaa Asp Asp Xaa Xaa Xaa Xaa Xaa  
1 5 10

<210> 455

<211> 8

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial  
Sequence:INTEGRIN-BINDING PEPTIDE

<400> 455

Cys Trp Asp Asp Gly Trp Leu Cys  
1 5

<210> 456

<211> 9

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial

Sequence:INTEGRIN-BINDING PEPTIDE

<400> 456

Cys Trp Asp Asp Leu Trp Trp Leu Cys

1

5

<210> 457

<211> 8

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial

Sequence:INTEGRIN-BINDING PEPTIDE

<400> 457

Cys Trp Asp Asp Gly Leu Met Cys

1

5

<210> 458

<211> 8

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial

Sequence:INTEGRIN-BINDING PEPTIDE

<400> 458

Cys Trp Asp Asp Gly Trp Met Cys

1

5

<210> 459

<211> 9

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial

Sequence:INTEGRIN-BINDING PEPTIDE

<400> 459

Cys Ser Trp Asp Asp Gly Trp Leu Cys  
1 5

<210> 460

<211> 9

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial  
Sequence:INTEGRIN-BINDING PEPTIDE

<400> 460

Cys Pro Asp Asp Leu Trp Trp Leu Cys  
1 5

<210> 461

<211> 40

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:EPO-MIMETIC  
PEPTIDE

<400> 461

Tyr Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Gly  
1 5 10 15

Pro Xaa Xaa Xaa Xaa Xaa Xaa Thr Trp Xaa Xaa Xaa Xaa Xaa Xaa Xaa  
20 25 30

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa  
35 40

<210> 462

<211> 16

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:SELECTIN  
ANTAGONIST PEPTIDE

<400> 462

Cys	Gln	Asn	Arg	Tyr	Thr	Asp	Leu	Val	Ala	Ile	Gln	Asn	Lys	Asn	Glu
1					5					10				15	

<210> 463

<211> 17

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial  
Sequence:SELECTIN-ANTAGONIST PEPTIDE

<400> 463

Ala	Glu	Asn	Trp	Ala	Asp	Asn	Glu	Pro	Asn	Asn	Lys	Arg	Asn	Asn	Glu
1				5					10					15	

Asp

<210> 464

<211> 19

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:SELECTIN  
ANTAGONIST PEPTIDE

<400> 464

Arg	Lys	Asn	Asn	Lys	Thr	Trp	Thr	Trp	Val	Gly	Thr	Lys	Lys	Ala	Leu
1				5					10					15	

Thr Asn Glu

<210> 465

<211> 13

<212> PRT  
<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:SELECTIN  
ANTAGONIST PEPTIDE

<400> 465

Lys Lys Ala Leu Thr Asn Glu Ala Glu Asn Trp Ala Asp  
1 5 10

<210> 466

<211> 16

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:SELECTIN  
ANTAGONIST PEPTIDE

<400> 466

Cys Gln Xaa Arg Tyr Thr Asp Leu Val Ala Ile Gln Asn Lys Xaa Glu  
1 5 10 15

<210> 467

<211> 19

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:SELECTIN  
ANTAGONIST PEPTIDE

<400> 467

Arg Lys Xaa Asn Xaa Xaa Trp Thr Trp Val Gly Thr Xaa Lys Xaa Leu  
1 5 10 15

Thr Glu Glu

<210> 468

<211> 17

<212> PRT  
<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:SELECTIN  
ANTAGONIST PEPTIDE

<400> 468

Ala	Glu	Asn	Trp	Ala	Asp	Gly	Glu	Pro	Asn	Asn	Lys	Xaa	Asn	Xaa	Glu
1				5					10					15	

Asp

<210> 469

<211> 16

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:SELECTIN  
ANTAGONIST PEPTIDE

<400> 469

Cys	Xaa	Xaa	Xaa	Tyr	Thr	Xaa	Leu	Val	Ala	Ile	Gln	Asn	Lys	Xaa	Glu
1				5					10					15	

<210> 470

<211> 19

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:SELECTIN  
ANTAGONIST PEPTIDE

<400> 470

Arg	Lys	Xaa	Xaa	Xaa	Xaa	Trp	Xaa	Trp	Val	Gly	Thr	Xaa	Lys	Xaa	Leu
1				5					10					15	

Thr Xaa Glu



<210> 471  
<211> 16  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:SELECTIN  
ANTAGONIST PEPTIDE

<400> 471  
Ala Xaa Asn Trp Xaa Xaa Xaa Glu Pro Asn Asn Xaa Xaa Xaa Glu Asp  
1 5 10 15

<210> 472  
<211> 13  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:SELECTIN  
ANTAGONIST PEPTIDE

<400> 472  
Xaa Lys Xaa Lys Thr Xaa Glu Ala Xaa Asn Trp Xaa Xaa  
1 5 10

<210> 473  
<211> 12  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:SOMATOSTATIN/  
CORTISTATIN-MIMETIC PEPTIDE

<220>  
<223> At position 1, Xaa is asp-arg-met-pro-cys,  
arg-met-pro-cys, met-pro-cys, pro-cys, or cys

<220>  
<223> At position 2, Xaa is arg or lys

<220>

<223> At position 10, Xaa is ser or thr

<220>

<223> At position 12, xaa is cys-lys or cys

<400> 473

Xaa Xaa Asn Phe Phe Trp Lys Thr Phe Xaa Ser Xaa  
1 5 10

<210> 474

<211> 18

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:SOMATOSTATIN/  
CORTISTATIN-MIMETIC PEPTIDE

<400> 474

Asp Arg Met Pro Cys Arg Asn Phe Phe Phe Trp Lys Thr Phe Ser Ser  
1 5 10 15

Cys Lys

<210> 475

<211> 15

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:SOMATOSTATIN/  
CORTISTATIN-MIMETIC PEPTIDE

<400> 475

Met Pro Cys Arg Asn Phe Phe Trp Lys Thr Phe Ser Ser Cys Lys  
1 5 10 15

<210> 476

<211> 13

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:SOMATOSTATIN/  
CORTISTATIN-MIMETIC PEPTIDE

<400> 476

Cys Arg Asn Phe Phe Trp Lys Thr Phe Ser Ser Cys Lys  
1 5 10

<210> 477

<211> 16

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:SOMATOSTATIN/  
CORTISTATIN-MIMETIC PEPTIDE

<400> 477

Asp Arg Met Pro Cys Arg Asn Phe Phe Trp Lys Thr Phe Ser Ser Cys  
1 5 10 15

<210> 478

<211> 14

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:SOMATOSTATIN/  
CORTISTATIN MIMETIC PEPTIDE

<400> 478

Met Pro Cys Arg Asn Phe Phe Trp Lys Thr Phe Ser Ser Cys  
1 5 10

<210> 479

<211> 12

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:SOMATOSTATIN/

# CORTISTATIN MIMETIC PEPTIDE

<400> 479

Cys Arg Asn Phe Phe Trp Lys Thr Phe Ser Ser Cys  
1 5 10

<210> 480

<211> 16

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:SOMATOSTATIN/  
CORTISTATIN MIMETIC PEPTIDE

<400> 480

Asp Arg Met Pro Cys Lys Asn Phe Phe Trp Lys Thr Phe Ser Ser Cys  
1 5 10 15

<210> 481

<211> 15

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:SOMATOSTATIN/  
CORTISTATIN MIMETIC PEPTIDE

<400> 481

Met Pro Cys Lys Asn Phe Phe Trp Lys Thr Phe Ser Ser Cys Lys  
1 5 10 15

<210> 482

<211> 13

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:SOMATOSTATIN/  
CORTISTATIN MIMETIC PEPTIDE

<400> 482

Cys Lys Asn Phe Phe Trp Lys Thr Phe Ser Ser Cys Lys  
 1 5 10

<210> 483  
 <211> 16  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Description of Artificial Sequence:SOMATOSTATIN/  
 CORTISTATIN MIMETIC PEPTIDE

<400> 483  
 Asp Arg Met Pro Cys Lys Asn Phe Phe Trp Lys Thr Phe Ser Ser Cys  
 1 5 10 15

<210> 484  
 <211> 14  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Description of Artificial Sequence:Fc-TMP

<400> 484  
 Met Pro Cys Lys Asn Phe Phe Trp Lys Thr Phe Ser Ser Cys  
 1 5 10

<210> 485  
 <211> 12  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Description of Artificial Sequence:SOMATOSTATIN/  
 CORTISTATIN MIMETIC PEPTIDE

<400> 485  
 Cys Lys Asn Phe Phe Trp Lys Thr Phe Ser Ser Cys  
 1 5 10

<210> 486  
<211> 17  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:SOMATOSTATIN/  
CORTISTATIN MIMETIC PEPTIDE

<400> 486  
Asp Arg Met Pro Cys Arg Asn Phe Phe Trp Lys Thr Phe Thr Ser Cys  
1 5 10 15

Lys

<210> 487  
<211> 15  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:SOMATOSTATIN/  
CORTISTATIN MIMETIC PEPTIDE

<400> 487  
Met Pro Cys Arg Asn Phe Phe Trp Lys Thr Phe Thr Ser Cys Lys  
1 5 10 15

<210> 488  
<211> 13  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:SOMATOSTATIN/  
CORTISTATIN MIMETIC PEPTIDE

<400> 488  
Cys Arg Asn Phe Phe Trp Lys Thr Phe Thr Ser Cys Lys  
1 5 10

<210> 489  
<211> 16  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:SOMATOSTATIN/  
CORTISTATIN MIMETIC PEPTIDE

<400> 489  
Asp Arg Met Pro Cys Arg Asn Phe Phe Trp Lys Thr Phe Thr Ser Cys  
1 5 10 15

<210> 490  
<211> 14  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:SOMATOSTATIN/  
CORTISTATIN MIMETIC PEPTIDE

<400> 490  
Met Pro Cys Arg Asn Phe Phe Trp Lys Thr Phe Thr Ser Cys  
1 5 10

<210> 491  
<211> 12  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:SOMATOSTATIN/  
CORTISTATIN MIMETIC PEPTIDE

<400> 491  
Cys Arg Asn Phe Phe Trp Lys Thr Phe Thr Ser Cys  
1 5 10

<210> 492  
<211> 17

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:SOMATOSTATIN/  
CORTISTATIN MIMETIC PEPTIDE

<400> 492

Asp Arg Met Pro Cys Lys Asn Phe Phe Trp Lys Thr Phe Thr Ser Cys  
1 5 10 15

Lys

<210> 493

<211> 15

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:SOMATOSTATIN/  
CORTISTATIN MIMETIC PEPTIDE

<400> 493

Met Pro Cys Lys Asn Phe Phe Trp Lys Thr Phe Thr Ser Cys Lys  
1 5 10 15

<210> 494

<211> 13

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:SOMATOSTATIN/  
CORTISTATIN MIMETIC PEPTIDE

<400> 494

Cys Lys Asn Phe Phe Trp Lys Thr Phe Thr Ser Cys Lys  
1 5 10

<210> 495

<211> 16



<212> PRT  
<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:SOMATOSTATIN/  
CORTISTATIN MIMETIC PEPTIDE

<400> 495

Asp Arg Met Pro Cys Lys Asn Phe Phe Trp Lys Thr Phe Thr Ser Cys  
1 5 10 15

<210> 496

<211> 14

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:SOMATOSTATIN/  
CORTISTATIN MIMETIC PEPTIDE

<400> 496

Met Pro Cys Lys Asn Phe Phe Trp Lys Thr Phe Thr Ser Cys  
1 5 10

<210> 497

<211> 12

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:SOMATOSTATIN/  
CORTISTATIN MIMETIC PEPTIDE

<400> 497

Cys Lys Asn Phe Phe Trp Lys Thr Phe Thr Ser Cys  
1 5 10

<210> 498

<211> 25

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:CAP37  
MIMETIC/LPS BINDING PEPTIDE

<400> 498

Asn Gln Gly Arg His Phe Cys Gly Gly Ala Leu Ile His Ala Arg Phe  
1 5 10 15

Val Met Thr Ala Ala Ser Cys Phe Gln  
20 25

<210> 499

<211> 20

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:CAP37  
MIMETIC/LPS BINDING PEPTIDE

<400> 499

Arg His Phe Cys Gly Gly Ala Leu Ile His Ala Arg Phe Val Met Thr  
1 5 10 15

Ala Ala Ser Cys  
20

<210> 500

<211> 27

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:CAP37  
MIMETIC/LPS BINDING PEPTIDE

<400> 500

Gly Thr Arg Cys Gln Val Ala Gly Trp Gly Ser Gln Arg Ser Gly Gly  
1 5 10 15

Arg Leu Ser Arg Phe Pro Arg Phe Val Asn Val  
20 25

<210> 501  
<211> 18  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:VEGF-ANTAGONIST  
PEPTIDE

<400> 501  
Gly Glu Arg Trp Cys Phe Asp Gly Pro Arg Ala Trp Val Cys Gly Trp  
1 5 10 15

Glu Ile

<210> 502  
<211> 18  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:VEGF ANTAGONIST  
PEPTIDE

<400> 502  
Glu Glu Leu Trp Cys Phe Asp Gly Pro Arg Ala Trp Val Cys Gly Tyr  
1 5 10 15

Val Lys

<210> 503  
<211> 33  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:ANTIPATHOGENIC  
PEPTIDE

<400> 503  
Gly Phe Phe Ala Leu Ile Pro Lys Ile Ile Ser Ser Pro Leu Phe Lys

1                      5                      10                      15

Thr Leu Leu Ser Ala Val Gly Ser Ala Leu Ser Ser Ser Gly Gly Gln

20                      25                      30

Gln

<210> 504

<211> 33

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:ANTIPATHOGENIC  
PEPTIDE

<220>

<223> At positions 7, 18 and 19, D amino acid residue

<400> 504

Gly Phe Phe Ala Leu Ile Pro Lys Ile Ile Ser Ser Pro Leu Phe Lys

1                      5                      10                      15

Thr Leu Leu Ser Ala Val Gly Ser Ala Leu Ser Ser Ser Gly Gly Gln

20                      25                      30

Glu

<210> 505

<211> 22

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:ANTIPATHOGENIC  
PEPTIDE

<220>

<223> At positions 18 and 19, D amino acid residues

<400> 505

Gly Phe Phe Ala Leu Ile Pro Lys Ile Ile Ser Ser Pro Leu Phe Lys

1

5

10

15

Thr Leu Leu Ser Ala Val

20

&lt;210&gt; 506

&lt;211&gt; 22

&lt;212&gt; PRT

&lt;213&gt; Artificial Sequence

&lt;220&gt;

<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

&lt;220&gt;

&lt;223&gt; At positions 7, 18 and 19, D amino acid residues

&lt;400&gt; 506

Gly Phe Phe Ala Leu Ile Pro Lys Ile Ile Ser Ser Pro Leu Phe Lys

1

5

10

15

Thr Leu Leu Ser Ala Val

20

&lt;210&gt; 507

&lt;211&gt; 23

&lt;212&gt; PRT

&lt;213&gt; Artificial Sequence

&lt;220&gt;

<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

&lt;220&gt;

&lt;223&gt; At positions 8, 19 and 20, D amino acid residues

&lt;400&gt; 507

Lys Gly Phe Phe Ala Leu Ile Pro Lys Ile Ile Ser Ser Pro Leu Phe

1

5

10

15

Lys Thr Leu Leu Ser Ala Val

20

<210> 508  
<211> 24  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

<220>  
<223> At positions 9, 20 and 21, D amino acid residues

<400> 508  
Lys Lys Gly Phe Phe Ala Leu Ile Pro Lys Ile Ile Ser Ser Pro Leu  
1 5 10 15  
  
Phe Lys Thr Leu Leu Ser Ala Val  
20

<210> 509  
<211> 24  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

<220>  
<223> At positions 9, 20 and 21, D amino acid residues

<400> 509  
Lys Lys Gly Phe Phe Ala Leu Ile Pro Lys Ile Ile Ser Ser Pro Leu  
1 5 10 15  
  
Phe Lys Thr Leu Leu Ser Ala Val  
20

<210> 510  
<211> 11  
<212> PRT  
<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

<220>

<223> At position 7, D amino acid residue

<400> 510

Gly Phe Phe Ala Leu Ile Pro Lys Ile Ile Ser  
1 5 10

<210> 511

<211> 26

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

<400> 511

Gly Ile Gly Ala Val Leu Lys Val Leu Thr Thr Gly Leu Pro Ala Leu  
1 5 10 15

Ile Ser Trp Ile Lys Arg Lys Arg Gln Gln  
20 25

<210> 512

<211> 26

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

<220>

<223> At positions 5, 8, 17 and 23, D amino acid  
residues

<400> 512

Gly Ile Gly Ala Val Leu Lys Val Leu Thr Thr Gly Leu Pro Ala Leu  
1 5 10 15

Ile Ser Trp Ile Lys Arg Lys Arg Gln Gln  
20 25

<210> 513

<211> 26

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

<220>

<223> At positions 5, 8, 17 and 23, D amino acid  
residues

<400> 513

Gly Ile Gly Ala Val Leu Lys Val Leu Thr Thr Gly Leu Pro Ala Leu  
1 5 10 15

Ile Ser Trp Ile Lys Arg Lys Arg Gln Gln  
20 25

<210> 514

<211> 22

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

<220>

<223> At positions 5, 8, 17 and 21, D amino acid  
residues

<400> 514

Gly Ile Gly Ala Val Leu Lys Val Leu Thr Thr Gly Leu Pro Ala Leu  
1 5 10 15

Ile Ser Trp Ile Lys Arg  
20



<210> 515  
 <211> 19  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Description of Artificial Sequence:VIP MIMETIC  
 PEPTIDE

<220>  
 <223> At positions 2, 5, 14 and 18, D amino acid  
 residues

<400> 515  
 Ala Val Leu Lys Val Leu Thr Thr Gly Leu Pro Ala Leu Ile Ser Trp  
           1                  5                  10                  15

Ile Lys Arg

<210> 516  
 <211> 12  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Description of Artificial Sequence:VIP MIMETIC  
 PEPTIDE

<220>  
 <223> At positions 3, 4, 8 and 10, D amino acid residues

<400> 516  
 Lys Leu Leu Leu Leu Leu Lys Leu Leu Leu Lys  
           1                  5                  10

<210> 517  
 <211> 12  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Description of Artificial Sequence:VIP MIMETIC

PEPTIDE

<220>

<223> At positions 3, 4, 8 and 10, D amino acid residues

<400> 517

Lys Leu Leu Leu Lys Leu Leu Leu Lys Leu Leu Lys  
1 5 10

<210> 518

<211> 12

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

<220>

<223> At positions 3, 4, 8 and 10, D amino acid residues

<400> 518

Lys Leu Leu Leu Lys Leu Lys Leu Lys Leu Leu Lys  
1 5 10

<210> 519

<211> 12

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

<400> 519

Lys Lys Leu Leu Lys Leu Lys Leu Lys Leu Lys Lys  
1 5 10

<210> 520

<211> 12

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

<400> 520

Lys Leu Leu Leu Lys Leu Leu Leu Lys Leu Leu Lys  
1 5 10

<210> 521

<211> 12

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

<400> 521

Lys Leu Leu Leu Lys Leu Lys Leu Lys Leu Leu Lys  
1 5 10

<210> 522

<211> 6

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

<400> 522

Lys Leu Leu Leu Leu Lys  
1 5

<210> 523

<211> 8

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:VIP MIMETIC

PEPTIDE

<400> 523

Lys Leu Leu Leu Lys Leu Leu Lys  
1 5

<210> 524

<211> 12

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

<400> 524

Lys Leu Leu Leu Lys Leu Lys Leu Lys Leu Leu Lys  
1 5 10

<210> 525

<211> 12

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

<400> 525

Lys Leu Leu Leu Lys Leu Lys Leu Lys Leu Leu Lys  
1 5 10

<210> 526

<211> 12

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

<400> 526

Lys Leu Leu Leu Lys Leu Lys Leu Lys Leu Leu Lys  
1 5 10

<210> 527

<211> 12

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

<400> 527

Lys Ala Ala Ala Lys Ala Ala Ala Lys Ala Ala Lys  
1 5 10

<210> 528

<211> 12

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

<400> 528

Lys Val Val Val Lys Val Val Val Lys Val Val Lys  
1 5 10

<210> 529

<211> 12

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

<400> 529

Lys Val Val Val Lys Val Lys Val Lys Val Val Lys  
1 5 10

<210> 530  
<211> 11  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

<400> 530  
Lys Val Val Val Lys Val Lys Val Lys Val Lys  
1 5 10

<210> 531  
<211> 12  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

<400> 531  
Lys Val Val Val Lys Val Lys Val Lys Val Val Lys  
1 5 10

<210> 532  
<211> 6  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

<400> 532  
Lys Leu Ile Leu Lys Leu  
1 5

<210> 533

<211> 6  
<212> PRT  
<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

<400> 533

Lys Val Leu His Leu Leu  
1 5

<210> 534

<211> 6

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

<400> 534

Leu Lys Leu Arg Leu Leu  
1 5

<210> 535

<211> 6

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

<400> 535

Lys Pro Leu His Leu Leu  
1 5

<210> 536

<211> 8

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

<400> 536

Lys Leu Ile Leu Lys Leu Val Arg  
1 5

<210> 537

<211> 8

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

<400> 537

Lys Val Phe His Leu Leu His Leu  
1 5

<210> 538

<211> 8

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

<400> 538

His Lys Phe Arg Ile Leu Lys Leu  
1 5

<210> 539

<211> 8

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:VIP MIMETIC



PEPTIDE

<400> 539

Lys Pro Phe His Ile Leu His Leu  
1 5

<210> 540

<211> 12

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

<400> 540

Lys Ile Ile Ile Lys Ile Lys Ile Lys Ile Ile Lys  
1 5 10

<210> 541

<211> 12

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

<400> 541

Lys Ile Ile Ile Lys Ile Lys Ile Lys Ile Ile Lys  
1 5 10

<210> 542

<211> 12

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

<400> 542

Lys Ile Ile Ile Lys Ile Lys Ile Lys Ile Ile Lys  
1 5 10

<210> 543

<211> 12

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

<400> 543

Lys Ile Pro Ile Lys Ile Lys Ile Lys Ile Pro Lys  
1 5 10

<210> 544

<211> 12

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

<400> 544

Lys Ile Pro Ile Lys Ile Lys Ile Lys Ile Val Lys  
1 5 10

<210> 545

<211> 12

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

<400> 545

Arg Ile Ile Ile Arg Ile Arg Ile Arg Ile Ile Arg  
1 5 10

<210> 546  
<211> 12  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

<400> 546  
Arg Ile Ile Ile Arg Ile Arg Ile Arg Ile Ile Arg  
1 5 10

<210> 547  
<211> 12  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

<400> 547  
Arg Ile Ile Ile Arg Ile Arg Ile Arg Ile Ile Arg  
1 5 10

<210> 548  
<211> 12  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

<400> 548  
Arg Ile Val Ile Arg Ile Arg Ile Arg Leu Ile Arg  
1 5 10

<210> 549

<211> 12  
<212> PRT  
<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

<400> 549

Arg Ile Ile Val Arg Ile Arg Leu Arg Ile Ile Arg  
1 5 10

<210> 550

<211> 12

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

<400> 550

Arg Ile Gly Ile Arg Leu Arg Val Arg Ile Ile Arg  
1 5 10

<210> 551

<211> 12

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

<400> 551

Lys Ile Val Ile Arg Ile Arg Ile Arg Leu Ile Arg  
1 5 10

<210> 552

<211> 12

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

<400> 552

Arg Ile Ala Val Lys Trp Arg Leu Arg Phe Ile Lys  
1 5 10

<210> 553

<211> 12

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

<400> 553

Lys Ile Gly Trp Lys Leu Arg Val Arg Ile Ile Arg  
1 5 10

<210> 554

<211> 12

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

<400> 554

Lys Lys Ile Gly Trp Leu Ile Ile Arg Val Arg Arg  
1 5 10

<210> 555

<211> 14

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:VIP MIMETIC

PEPTIDE

<400> 555

Arg Ile Val Ile Arg Ile Arg Ile Arg Leu Ile Arg Ile Arg  
1 5 10

<210> 556

<211> 14

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

<400> 556

Arg Ile Ile Val Arg Ile Arg Leu Arg Ile Ile Arg Val Arg  
1 5 10

<210> 557

<211> 14

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

<400> 557

Arg Ile Gly Ile Arg Leu Arg Val Arg Ile Ile Arg Arg Val  
1 5 10

<210> 558

<211> 16

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

<400> 558

Lys Ile Val Ile Arg Ile Arg Ala Arg Leu Ile Arg Ile Arg Ile Arg  
 1 5 10 15

<210> 559

<211> 16

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:VIP MIMETIC  
 PEPTIDE

<400> 559

Arg Ile Ile Val Lys Ile Arg Leu Arg Ile Ile Lys Lys Ile Arg Leu  
 1 5 10 15

<210> 560

<211> 16

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:VIP MIMETIC  
 PEPTIDE

<400> 560

Lys Ile Gly Ile Lys Ala Arg Val Arg Ile Ile Arg Val Lys Ile Ile  
 1 5 10 15

<210> 561

<211> 16

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:VIP MIMETIC  
 PEPTIDE

<400> 561

Arg Ile Ile Val His Ile Arg Leu Arg Ile Ile His His Ile Arg Leu  
 1 5 10 15

<210> 562  
<211> 16  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

<400> 562  
His Ile Gly Ile Lys Ala His Val Arg Ile Ile Arg Val His Ile Ile  
1 5 10 15

<210> 563  
<211> 16  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

<400> 563  
Arg Ile Tyr Val Lys Ile His Leu Arg Tyr Ile Lys Lys Ile Arg Leu  
1 5 10 15

<210> 564  
<211> 16  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

<400> 564  
Lys Ile Gly His Lys Ala Arg Val His Ile Ile Arg Tyr Lys Ile Ile  
1 5 10 15

<210> 565



<211> 16  
<212> PRT  
<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

<400> 565

Arg Ile Tyr Val Lys Pro His Pro Arg Tyr Ile Lys Lys Ile Arg Leu  
1 5 10 15

<210> 566

<211> 16

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

<400> 566

Lys Pro Gly His Lys Ala Arg Pro His Ile Ile Arg Tyr Lys Ile Ile  
1 5 10 15

<210> 567

<211> 19

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

<400> 567

Lys Ile Val Ile Arg Ile Arg Ile Arg Leu Ile Arg Ile Arg Ile Arg  
1 5 10 15

Lys Ile Val

<210> 568

<211> 19  
<212> PRT  
<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

<400> 568

Arg Ile Ile Val Lys Ile Arg Leu Arg Ile Ile Lys Lys Ile Arg Leu  
1 5 10 15

Ile Lys Lys

<210> 569

<211> 19

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

<400> 569

Lys Ile Gly Trp Lys Leu Arg Val Arg Ile Ile Arg Val Lys Ile Gly  
1 5 10 15

Arg Leu Arg

<210> 570

<211> 25

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

<400> 570

Lys Ile Val Ile Arg Ile Arg Ile Arg Leu Ile Arg Ile Arg Ile Arg  
1 5 10 15

Lys Ile Val Lys Val Lys Arg Ile Arg  
20 25

<210> 571

<211> 26

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

<400> 571

Arg Phe Ala Val Lys Ile Arg Leu Arg Ile Ile Lys Lys Ile Arg Leu  
1 5 10 15

Ile Lys Lys Ile Arg Lys Arg Val Ile Lys  
20 25

<210> 572

<211> 30

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

<400> 572

Lys Ala Gly Trp Lys Leu Arg Val Arg Ile Ile Arg Val Lys Ile Gly  
1 5 10 15

Arg Leu Arg Lys Ile Gly Trp Lys Lys Arg Val Arg Ile Lys  
20 25 30

<210> 573

<211> 16

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:VIP MIMETIC

# PEPTIDE

<400> 573

Arg Ile Tyr Val Lys Pro His Pro Arg Tyr Ile Lys Lys Ile Arg Leu  
 1 5 10 15

<210> 574

<211> 16

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:VIP MIMETIC  
 PEPTIDE

<400> 574

Lys Pro Gly His Lys Ala Arg Pro His Ile Ile Arg Tyr Lys Ile Ile  
 1 5 10 15

<210> 575

<211> 19

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:VIP MIMETIC  
 PEPTIDE

<400> 575

Lys Ile Val Ile Arg Ile Arg Ile Arg Leu Ile Arg Ile Arg Ile Arg  
 1 5 10 15

Lys Ile Val

<210> 576

<211> 19

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:VIP MIMETIC

# PEPTIDE

<400> 576

Arg Ile Ile Val Lys Ile Arg Leu Arg Ile Ile Lys Lys Ile Arg Leu  
 1 5 10 15

Ile Lys Lys

<210> 577

<211> 16

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:VIP MIMETIC  
 PEPTIDE

<400> 577

Arg Ile Tyr Val Ser Lys Ile Ser Ile Tyr Ile Lys Lys Ile Arg Leu  
 1 5 10 15

<210> 578

<211> 19

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:VIP MIMETIC  
 PEPTIDE

<400> 578

Lys Ile Val Ile Phe Thr Arg Ile Arg Leu Thr Ser Ile Arg Ile Arg  
 1 5 10 15

Ser Ile Val

<210> 579

<211> 16

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

<400> 579

Lys	Pro	Ile	His	Lys	Ala	Arg	Pro	Thr	Ile	Ile	Arg	Tyr	Lys	Met	Ile
1				5					10					15	

<210> 580

<211> 26

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

<220>

<223> At position 1, disulfide bond to position 26

<220>

<223> At position 26, disulfide bond to position 1

<400> 580

Xaa	Cys	Lys	Gly	Phe	Phe	Ala	Leu	Ile	Pro	Lys	Ile	Ile	Ser	Ser	Pro
1				5					10					15	

Leu	Phe	Lys	Thr	Leu	Leu	Ser	Ala	Val	Cys
				20				25	

<210> 581

<211> 26

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

<400> 581

Cys	Lys	Lys	Gly	Phe	Phe	Ala	Leu	Ile	Pro	Lys	Ile	Ile	Ser	Ser	Pro
1				5					10					15	

Leu Phe Lys Thr Leu Leu Ser Ala Val Cys  
 20 25

<210> 582  
 <211> 27  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Description of Artificial Sequence:VIP MIMETIC  
 PEPTIDE

<400> 582  
 Cys Lys Lys Lys Gly Phe Phe Ala Leu Ile Pro Lys Ile Ile Ser Ser  
 1 5 10 15

Pro Leu Phe Lys Thr Leu Leu Ser Ala Val Cys  
 20 25

<210> 583  
 <211> 17  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Description of Artificial Sequence:VIP MIMETIC  
 PEPTIDE

<220>  
 <223> At position 1, disulfide bond to position 17

<220>  
 <223> At position 17, disulfide bond to position 1

<400> 583  
 Xaa Cys Arg Ile Val Ile Arg Ile Arg Ile Arg Leu Ile Arg Ile Arg  
 1 5 10 15

Cys

<210> 584

<211> 19  
<212> PRT  
<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

<220>

<223> At position 1, disulfide bond to position 19

<220>

<223> At position 19, disulfide bond to position 1

<400> 584

Xaa	Cys	Lys	Pro	Gly	His	Lys	Ala	Arg	Pro	His	Ile	Ile	Arg	Tyr	Lys
1				5					10					15	

Ile Ile Cys

<210> 585

<211> 29

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

<220>

<223> At position 1, disulfide bond to position 29

<220>

<223> At position 29, disulfide bond to position 1

<400> 585

Xaa	Cys	Arg	Phe	Ala	Val	Lys	Ile	Arg	Leu	Arg	Ile	Ile	Lys	Lys	Ile
1				5					10					15	

Arg	Leu	Ile	Lys	Lys	Ile	Arg	Lys	Arg	Val	Ile	Lys	Cys
			20					25				

<210> 586



<211> 13  
<212> PRT  
<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

<400> 586

Lys Leu Leu Leu Lys Leu Leu Leu Lys Leu Leu Lys Cys  
1 5 10

<210> 587

<211> 12

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

<400> 587

Lys Leu Leu Leu Lys Leu Leu Leu Lys Leu Leu Lys  
1 5 10

<210> 588

<211> 13

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

<400> 588

Lys Leu Leu Leu Lys Leu Lys Leu Lys Leu Leu Lys Cys  
1 5 10

<210> 589

<211> 12

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

<400> 589

Lys Leu Leu Leu Lys Leu Leu Leu Lys Leu Leu Lys  
1 5 10

<210> 590

<211> 28

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

<400> 590

His Ser Asp Ala Val Phe Tyr Asp Asn Tyr Thr Arg Leu Arg Lys Gln  
1 5 10 15

Met Ala Val Lys Lys Tyr Leu Asn Ser Ile Leu Asn  
20 25

<210> 591

<211> 31

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

<400> 591

Asn Leu Glu His Ser Asp Ala Val Phe Tyr Asp Asn Tyr Thr Arg Leu  
1 5 10 15

Arg Lys Gln Met Ala Val Lys Lys Tyr Leu Asn Ser Ile Leu Asn  
20 25 30

<210> 592

<211> 4  
<212> PRT  
<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

<220>

<223> At position 1, Xaa is absent or is ala, val,  
ala-val, val-ala, L-lys, D-lys, ala-lys, val-lys,  
ala-val-lys, val-ala-lys, or an ornithinyl residue

<220>

<223> At position 2, Xaa is L-lys, D-lys or an  
ornithinyl residue

<220>

<223> At position 3, Xaa is L-tyr, D-tyr, phe, trp or a  
p-aminophenylalanyl residue

<220>

<223> At position 4, Xaa is a hydrophobic aliphatic  
amino acid residue (X5), X5-leu, X5-norleucyl,  
X5-D-ala, X5-asn-ser, X5-asn-ser-ile,  
X5-asn-ser-tyr, X5-asn-ser-ile-leu,  
X5-asn-ser-tyr-leu,

<220>

<223> or X5-asn-ser-tyr-leu-asn

<400> 592

Xaa Xaa Xaa Xaa

1

<210> 593

<211> 5

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

<220>

<223> At position 1, Xaa is either absent, a hydrophobic

aliphatic residue (X5), X5-asn, tyr-X5, lys-X5,  
 lyx-S5-asn, lys-tyr-X5, lys-tyr-X5-as,  
 lys-lys-tyr-X5, lys-lys-tyr-X5-asn,  
 val-lys-lys-tyr-X5,

<220>

<223> val-ala-lys-lys-tyr-X5-asn, or  
 ala-val-lys-lys-tyr-X5-asn

<220>

<223> At position 3, Xaa is ile or tyr

<400> 593

Xaa Ser Xaa Leu Asn  
 1 5

<210> 594

<211> 7

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:VIP MIMETIC  
 PEPTIDE

<220>

<223> At positions 1 and 6, Xaa are cross-linked amino  
 acid residues in which the sidechain linker group  
 is (CH<sub>2</sub>)<sub>m</sub>-Z-(CH<sub>2</sub>)<sub>n</sub> wherein Z is -CONH-, -NHCO-,  
 -S-S-, -S(CH<sub>2</sub>)<sub>t</sub>CO-NH or -NH-CO(CH<sub>2</sub>)<sub>t</sub>S-; m is 1 or  
 2

<220>

<223> when Z is -NH-CO- or -NH-CO(CH<sub>2</sub>)<sub>t</sub>S-; n is 1 or 2  
 when Z is -NH-CO-, -S-S- or -NH-CO(CH<sub>2</sub>)<sub>t</sub>S, or n is  
 2, 3 or 4 when Z is -CONH- or -S(CH<sub>2</sub>)<sub>t</sub>CO-NH-

<220>

<223> At position 5, Xaa is a hydrophobic aliphatic  
 amino acid residue

<220>

<223> At position 7, Xaa is a covalent bond or Asn, Ser,  
 Ile, Tyr, Leu, Asn-Ser, Asn-Ser-Ile, Asn-Ser-Tyr,  
 Asn-Ser-Ile-Leu, Asn-Ser-Tyr-Leu,  
 Asn-Ser-Ile-Leu-Asn or Asn-Ser-Tyr-Leu-Asn

<400> 594

Xaa Lys Lys Tyr Xaa Xaa Xaa  
1 5

<210> 595

<211> 4

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

<400> 595

Lys Lys Tyr Leu  
1

<210> 596

<211> 5

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

<400> 596

Asn Ser Ile Leu Asn  
1 5

<210> 597

<211> 4

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

<400> 597

Lys Lys Tyr Leu

1

<210> 598

<211> 4

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

<220>

<223> At position 4, D amino acid residue

<400> 598

Lys Lys Tyr Ala

1

<210> 599

<211> 6

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

<400> 599

Ala Val Lys Lys Tyr Leu

1

5

<210> 600

<211> 5

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

<400> 600

Asn Ser Ile Leu Asn

<210> 601  
<211> 4  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

<400> 601  
Lys Lys Tyr Val  
1

<210> 602  
<211> 4  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

<220>  
<223> At position 3, Xaa is a lauric acid residue

<400> 602  
Ser Ile Xaa Asn  
1

<210> 603  
<211> 5  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

<220>  
<223> At position 5, Xaa is a norleucyl residue

<400> 603

Lys Lys Tyr Leu Xaa

1 5

<210> 604

<211> 5

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

<400> 604

Asn Ser Tyr Leu Asn

1 5

<210> 605

<211> 5

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

<400> 605

Asn Ser Ile Tyr Asn

1 5

<210> 606

<211> 11

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

<400> 606

Lys Lys Tyr Leu Pro Pro Asn Ser Ile Leu Asn



1

5

10

<210> 607

<211> 5

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

<220>

<223> At position 1, Xaa is a lauric acid residue

<400> 607

Xaa Lys Lys Tyr Leu

1

5

<210> 608

<211> 5

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

<220>

<223> At position 1, Xaa is a caproic acid residue

<400> 608

Xaa Lys Lys Tyr Leu

1

5

<210> 609

<211> 4

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

<220>  
<223> At position 4, Xaa is a norleucyl residue

<400> 609  
Lys Lys Tyr Xaa  
1

<210> 610  
<211> 5  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

<400> 610  
Val Lys Lys Tyr Leu  
1 5

<210> 611  
<211> 6  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

<400> 611  
Leu Asn Ser Ile Leu Asn  
1 5

<210> 612  
<211> 7  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

<400> 612

Tyr Leu Asn Ser Ile Leu Asn

1

5

<210> 613

<211> 5

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

<400> 613

Lys Lys Tyr Leu Asn

1

5

<210> 614

<211> 6

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

<400> 614

Lys Lys Tyr Leu Asn Ser

1

5

<210> 615

<211> 7

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

<400> 615

Lys Lys Tyr Leu Asn Ser Ile

1

5

<210> 616

<211> 8

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

<400> 616

Lys Lys Tyr Leu Asn Ser Ile Leu

1

5

<210> 617

<211> 4

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

<400> 617

Lys Lys Tyr Leu

1

<210> 618

<211> 5

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

<400> 618

Lys Lys Tyr Asp Ala

1

5

<210> 619  
<211> 6  
<212> PRT  
<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

<400> 619

Ala Val Lys Lys Tyr Leu  
1 5

<210> 620

<211> 5

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

<400> 620

Asn Ser Ile Leu Asn  
1 5

<210> 621

<211> 4

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

<400> 621

Lys Lys Tyr Val  
1

<210> 622

<211> 4

<212> PRT  
<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

<220>

<223> At position 3, Xaa is a lauric acid residue

<400> 622

Ser Ile Xaa Asn

1

<210> 623

<211> 5

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

<400> 623

Asn Ser Tyr Leu Asn

1

5

<210> 624

<211> 5

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

<400> 624

Asn Ser Ile Tyr Asn

1

5

<210> 625

<211> 5

<212> PRT  
<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

<220>

<223> At position 5, Xaa is a norleucyl residue

<400> 625

Lys Lys Tyr Leu Xaa  
1 5

<210> 626

<211> 11

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

<400> 626

Lys Lys Tyr Leu Pro Pro Asn Ser Ile Leu Asn  
1 5 10

<210> 627

<211> 4

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

<400> 627

Lys Lys Tyr Leu  
1

<210> 628

<211> 5

<212> PRT  
<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

<400> 628

Lys Lys Tyr Asp Ala  
1 5

<210> 629

<211> 6

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

<400> 629

Ala Val Lys Lys Tyr Leu  
1 5

<210> 630

<211> 5

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

<400> 630

Asn Ser Ile Leu Asn  
1 5

<210> 631

<211> 4

<212> PRT

<213> Artificial Sequence



<220>  
<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

<400> 631  
Lys Lys Tyr Val  
1

<210> 632  
<211> 4  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

<220>  
<223> At position 3, Xaa is a lauric acid residue  
  
<400> 632  
Ser Ile Xaa Asn  
1

<210> 633  
<211> 6  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

<400> 633  
Leu Ala Lys Lys Tyr Leu  
1 5

<210> 634  
<211> 7  
<212> PRT  
<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

<400> 634

Cys Ala Pro Lys Lys Tyr Leu  
1 5

<210> 635

<211> 4

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

<220>

<223> At position 4, Xaa is a norleucyl residue

<400> 635

Lys Lys Tyr Xaa  
1

<210> 636

<211> 5

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

<400> 636

Val Lys Lys Tyr Leu  
1 5

<210> 637

<211> 6

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

<400> 637

Leu Asn Ser Ile Leu Asn

1

5

<210> 638

<211> 7

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

<400> 638

Tyr Leu Asn Ser Ile Leu Asn

1

5

<210> 639

<211> 5

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

<220>

<223> At position 5, Xaa is a norleucyl residue

<400> 639

Lys Lys Tyr Leu Xaa

1

5

<210> 640

<211> 5

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

<400> 640

Lys Lys Tyr Leu Asn  
1 5

<210> 641

<211> 6

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

<400> 641

Lys Lys Tyr Leu Asn Ser  
1 5

<210> 642

<211> 7

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

<400> 642

Lys Lys Tyr Leu Asn Ser Ile  
1 5

<210> 643

<211> 8

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

<400> 643

Lys Lys Tyr Leu Asn Ser Ile Leu

1

5

<210> 644

<211> 6

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

<400> 644

Lys Lys Lys Tyr Leu Asp

1

5

<210> 645

<211> 7

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

<220>

<223> At positions 1, 6 disulfide cross-linked

<400> 645

Xaa Cys Lys Lys Tyr Leu Cys

1

5

<210> 646

<211> 6

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

<220>  
<223> At positions 1, 6 cross-linked by S-CH2-CO

<400> 646  
Cys Lys Lys Tyr Leu Lys  
1 5

<210> 647  
<211> 4  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

<220>  
<223> At position 4, D amino acid residue

<400> 647  
Lys Lys Tyr Ala  
1

<210> 648  
<211> 8  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

<400> 648  
Trp Trp Thr Asp Thr Gly Leu Trp  
1 5

<210> 649  
<211> 8  
<212> PRT  
<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

<400> 649

Trp Trp Thr Asp Asp Gly Leu Trp  
1 5

<210> 650

<211> 12

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

<400> 650

Trp Trp Asp Thr Arg Gly Leu Trp Val Trp Thr Ile  
1 5 10

<210> 651

<211> 12

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

<400> 651

Phe Trp Gly Asn Asp Gly Ile Trp Leu Glu Ser Gly  
1 5 10

<210> 652

<211> 12

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

<400> 652

Asp Trp Asp Gln Phe Gly Leu Trp Arg Gly Ala Ala  
1 5 10

<210> 653

<211> 12

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

<400> 653

Arg Trp Asp Asp Asn Gly Leu Trp Val Val Val Leu  
1 5 10

<210> 654

<211> 12

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

<400> 654

Ser Gly Met Trp Ser His Tyr Gly Ile Trp Met Gly  
1 5 10

<210> 655

<211> 12

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

<400> 655

Gly Gly Arg Trp Asp Gln Ala Gly Leu Trp Val Ala



1

5

10

&lt;210&gt; 656

&lt;211&gt; 12

&lt;212&gt; PRT

&lt;213&gt; Artificial Sequence

&lt;220&gt;

<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

&lt;400&gt; 656

Lys Leu Trp Ser Glu Gln Gly Ile Trp Met Gly Glu

1

5

10

&lt;210&gt; 657

&lt;211&gt; 10

&lt;212&gt; PRT

&lt;213&gt; Artificial Sequence

&lt;220&gt;

<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

&lt;400&gt; 657

Cys Trp Ser Met His Gly Leu Trp Leu Cys

1

5

10

&lt;210&gt; 658

&lt;211&gt; 12

&lt;212&gt; PRT

&lt;213&gt; Artificial Sequence

&lt;220&gt;

<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

&lt;400&gt; 658

Gly Cys Trp Asp Asn Thr Gly Ile Trp Val Pro Cys

1

5

10

<210> 659  
 <211> 10  
 <212> PRT  
 <213> Artificial Sequence  
  
 <220>  
 <223> Description of Artificial Sequence:VIP MIMETIC  
 PEPTIDE

<400> 659  
 Asp Trp Asp Thr Arg Gly Leu Trp Val Tyr  
 1 5 10

<210> 660  
 <211> 10  
 <212> PRT  
 <213> Artificial Sequence  
  
 <220>  
 <223> Description of Artificial Sequence:VIP MIMETIC  
 PEPTIDE

<400> 660  
 Ser Leu Trp Asp Glu Asn Gly Ala Trp Ile  
 1 5 10

<210> 661  
 <211> 10  
 <212> PRT  
 <213> Artificial Sequence  
  
 <220>  
 <223> Description of Artificial Sequence:VIP MIMETIC  
 PEPTIDE

<400> 661  
 Lys Trp Asp Asp Arg Gly Leu Trp Met His  
 1 5 10

<210> 662  
 <211> 10

<212> PRT  
<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

<400> 662

Gln Ala Trp Asn Glu Arg Gly Leu Trp Thr  
1 5 10

<210> 663

<211> 10

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

<400> 663

Gln Trp Asp Thr Arg Gly Leu Trp Val Ala  
1 5 10

<210> 664

<211> 9

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

<400> 664

Trp Asn Val His Gly Ile Trp Gln Glu  
1 5

<210> 665

<211> 10

<212> PRT

<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

<400> 665  
Ser Trp Asp Thr Arg Gly Leu Trp Val Glu  
1 5 10

<210> 666  
<211> 10  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

<400> 666  
Asp Trp Asp Thr Arg Gly Leu Trp Val Ala  
1 5 10

<210> 667  
<211> 10  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

<400> 667  
Ser Trp Gly Arg Asp Gly Leu Trp Ile Glu  
1 5 10

<210> 668  
<211> 10  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

<400> 668

Glu Trp Thr Asp Asn Gly Leu Trp Ala Leu  
1 5 10

<210> 669

<211> 10

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

<400> 669

Ser Trp Asp Glu Lys Gly Leu Trp Ser Ala  
1 5 10

<210> 670

<211> 10

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:VIP MIMETIC  
PEPTIDE

<400> 670

Ser Trp Asp Ser Ser Gly Leu Trp Met Asp  
1 5 10

<210> 671

<211> 11

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 671

Ser His Leu Tyr Trp Gln Pro Tyr Ser Val Gln

1

5

10

<210> 672

<211> 12

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 672

Thr Leu Val Tyr Trp Gln Pro Tyr Ser Leu Gln Thr  
1 5 10

<210> 673

<211> 12

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 673

Arg Gly Asp Tyr Trp Gln Pro Tyr Ser Val Gln Ser  
1 5 10

<210> 674

<211> 12

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 674

Val His Val Tyr Trp Gln Pro Tyr Ser Val Gln Thr  
1 5 10

<210> 675  
<211> 12  
<212> PRT  
<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 675

Arg Leu Val Tyr Trp Gln Pro Tyr Ser Val Gln Thr  
1 5 10

<210> 676

<211> 12

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 676

Ser Arg Val Trp Phe Gln Pro Tyr Ser Leu Gln Ser  
1 5 10

<210> 677

<211> 12

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 677

Asn Met Val Tyr Trp Gln Pro Tyr Ser Ile Gln Thr  
1 5 10

<210> 678

<211> 12

<212> PRT  
<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 678

Ser	Val	Val	Phe	Trp	Gln	Pro	Tyr	Ser	Val	Gln	Thr
1				5						10	

<210> 679

<211> 12

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 679

Thr	Phe	Val	Tyr	Trp	Gln	Pro	Tyr	Ala	Leu	Pro	Leu
1				5						10	

<210> 680

<211> 12

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 680

Thr	Leu	Val	Tyr	Trp	Gln	Pro	Tyr	Ser	Ile	Gln	Arg
1				5						10	

<210> 681

<211> 12

<212> PRT

<213> Artificial Sequence



<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 681

Arg Leu Val Tyr Trp Gln Pro Tyr Ser Val Gln Arg  
1 5 10

<210> 682

<211> 12

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 682

Ser Pro Val Phe Trp Gln Pro Tyr Ser Ile Gln Ile  
1 5 10

<210> 683

<211> 12

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 683

Trp Ile Glu Trp Trp Gln Pro Tyr Ser Val Gln Ser  
1 5 10

<210> 684

<211> 12

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 684

Ser Leu Ile Tyr Trp Gln Pro Tyr Ser Leu Gln Met  
1 5 10

<210> 685

<211> 12

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 685

Thr Arg Leu Tyr Trp Gln Pro Tyr Ser Val Gln Arg  
1 5 10

<210> 686

<211> 12

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 686

Arg Cys Asp Tyr Trp Gln Pro Tyr Ser Val Gln Thr  
1 5 10

<210> 687

<211> 12

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 687

Met Arg Val Phe Trp Gln Pro Tyr Ser Val Gln Asn

1

5

10

<210> 688

<211> 12

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 688

Lys Ile Val Tyr Trp Gln Pro Tyr Ser Val Gln Thr  
1 5 10

<210> 689

<211> 12

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 689

Arg His Leu Tyr Trp Gln Pro Tyr Ser Val Gln Arg  
1 5 10

<210> 690

<211> 12

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 690

Ala Leu Val Trp Trp Gln Pro Tyr Ser Glu Gln Ile  
1 5 10

<210> 691  
<211> 12  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 691  
Ser Arg Val Trp Phe Gln Pro Tyr Ser Leu Gln Ser  
1 5 10

<210> 692  
<211> 10  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 692  
Trp Glu Gln Pro Tyr Ala Leu Pro Leu Glu  
1 5 10

<210> 693  
<211> 12  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 693  
Gln Leu Val Trp Trp Gln Pro Tyr Ser Val Gln Arg  
1 5 10

<210> 694  
<211> 12

<212> PRT  
<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 694

Asp Leu Arg Tyr Trp Gln Pro Tyr Ser Val Gln Val  
1 5 10

<210> 695

<211> 12

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 695

Glu Leu Val Trp Trp Gln Pro Tyr Ser Leu Gln Leu  
1 5 10

<210> 696

<211> 12

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 696

Asp Leu Val Trp Trp Gln Pro Tyr Ser Val Gln Trp  
1 5 10

<210> 697

<211> 12

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 697

Asn Gly Asn Tyr Trp Gln Pro Tyr Ser Phe Gln Val  
1 5 10

<210> 698

<211> 12

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 698

Glu Leu Val Tyr Trp Gln Pro Tyr Ser Ile Gln Arg  
1 5 10

<210> 699

<211> 12

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 699

Glu Leu Met Tyr Trp Gln Pro Tyr Ser Val Gln Glu  
1 5 10

<210> 700

<211> 12

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 700

Asn Leu Leu Tyr Trp Gln Pro Tyr Ser Met Gln Asp  
1 5 10

<210> 701

<211> 12

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 701

Gly Tyr Glu Trp Tyr Gln Pro Tyr Ser Val Gln Arg  
1 5 10

<210> 702

<211> 12

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 702

Ser Arg Val Trp Tyr Gln Pro Tyr Ser Val Gln Arg  
1 5 10

<210> 703

<211> 12

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 703

Leu Ser Glu Gln Tyr Gln Pro Tyr Ser Val Gln Arg

1

5

10

&lt;210&gt; 704

&lt;211&gt; 12

&lt;212&gt; PRT

&lt;213&gt; Artificial Sequence

&lt;220&gt;

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

&lt;400&gt; 704

Gly Gly Gly Trp Trp Gln Pro Tyr Ser Val Gln Arg  
1 5 10

&lt;210&gt; 705

&lt;211&gt; 12

&lt;212&gt; PRT

&lt;213&gt; Artificial Sequence

&lt;220&gt;

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

&lt;400&gt; 705

Val Gly Arg Trp Tyr Gln Pro Tyr Ser Val Gln Arg  
1 5 10

&lt;210&gt; 706

&lt;211&gt; 12

&lt;212&gt; PRT

&lt;213&gt; Artificial Sequence

&lt;220&gt;

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

&lt;400&gt; 706

Val His Val Tyr Trp Gln Pro Tyr Ser Val Gln Arg  
1 5 10



<210> 707  
<211> 12  
<212> PRT  
<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 707

Gln Ala Arg Trp Tyr Gln Pro Tyr Ser Val Gln Arg  
1 5 10

<210> 708

<211> 12

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 708

Val His Val Tyr Trp Gln Pro Tyr Ser Val Gln Thr  
1 5 10

<210> 709

<211> 12

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 709

Arg Ser Val Tyr Trp Gln Pro Tyr Ser Val Gln Arg  
1 5 10

<210> 710

<211> 12

<212> PRT  
<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 710

Thr	Arg	Val	Trp	Phe	Gln	Pro	Tyr	Ser	Val	Gln	Arg
1				5					10		

<210> 711

<211> 12

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 711

Gly	Arg	Ile	Trp	Phe	Gln	Pro	Tyr	Ser	Val	Gln	Arg
1				5					10		

<210> 712

<211> 12

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 712

Gly	Arg	Val	Trp	Phe	Gln	Pro	Tyr	Ser	Val	Gln	Arg
1				5					10		

<210> 713

<211> 12

<212> PRT

<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 713  
Ala Arg Thr Trp Tyr Gln Pro Tyr Ser Val Gln Arg  
1 5 10

<210> 714  
<211> 12  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 714  
Ala Arg Val Trp Trp Gln Pro Tyr Ser Val Gln Met  
1 5 10

<210> 715  
<211> 12  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 715  
Arg Leu Met Phe Tyr Gln Pro Tyr Ser Val Gln Arg  
1 5 10

<210> 716  
<211> 12  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 716

Glu Ser Met Trp Tyr Gln Pro Tyr Ser Val Gln Arg  
1 5 10

<210> 717

<211> 12

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 717

His Phe Gly Trp Trp Gln Pro Tyr Ser Val His Met  
1 5 10

<210> 718

<211> 12

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 718

Ala Arg Phe Trp Trp Gln Pro Tyr Ser Val Gln Arg  
1 5 10

<210> 719

<211> 12

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 719

Arg Leu Val Tyr Trp Gln Pro Tyr Ala Pro Ile Tyr

1 5 10

<210> 720  
<211> 12  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 720  
Arg Leu Val Tyr Trp Gln Pro Tyr Ser Tyr Gln Thr  
1 5 10

<210> 721  
<211> 12  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 721  
Arg Leu Val Tyr Trp Gln Pro Tyr Ser Leu Pro Ile  
1 5 10

<210> 722  
<211> 12  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 722  
Arg Leu Val Tyr Trp Gln Pro Tyr Ser Val Gln Ala  
1 5 10

<210> 723  
<211> 12  
<212> PRT  
<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 723

Ser Arg Val Trp Tyr Gln Pro Tyr Ala Lys Gly Leu  
1 5 10

<210> 724

<211> 12

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 724

Ser Arg Val Trp Tyr Gln Pro Tyr Ala Gln Gly Leu  
1 5 10

<210> 725

<211> 12

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 725

Ser Arg Val Trp Tyr Gln Pro Tyr Ala Met Pro Leu  
1 5 10

<210> 726

<211> 12

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 726

Ser Arg Val Trp Tyr Gln Pro Tyr Ser Val Gln Ala  
1 5 10

<210> 727

<211> 12

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 727

Ser Arg Val Trp Tyr Gln Pro Tyr Ser Leu Gly Leu  
1 5 10

<210> 728

<211> 12

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 728

Ser Arg Val Trp Tyr Gln Pro Tyr Ala Arg Glu Leu  
1 5 10

<210> 729

<211> 12

<212> PRT

<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 729  
Ser Arg Val Trp Tyr Gln Pro Tyr Ser Arg Gln Pro  
1 5 10

<210> 730  
<211> 12  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 730  
Ser Arg Val Trp Tyr Gln Pro Tyr Phe Val Gln Pro  
1 5 10

<210> 731  
<211> 12  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 731  
Glu Tyr Glu Trp Tyr Gln Pro Tyr Ala Leu Pro Leu  
1 5 10

<210> 732  
<211> 12  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE



<400> 732

Ile Pro Glu Tyr Trp Gln Pro Tyr Ala Leu Pro Leu  
1 5 10

<210> 733

<211> 12

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 733

Ser Arg Ile Trp Trp Gln Pro Tyr Ala Leu Pro Leu  
1 5 10

<210> 734

<211> 12

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 734

Asp Pro Leu Phe Trp Gln Pro Tyr Ala Leu Pro Leu  
1 5 10

<210> 735

<211> 12

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 735

Ser Arg Gln Trp Val Gln Pro Tyr Ala Leu Pro Leu

1

5

10

&lt;210&gt; 736

&lt;211&gt; 12

&lt;212&gt; PRT

&lt;213&gt; Artificial Sequence

&lt;220&gt;

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

&lt;400&gt; 736

Ile Arg Ser Trp Trp Gln Pro Tyr Ala Leu Pro Leu  
1 5 10

&lt;210&gt; 737

&lt;211&gt; 11

&lt;212&gt; PRT

&lt;213&gt; Artificial Sequence

&lt;220&gt;

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

&lt;400&gt; 737

Arg Gly Tyr Trp Gln Pro Tyr Ala Leu Pro Leu  
1 5 10

&lt;210&gt; 738

&lt;211&gt; 12

&lt;212&gt; PRT

&lt;213&gt; Artificial Sequence

&lt;220&gt;

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

&lt;400&gt; 738

Arg Leu Leu Trp Val Gln Pro Tyr Ala Leu Pro Leu  
1 5 10

<210> 739  
<211> 12  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 739  
Glu Tyr Arg Trp Phe Gln Pro Tyr Ala Leu Pro Leu  
1 5 10

<210> 740  
<211> 12  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 740  
Asp Ala Tyr Trp Val Gln Pro Tyr Ala Leu Pro Leu  
1 5 10

<210> 741  
<211> 12  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 741  
Trp Ser Gly Tyr Phe Gln Pro Tyr Ala Leu Pro Leu  
1 5 10

<210> 742  
<211> 12

<212> PRT  
<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 742

Asn Ile Glu Phe Trp Gln Pro Tyr Ala Leu Pro Leu  
1 5 10

<210> 743

<211> 12

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 743

Thr Arg Asp Trp Val Gln Pro Tyr Ala Leu Pro Leu  
1 5 10

<210> 744

<211> 12

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 744

Asp Ser Ser Trp Tyr Gln Pro Tyr Ala Leu Pro Leu  
1 5 10

<210> 745

<211> 12

<212> PRT

<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 745  
Ile Gly Asn Trp Tyr Gln Pro Tyr Ala Leu Pro Leu  
1 5 10

<210> 746  
<211> 12  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 746  
Asn Leu Arg Trp Asp Gln Pro Tyr Ala Leu Pro Leu  
1 5 10

<210> 747  
<211> 12  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 747  
Leu Pro Glu Phe Trp Gln Pro Tyr Ala Leu Pro Leu  
1 5 10

<210> 748  
<211> 12  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 748

Asp Ser Tyr Trp Trp Gln Pro Tyr Ala Leu Pro Leu  
1 5 10

<210> 749

<211> 12

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 749

Arg Ser Gln Tyr Tyr Gln Pro Tyr Ala Leu Pro Leu  
1 5 10

<210> 750

<211> 12

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 750

Ala Arg Phe Trp Leu Gln Pro Tyr Ala Leu Pro Leu  
1 5 10

<210> 751

<211> 12

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 751

Asn Ser Tyr Phe Trp Gln Pro Tyr Ala Leu Pro Leu

1

5

10

<210> 752

<211> 12

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 752

Arg Phe Met Tyr Trp Gln Pro Tyr Ser Val Gln Arg  
1 5 10

<210> 753

<211> 12

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 753

Ala His Leu Phe Trp Gln Pro Tyr Ser Val Gln Arg  
1 5 10

<210> 754

<211> 9

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 754

Trp Trp Gln Pro Tyr Ala Leu Pro Leu  
1 5

<210> 755  
<211> 9  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 755  
Tyr Tyr Gln Pro Tyr Ala Leu Pro Leu  
1 5

<210> 756  
<211> 9  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 756  
Tyr Phe Gln Pro Tyr Ala Leu Gly Leu  
1 5

<210> 757  
<211> 10  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 757  
Tyr Trp Tyr Gln Pro Tyr Ala Leu Pro Leu  
1 5 10

<210> 758  
<211> 10



<212> PRT  
<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 758

Arg	Trp	Trp	Gln	Pro	Tyr	Ala	Thr	Pro	Leu
1				5					10

<210> 759

<211> 10

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 759

Gly	Trp	Tyr	Gln	Pro	Tyr	Ala	Leu	Gly	Phe
1				5					10

<210> 760

<211> 10

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 760

Tyr	Trp	Tyr	Gln	Pro	Tyr	Ala	Leu	Gly	Leu
1				5					10

<210> 761

<211> 10

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 761

Ile Trp Tyr Gln Pro Tyr Ala Met Pro Leu

1 5 10

<210> 762

<211> 10

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 762

Ser Asn Met Gln Pro Tyr Gln Arg Leu Ser

1 5 10

<210> 763

<211> 20

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 763

Thr Phe Val Tyr Trp Gln Pro Tyr Ala Val Gly Leu Pro Ala Ala Glu

1 5 10 15

Thr Ala Cys Asn

20

<210> 764

<211> 20

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 764

Thr Phe Val Tyr Trp Gln Pro Tyr Ser Val Gln Met Thr Ile Thr Gly  
1 5 10 15

Lys Val Thr Met  
20

<210> 765

<211> 20

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 765

Thr Phe Val Tyr Trp Gln Pro Tyr Ser Ser His Xaa Xaa Val Pro Xaa  
1 5 10 15

Gly Phe Pro Leu  
20

<210> 766

<211> 20

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 766

Thr Phe Val Tyr Trp Gln Pro Tyr Tyr Gly Asn Pro Gln Trp Ala Ile  
1 5 10 15

His Val Arg His  
20

<210> 767  
<211> 20  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 767  
Thr Phe Val Tyr Trp Gln Pro Tyr Val Leu Leu Glu Leu Pro Glu Gly  
1 5 10 15

Ala Val Arg Ala  
20

<210> 768  
<211> 20  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 768  
Thr Phe Val Tyr Trp Gln Pro Tyr Val Asp Tyr Val Trp Pro Ile Pro  
1 5 10 15

Ile Ala Gln Val  
20

<210> 769  
<211> 11  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 769  
Gly Trp Tyr Gln Pro Tyr Val Asp Gly Trp Arg

1

5

10

&lt;210&gt; 770

&lt;211&gt; 12

&lt;212&gt; PRT

&lt;213&gt; Artificial Sequence

&lt;220&gt;

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

&lt;400&gt; 770

Arg Trp Glu Gln Pro Tyr Val Lys Asp Gly Trp Ser  
1 5 10

&lt;210&gt; 771

&lt;211&gt; 12

&lt;212&gt; PRT

&lt;213&gt; Artificial Sequence

&lt;220&gt;

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

&lt;400&gt; 771

Glu Trp Tyr Gln Pro Tyr Ala Leu Gly Trp Ala Arg  
1 5 10

&lt;210&gt; 772

&lt;211&gt; 10

&lt;212&gt; PRT

&lt;213&gt; Artificial Sequence

&lt;220&gt;

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

&lt;400&gt; 772

Gly Trp Trp Gln Pro Tyr Ala Arg Gly Leu  
1 5 10

<210> 773  
<211> 12  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 773  
Leu Phe Glu Gln Pro Tyr Ala Lys Ala Leu Gly Leu  
1 5 10

<210> 774  
<211> 12  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 774  
Gly Trp Glu Gln Pro Tyr Ala Arg Gly Leu Ala Gly  
1 5 10

<210> 775  
<211> 12  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 775  
Ala Trp Val Gln Pro Tyr Ala Thr Pro Leu Asp Glu  
1 5 10

<210> 776  
<211> 12

<212> PRT  
<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 776

Met Trp Tyr Gln Pro Tyr Ser Ser Gln Pro Ala Glu  
1 5 10

<210> 777

<211> 12

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 777

Gly Trp Thr Gln Pro Tyr Ser Gln Gln Gly Glu Val  
1 5 10

<210> 778

<211> 12

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 778

Asp Trp Phe Gln Pro Tyr Ser Ile Gln Ser Asp Glu  
1 5 10

<210> 779

<211> 11

<212> PRT

<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 779  
Pro Trp Ile Gln Pro Tyr Ala Arg Gly Phe Gly  
1 5 10

<210> 780  
<211> 12  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 780  
Arg Pro Leu Tyr Trp Gln Pro Tyr Ser Val Gln Val  
1 5 10

<210> 781  
<211> 12  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 781  
Thr Leu Ile Tyr Trp Gln Pro Tyr Ser Val Gln Ile  
1 5 10

<210> 782  
<211> 12  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE



<400> 782

Arg Phe Asp Tyr Trp Gln Pro Tyr Ser Asp Gln Thr  
1 5 10

<210> 783

<211> 12

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 783

Trp His Gln Phe Val Gln Pro Tyr Ala Leu Pro Leu  
1 5 10

<210> 784

<211> 17

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 784

Glu Trp Asp Ser Val Tyr Trp Gln Pro Tyr Ser Val Gln Thr Leu Leu  
1 5 10 15

Arg

<210> 785

<211> 17

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 785

Trp Glu Gln Asn Val Tyr Trp Gln Pro Tyr Ser Val Gln Ser Phe Ala  
1 5 10 15

Asp

<210> 786

<211> 16

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 786

Ser Asp Val Val Tyr Trp Gln Pro Tyr Ser Val Gln Ser Leu Glu Met  
1 5 10 15

<210> 787

<211> 17

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 787

Tyr Tyr Asp Gly Val Tyr Trp Gln Pro Tyr Ser Val Gln Val Met Pro  
1 5 10 15

Ala

<210> 788

<211> 12

<212> PRT

<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 788  
Ser Asp Ile Trp Tyr Gln Pro Tyr Ala Leu Pro Leu  
1 5 10

<210> 789  
<211> 12  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 789  
Gln Arg Ile Trp Trp Gln Pro Tyr Ala Leu Pro Leu  
1 5 10

<210> 790  
<211> 12  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 790  
Ser Arg Ile Trp Trp Gln Pro Tyr Ala Leu Pro Leu  
1 5 10

<210> 791  
<211> 12  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 791

Arg Ser Leu Tyr Trp Gln Pro Tyr Ala Leu Pro Leu  
1 5 10

<210> 792

<211> 12

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 792

Thr Ile Ile Trp Glu Gln Pro Tyr Ala Leu Pro Leu  
1 5 10

<210> 793

<211> 12

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 793

Trp Glu Thr Trp Tyr Gln Pro Tyr Ala Leu Pro Leu  
1 5 10

<210> 794

<211> 12

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 794

Ser Tyr Asp Trp Glu Gln Pro Tyr Ala Leu Pro Leu

1

5

10

&lt;210&gt; 795

&lt;211&gt; 12

&lt;212&gt; PRT

&lt;213&gt; Artificial Sequence

&lt;220&gt;

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

&lt;400&gt; 795

Ser Arg Ile Trp Cys Gln Pro Tyr Ala Leu Pro Leu  
1 5 10

&lt;210&gt; 796

&lt;211&gt; 12

&lt;212&gt; PRT

&lt;213&gt; Artificial Sequence

&lt;220&gt;

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

&lt;400&gt; 796

Glu Ile Met Phe Trp Gln Pro Tyr Ala Leu Pro Leu  
1 5 10

&lt;210&gt; 797

&lt;211&gt; 12

&lt;212&gt; PRT

&lt;213&gt; Artificial Sequence

&lt;220&gt;

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

&lt;400&gt; 797

Asp Tyr Val Trp Gln Gln Pro Tyr Ala Leu Pro Leu  
1 5 10

<210> 798  
<211> 15  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 798  
Met Asp Leu Leu Val Gln Trp Tyr Gln Pro Tyr Ala Leu Pro Leu  
1 5 10 15

<210> 799  
<211> 15  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 799  
Gly Ser Lys Val Ile Leu Trp Tyr Gln Pro Tyr Ala Leu Pro Leu  
1 5 10 15

<210> 800  
<211> 15  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 800  
Arg Gln Gly Ala Asn Ile Trp Tyr Gln Pro Tyr Ala Leu Pro Leu  
1 5 10 15

<210> 801  
<211> 15

<212> PRT  
<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 801

Gly Gly Gly Asp Glu Pro Trp Tyr Gln Pro Tyr Ala Leu Pro Leu  
1 5 10 15

<210> 802

<211> 15

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 802

Ser Gln Leu Glu Arg Thr Trp Tyr Gln Pro Tyr Ala Leu Pro Leu  
1 5 10 15

<210> 803

<211> 15

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 803

Glu Thr Trp Val Arg Glu Trp Tyr Gln Pro Tyr Ala Leu Pro Leu  
1 5 10 15

<210> 804

<211> 15

<212> PRT

<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 804  
Lys Lys Gly Ser Thr Gln Trp Tyr Gln Pro Tyr Ala Leu Pro Leu  
1 5 10 15

<210> 805  
<211> 15  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 805  
Leu Gln Ala Arg Met Asn Trp Tyr Gln Pro Tyr Ala Leu Pro Leu  
1 5 10 15

<210> 806  
<211> 15  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 806  
Glu Pro Arg Ser Gln Lys Trp Tyr Gln Pro Tyr Ala Leu Pro Leu  
1 5 10 15

<210> 807  
<211> 15  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE



<400> 807

Val Lys Gln Lys Trp Arg Trp Tyr Gln Pro Tyr Ala Leu Pro Leu  
1 5 10 15

<210> 808

<211> 15

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 808

Leu Arg Arg His Asp Val Trp Tyr Gln Pro Tyr Ala Leu Pro Leu  
1 5 10 15

<210> 809

<211> 15

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 809

Arg Ser Thr Ala Ser Ile Trp Tyr Gln Pro Tyr Ala Leu Pro Leu  
1 5 10 15

<210> 810

<211> 15

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 810

Glu Ser Lys Glu Asp Gln Trp Tyr Gln Pro Tyr Ala Leu Pro Leu

1 5 10 15

<210> 811  
<211> 15  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 811  
Glu Gly Ser Arg Glu Gly Trp Tyr Gln Pro Tyr Ala Leu Pro Leu  
1 5 10 15

<210> 812  
<211> 15  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 812  
Glu Gly Ser Arg Glu Gly Trp Tyr Gln Pro Tyr Ala Leu Pro Leu  
1 5 10 15

<210> 813  
<211> 12  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 813  
Val Ile Glu Trp Trp Gln Pro Tyr Ala Leu Pro Leu  
1 5 10

<210> 814  
<211> 12  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 814  
Val Trp Tyr Trp Glu Gln Pro Tyr Ala Leu Pro Leu  
1 5 10

<210> 815  
<211> 12  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 815  
Ala Ser Glu Trp Trp Gln Pro Tyr Ala Leu Pro Leu  
1 5 10

<210> 816  
<211> 12  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 816  
Phe Tyr Glu Trp Trp Gln Pro Tyr Ala Leu Pro Leu  
1 5 10

<210> 817  
<211> 12

<212> PRT  
<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 817

Glu Gly Trp Trp Val Gln Pro Tyr Ala Leu Pro Leu  
1 5 10

<210> 818

<211> 12

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 818

Trp Gly Glu Trp Leu Gln Pro Tyr Ala Leu Pro Leu  
1 5 10

<210> 819

<211> 12

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 819

Asp Tyr Val Trp Glu Gln Pro Tyr Ala Leu Pro Leu  
1 5 10

<210> 820

<211> 12

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 820

Ala His Thr Trp Trp Gln Pro Tyr Ala Leu Pro Leu  
1 5 10

<210> 821

<211> 12

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 821

Phe Ile Glu Trp Phe Gln Pro Tyr Ala Leu Pro Leu  
1 5 10

<210> 822

<211> 12

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 822

Trp Leu Ala Trp Glu Gln Pro Tyr Ala Leu Pro Leu  
1 5 10

<210> 823

<211> 12

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 823

Val Met Glu Trp Trp Gln Pro Tyr Ala Leu Pro Leu  
1 5 10

<210> 824

<211> 11

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 824

Glu Arg Met Trp Gln Pro Tyr Ala Leu Pro Leu  
1 5 10

<210> 825

<211> 12

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 825

Asn Xaa Xaa Trp Xaa Xaa Pro Tyr Ala Leu Pro Leu  
1 5 10

<210> 826

<211> 12

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 826

Trp Gly Asn Trp Tyr Gln Pro Tyr Ala Leu Pro Leu

1 5 10

<210> 827  
<211> 12  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 827  
Thr Leu Tyr Trp Glu Gln Pro Tyr Ala Leu Pro Leu  
1 5 10

<210> 828  
<211> 12  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 828  
Val Trp Arg Trp Glu Gln Pro Tyr Ala Leu Pro Leu  
1 5 10

<210> 829  
<211> 11  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 829  
Leu Leu Trp Thr Gln Pro Tyr Ala Leu Pro Leu  
1 5 10

<210> 830  
<211> 12  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 830  
Ser Arg Ile Trp Xaa Xaa Pro Tyr Ala Leu Pro Leu  
1 5 10

<210> 831  
<211> 12  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 831  
Ser Asp Ile Trp Tyr Gln Pro Tyr Ala Leu Pro Leu  
1 5 10

<210> 832  
<211> 12  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 832  
Trp Gly Tyr Tyr Xaa Xaa Pro Tyr Ala Leu Pro Leu  
1 5 10

<210> 833  
<211> 12



<212> PRT  
<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 833

Thr Ser Gly Trp Tyr Gln Pro Tyr Ala Leu Pro Leu  
1 5 10

<210> 834

<211> 12

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 834

Val His Pro Tyr Xaa Xaa Pro Tyr Ala Leu Pro Leu  
1 5 10

<210> 835

<211> 12

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 835

Glu His Ser Tyr Phe Gln Pro Tyr Ala Leu Pro Leu  
1 5 10

<210> 836

<211> 12

<212> PRT

<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 836  
Xaa Xaa Ile Trp Tyr Gln Pro Tyr Ala Leu Pro Leu  
1 5 10

<210> 837  
<211> 12  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 837  
Ala Gln Leu His Ser Gln Pro Tyr Ala Leu Pro Leu  
1 5 10

<210> 838  
<211> 12  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 838  
Trp Ala Asn Trp Phe Gln Pro Tyr Ala Leu Pro Leu  
1 5 10

<210> 839  
<211> 12  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 839

Ser Arg Leu Tyr Ser Gln Pro Tyr Ala Leu Pro Leu  
1 5 10

<210> 840

<211> 12

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 840

Gly Val Thr Phe Ser Gln Pro Tyr Ala Leu Pro Leu  
1 5 10

<210> 841

<211> 12

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 841

Ser Ile Val Trp Ser Gln Pro Tyr Ala Leu Pro Leu  
1 5 10

<210> 842

<211> 12

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 842

Ser Arg Asp Leu Val Gln Pro Tyr Ala Leu Pro Leu

1

5

10

<210> 843

<211> 17

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 843

His Trp Gly His Val Tyr Trp Gln Pro Tyr Ser Val Gln Asp Asp Leu  
1 5 10 15

Gly

<210> 844

<211> 17

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 844

Ser Trp His Ser Val Tyr Trp Gln Pro Tyr Ser Val Gln Ser Val Pro  
1 5 10 15

Glu

<210> 845

<211> 17

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 845

Trp Arg Asp Ser Val Tyr Trp Gln Pro Tyr Ser Val Gln Pro Glu Ser  
1 5 10 15

Ala

<210> 846

<211> 17

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 846

Thr Trp Asp Ala Val Tyr Trp Gln Pro Tyr Ser Val Gln Lys Trp Leu  
1 5 10 15

Asp

<210> 847

<211> 17

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 847

Thr Pro Pro Trp Val Tyr Trp Gln Pro Tyr Ser Val Gln Ser Leu Asp  
1 5 10 15

Pro

<210> 848

<211> 17

<212> PRT  
<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 848

Tyr Trp Ser Ser Val Tyr Trp Gln Pro Tyr Ser Val Gln Ser Val His  
1 5 10 15

Ser

<210> 849

<211> 10

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 849

Tyr Trp Tyr Gln Pro Tyr Ala Leu Gly Leu  
1 5 10

<210> 850

<211> 10

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 850

Tyr Trp Tyr Gln Pro Tyr Ala Leu Pro Leu  
1 5 10

<210> 851

<211> 10

<212> PRT  
<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 851

Glu Trp Ile Gln Pro Tyr Ala Thr Gly Leu  
1 5 10

<210> 852

<211> 10

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 852

Asn Trp Glu Gln Pro Tyr Ala Lys Pro Leu  
1 5 10

<210> 853

<211> 10

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 853

Ala Phe Tyr Gln Pro Tyr Ala Leu Pro Leu  
1 5 10

<210> 854

<211> 10

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 854

Phe Leu Tyr Gln Pro Tyr Ala Leu Pro Leu

1 5 10

<210> 855

<211> 10

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 855

Val Cys Lys Gln Pro Tyr Leu Glu Trp Cys

1 5 10

<210> 856

<211> 21

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 856

Glu Thr Pro Phe Thr Trp Glu Glu Ser Asn Ala Tyr Tyr Trp Gln Pro

1 5 10 15

Tyr Ala Leu Pro Leu

20

<210> 857

<211> 21

<212> PRT

<213> Artificial Sequence



<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 857

Gln Gly Trp Leu Thr Trp Gln Asp Ser Val Asp Met Tyr Trp Gln Pro  
1 5 10 15

Tyr Ala Leu Pro Leu  
20

<210> 858

<211> 21

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 858

Phe Ser Glu Ala Gly Tyr Thr Trp Pro Glu Asn Thr Tyr Trp Gln Pro  
1 5 10 15

Tyr Ala Leu Pro Leu  
20

<210> 859

<211> 21

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 859

Thr Glu Ser Pro Gly Gly Leu Asp Trp Ala Lys Ile Tyr Trp Gln Pro  
1 5 10 15

Tyr Ala Leu Pro Leu  
20

<210> 860  
<211> 21  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 860  
Asp Gly Tyr Asp Arg Trp Arg Gln Ser Gly Glu Arg Tyr Trp Gln Pro  
1 5 10 15  
  
Tyr Ala Leu Pro Leu  
20

<210> 861  
<211> 21  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 861  
Thr Ala Asn Val Ser Ser Phe Glu Trp Thr Pro Gly Tyr Trp Gln Pro  
1 5 10 15  
  
Tyr Ala Leu Pro Leu  
20

<210> 862  
<211> 21  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 862  
Ser Val Gly Glu Asp His Asn Phe Trp Thr Ser Glu Tyr Trp Gln Pro

1 5 10 15  
Tyr Ala Leu Pro Leu  
20

<210> 863  
<211> 21  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 863  
Met Asn Asp Gln Thr Ser Glu Val Ser Thr Phe Pro Tyr Trp Gln Pro  
1 5 10 15

Tyr Ala Leu Pro Leu  
20

<210> 864  
<211> 21  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 864  
Ser Trp Ser Glu Ala Phe Glu Gln Pro Arg Asn Leu Tyr Trp Gln Pro  
1 5 10 15

Tyr Ala Leu Pro Leu  
20

<210> 865  
<211> 21  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 865  
Gln Tyr Ala Glu Pro Ser Ala Leu Asn Asp Trp Gly Tyr Trp Gln Pro  
1 5 10 15  
  
Tyr Ala Leu Pro Leu  
20

<210> 866  
<211> 21  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 866  
Asn Gly Asp Trp Ala Thr Ala Asp Trp Ser Asn Tyr Tyr Trp Gln Pro  
1 5 10 15  
  
Tyr Ala Leu Pro Leu  
20

<210> 867  
<211> 15  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 867  
Thr His Asp Glu His Ile Tyr Trp Gln Pro Tyr Ala Leu Pro Leu  
1 5 10 15

<210> 868  
<211> 21

<212> PRT  
<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 868

Met Leu Glu Lys Thr Tyr Thr Thr Trp Thr Pro Gly Tyr Trp Gln Pro  
1 5 10 15

Tyr Ala Leu Pro Leu  
20

<210> 869

<211> 20

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 869

Trp Ser Asp Pro Leu Thr Arg Asp Ala Asp Leu Tyr Trp Gln Pro Tyr  
1 5 10 15

Ala Leu Pro Leu  
20

<210> 870

<211> 21

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 870

Ser Asp Ala Phe Thr Thr Gln Asp Ser Gln Ala Met Tyr Trp Gln Pro  
1 5 10 15

Tyr Ala Leu Pro Leu

<210> 871  
 <211> 21  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Description of Artificial Sequence:IL-1 ANTAGONIST  
 PEPTIDE

<400> 871  
 Gly Asp Asp Ala Ala Trp Arg Thr Asp Ser Leu Thr Tyr Trp Gln Pro  
           1                          5                          10                          15  
  
 Tyr Ala Leu Pro Leu  
                           20

<210> 872  
 <211> 21  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Description of Artificial Sequence:IL-1 ANTAGONIST  
 PEPTIDE

<400> 872  
 Ala Ile Ile Arg Gln Leu Tyr Arg Trp Ser Glu Met Tyr Trp Gln Pro  
           1                          5                          10                          15  
  
 Tyr Ala Leu Pro Leu  
                           20

<210> 873  
 <211> 21  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Description of Artificial Sequence:IL-1 ANTAGONIST  
 PEPTIDE

<400> 873

Glu Asn Thr Tyr Ser Pro Asn Trp Ala Asp Ser Met Tyr Trp Gln Pro  
1 5 10 15

Tyr Ala Leu Pro Leu  
20

<210> 874

<211> 21

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 874

Met Asn Asp Gln Thr Ser Glu Val Ser Thr Phe Pro Tyr Trp Gln Pro  
1 5 10 15

Tyr Ala Leu Pro Leu  
20

<210> 875

<211> 21

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 875

Ser Val Gly Glu Asp His Asn Phe Trp Thr Ser Glu Tyr Trp Gln Pro  
1 5 10 15

Tyr Ala Leu Pro Leu  
20

<210> 876

<211> 21

<212> PRT  
<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 876

Gln Thr Pro Phe Thr Trp Glu Glu Ser Asn Ala Tyr Tyr Trp Gln Pro  
1 5 10 15

Tyr Ala Leu Pro Leu  
20

<210> 877

<211> 21

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 877

Glu Asn Pro Phe Thr Trp Gln Glu Ser Asn Ala Tyr Tyr Trp Gln Pro  
1 5 10 15

Tyr Ala Leu Pro Leu  
20

<210> 878

<211> 21

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 878

Val Thr Pro Phe Thr Trp Glu Asp Ser Asn Val Phe Tyr Trp Gln Pro  
1 5 10 15

Tyr Ala Leu Pro Leu



<210> 879  
 <211> 21  
 <212> PRT  
 <213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
 PEPTIDE

<400> 879

Gln Ile Pro Phe Thr Trp Glu Gln Ser Asn Ala Tyr Tyr Trp Gln Pro  
 1 5 10 15

Tyr Ala Leu Pro Leu  
 20

<210> 880  
 <211> 21  
 <212> PRT  
 <213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
 PEPTIDE

<400> 880

Gln Ala Pro Leu Thr Trp Gln Glu Ser Ala Ala Tyr Tyr Trp Gln Pro  
 1 5 10 15

Tyr Ala Leu Pro Leu  
 20

<210> 881  
 <211> 21  
 <212> PRT  
 <213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
 PEPTIDE

<400> 881

Glu Pro Thr Phe Thr Trp Glu Glu Ser Lys Ala Thr Tyr Trp Gln Pro  
1 5 10 15

Tyr Ala Leu Pro Leu  
20

<210> 882

<211> 21

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 882

Thr Thr Thr Leu Thr Trp Glu Glu Ser Asn Ala Tyr Tyr Trp Gln Pro  
1 5 10 15

Tyr Ala Leu Pro Leu  
20

<210> 883

<211> 21

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 883

Glu Ser Pro Leu Thr Trp Glu Glu Ser Ser Ala Leu Tyr Trp Gln Pro  
1 5 10 15

Tyr Ala Leu Pro Leu  
20

<210> 884

<211> 21

<212> PRT  
<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 884

Glu Thr Pro Leu Thr Trp Glu Glu Ser Asn Ala Tyr Tyr Trp Gln Pro  
1 5 10 15

Tyr Ala Leu Pro Leu  
20

<210> 885

<211> 21

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 885

Glu Ala Thr Phe Thr Trp Ala Glu Ser Asn Ala Tyr Tyr Trp Gln Pro  
1 5 10 15

Tyr Ala Leu Pro Leu  
20

<210> 886

<211> 21

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 886

Glu Ala Leu Phe Thr Trp Lys Glu Ser Thr Ala Tyr Tyr Trp Gln Pro  
1 5 10 15

Tyr Ala Leu Pro Leu

<210> 887  
 <211> 20  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Description of Artificial Sequence:IL-1 ANTAGONIST  
 PEPTIDE

<400> 887  
 Ser Thr Pro Thr Trp Glu Glu Ser Asn Ala Tyr Tyr Trp Gln Pro Tyr  
           1                  5                  10                  15

Ala Leu Pro Leu  
                   20

<210> 888  
 <211> 21  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Description of Artificial Sequence:IL-1 ANTAGONIST  
 PEPTIDE

<400> 888  
 Glu Thr Pro Phe Thr Trp Glu Glu Ser Asn Ala Tyr Tyr Trp Gln Pro  
           1                  5                  10                  15

Tyr Ala Leu Pro Leu  
                   20

<210> 889  
 <211> 21  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Description of Artificial Sequence:IL-1 ANTAGONIST  
 PEPTIDE

<400> 889

Lys Ala Pro Phe Thr Trp Glu Glu Ser Gln Ala Tyr Tyr Trp Gln Pro  
1 5 10 15

Tyr Ala Leu Pro Leu  
20

<210> 890

<211> 21

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 890

Ser Thr Ser Phe Thr Trp Glu Glu Ser Asn Ala Tyr Tyr Trp Gln Pro  
1 5 10 15

Tyr Ala Leu Pro Leu  
20

<210> 891

<211> 21

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 891

Asp Ser Thr Phe Thr Trp Glu Glu Ser Asn Ala Tyr Tyr Trp Gln Pro  
1 5 10 15

Tyr Ala Leu Pro Leu  
20

<210> 892

<211> 21

<212> PRT  
<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 892

Tyr Ile Pro Phe Thr Trp Glu Glu Ser Asn Ala Tyr Tyr Trp Gln Pro  
1 5 10 15

Tyr Ala Leu Pro Leu  
20

<210> 893

<211> 21

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 893

Gln Thr Ala Phe Thr Trp Glu Glu Ser Asn Ala Tyr Tyr Trp Gln Pro  
1 5 10 15

Tyr Ala Leu Pro Leu  
20

<210> 894

<211> 21

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 894

Glu Thr Leu Phe Thr Trp Glu Glu Ser Asn Ala Thr Tyr Trp Gln Pro  
1 5 10 15

Tyr Ala Leu Pro Leu

<210> 895  
 <211> 21  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Description of Artificial Sequence:IL-1 ANTAGONIST  
 PEPTIDE

<400> 895  
 Val Ser Ser Phe Thr Trp Glu Glu Ser Asn Ala Tyr Tyr Trp Gln Pro  
           1                  5                  10                  15

Tyr Ala Leu Pro Leu  
                   20

<210> 896  
 <211> 7  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Description of Artificial Sequence:IL-1 ANTAGONIST  
 PEPTIDE

<400> 896  
 Gln Pro Tyr Ala Leu Pro Leu  
           1                  5

<210> 897  
 <211> 11  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Description of Artificial Sequence:IL-1 ANTAGONIST  
 PEPTIDE

<220>  
 <223> At position 1, Xaa is a phosphotyrosyl residue

<220>

<223> At position 2, Xaa is a 1-naphthylalanyl residue

<220>

<223> At position 6, Xaa is an azetidine residue

<400> 897

Xaa Xaa Pro Tyr Gln Xaa Tyr Ala Leu Pro Leu  
1 5 10

<210> 898

<211> 21

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 898

Thr Ala Asn Val Ser Ser Phe Glu Trp Thr Pro Gly Tyr Trp Gln Pro  
1 5 10 15

Tyr Ala Leu Pro Leu  
20

<210> 899

<211> 15

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 899

Phe Glu Trp Thr Pro Gly Tyr Trp Gln Pro Tyr Ala Leu Pro Leu  
1 5 10 15

<210> 900

<211> 15



<212> PRT  
<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<220>

<223> At position 10, Xaa is an azetidine residue

<400> 900

Phe	Glu	Trp	Thr	Pro	Gly	Tyr	Trp	Gln	Xaa	Tyr	Ala	Leu	Pro	Leu
1				5				10					15	

<210> 901

<211> 15

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<220>

<223> At position 10, Xaa is an azetidine residue

<400> 901

Phe	Glu	Trp	Thr	Pro	Gly	Tyr	Tyr	Gln	Xaa	Tyr	Ala	Leu	Pro	Leu
1				5				10					15	

<210> 902

<211> 21

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 902

Glu	Thr	Pro	Phe	Thr	Trp	Glu	Glu	Ser	Asn	Ala	Tyr	Tyr	Trp	Gln	Pro
1				5					10					15	

Tyr Ala Leu Pro Leu

<210> 903  
 <211> 18  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Description of Artificial Sequence:IL-1 ANTAGONIST  
 PEPTIDE

<220>  
 <223> At position 13, Xaa is an azetidine residue

<400> 903  
 Phe Thr Trp Glu Glu Ser Asn Ala Tyr Tyr Trp Gln Xaa Tyr Ala Leu  
 1 5 10 15

Pro Leu

<210> 904  
 <211> 16  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Description of Artificial Sequence:IL-1 ANTAGONIST  
 PEPTIDE

<400> 904  
 Ala Asp Val Leu Tyr Trp Gln Pro Tyr Ala Pro Val Thr Leu Trp Val  
 1 5 10 15

<210> 905  
 <211> 17  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Description of Artificial Sequence:IL-1 ANTAGONIST  
 PEPTIDE

<400> 905

Gly Asp Val Ala Glu Tyr Trp Gln Pro Tyr Ala Leu Pro Leu Thr Ser  
1 5 10 15

Leu

<210> 906

<211> 18

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 906

Ser Trp Thr Asp Tyr Gly Tyr Trp Gln Pro Tyr Ala Leu Pro Ile Ser  
1 5 10 15

Gly Leu

<210> 907

<211> 8

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<220>

<223> At position 4, Xaa is prolyl or an azetidine  
residue

<220>

<223> At position 6, Xaa is S, A, V or L

<400> 907

Xaa Xaa Gln Xaa Tyr Xaa Xaa Xaa  
1 5

<210> 908  
<211> 8  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<220>  
<223> At position 1, Xaa is Y, W or F

<220>  
<223> At position 4, Xaa is prolyl or an azetidine  
residue

<220>  
<223> At position 6, Xaa is S, A, V or L

<400> 908  
Xaa Xaa Gln Xaa Tyr Xaa Xaa Xaa  
1 5

<210> 909  
<211> 8  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<220>  
<223> At position 1, Xaa is Y, W or F

<220>  
<223> At position 2, Xaa is E, F, V, W or Y

<220>  
<223> At position 4, Xaa is prolyl or an azetidine  
residue

<220>  
<223> At position 6, Xaa is S, A, V or L

<220>

<223> At position 7, Xaa is M, F, V, R, Q, K, T, S, D,  
L, I or E

<220>

<223> At position 8, Xaa is E, L, W, V, H, I, G, A, D,  
L, Y, N, Q or P

<400> 909

Xaa Xaa Gln Xaa Tyr Xaa Xaa Xaa  
1 5

<210> 910

<211> 9

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<220>

<223> At position 1, Xaa is V, L, I, E, P, G, Y, M, T or  
D

<220>

<223> At position 2, Xaa is Y, W or F

<220>

<223> At position 3, Xaa is E, F, V, W or Y

<220>

<223> At position 5, Xaa is prolyl or an azetidine  
residue

<220>

<223> At position 7, Xaa is S, A, V or L

<220>

<223> At position 8, Xaa is M, F, V, R, Q, K, T, S, D,  
L, I or E

<220>

<223> At position 9, Xaa is E, L, W, V, H, I, G, A, D,  
L, Y, N, Q or P

<400> 910

Xaa Xaa Xaa Gln Xaa Tyr Xaa Xaa Xaa  
1 5

<210> 911

<211> 15

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 911

Phe Glu Trp Thr Pro Gly Tyr Trp Gln Pro Tyr Ala Leu Pro Leu  
1 5 10 15

<210> 912

<211> 15

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<220>

<223> At position 10, Xaa is an azetidine residue

<400> 912

Phe Glu Trp Thr Pro Gly Tyr Trp Gln Xaa Tyr Ala Leu Pro Leu  
1 5 10 15

<210> 913

<211> 15

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 913  
Phe Glu Trp Thr Pro Gly Trp Tyr Gln Pro Tyr Ala Leu Pro Leu  
1 5 10 15

<210> 914  
<211> 15  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<220>  
<223> At position 10, Xaa is an azetidine residue

<400> 914  
Phe Glu Trp Thr Pro Gly Trp Tyr Gln Xaa Tyr Ala Leu Pro Leu  
1 5 10 15

<210> 915  
<211> 15  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 915  
Phe Glu Trp Thr Pro Gly Tyr Tyr Gln Pro Tyr Ala Leu Pro Leu  
1 5 10 15

<210> 916  
<211> 15  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<220>

<223> At position 10, Xaa is an azetidine residue

<400> 916

Phe	Glu	Trp	Thr	Pro	Gly	Tyr	Tyr	Gln	Xaa	Tyr	Ala	Leu	Pro	Leu
1				5				10				15		

<210> 917

<211> 21

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<220>

<223> At position 1, Xaa is A, D, E, F, G, K, Q, S, T, V  
or Y

<220>

<223> At position 2, Xaa is A, D, G, I, N, P, S, T, V or  
W

<220>

<223> At position 3, Xaa is A, D, G, L, N, P, S, T, W or  
Y

<220>

<223> At position 4, Xaa is A, D, E, F, L, N, R, V or Y

<220>

<223> At position 5, Xaa is A, D, E, Q, R, S or T

<220>

<223> At position 6, Xaa is H, I, L, P, S, T or W

<220>

<223> At position 7, Xaa is A, E, F, K, N, Q, R, S or Y

<220>

<223> At position 8, Xaa is D, E, F, Q, R, T or W

<220>

<223> At position 9, Xaa is A, D, P, S, T or W



<220>

<223> At position 10, Xaa is A, D, G, K, N, Q, S or T

<220>

<223> At position 11, Xaa is A, E, L, P, S, T, V or Y

<220>

<223> At position 12, Xaa is V, L, I, E, P, G, Y, M, T  
or D

<220>

<223> At position 13, Xaa is Y, W or F

<220>

<223> At position 14, Xaa is E, F, V, W or Y

<220>

<223> At position 16, Xaa is P or an azetidine residue

<220>

<223> At position 18, Xaa is S, A, V or L

<220>

<223> At position 19, Xaa is M, F, V, R, Q, K, T, S, D,  
L, I or E

<220>

<223> At position 20, Xaa is Q or P

<400> 917

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Gln Xaa  
1 5 10 15

Tyr Xaa Xaa Xaa Leu  
20

<210> 918

<211> 21

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 918

Thr Ala Asn Val Ser Ser Phe Glu Trp Thr Pro Gly Tyr Trp Gln Pro  
1 5 10 15

Tyr Ala Leu Pro Leu  
20

<210> 919

<211> 18

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 919

Ser Trp Thr Asp Tyr Gly Tyr Trp Gln Pro Tyr Ala Leu Pro Ile Ser  
1 5 10 15

Gly Leu

<210> 920

<211> 21

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 920

Glu Thr Pro Phe Thr Trp Glu Glu Ser Asn Ala Tyr Tyr Trp Gln Pro  
1 5 10 15

Tyr Ala Leu Pro Leu  
20

<210> 921

<211> 21

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 921

Glu Asn Thr Tyr Ser Pro Asn Trp Ala Asp Ser Met Tyr Trp Gln Pro  
1 5 10 15

Tyr Ala Leu Pro Leu  
20

<210> 922

<211> 21

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 922

Ser Val Gly Glu Asp His Asn Phe Trp Thr Ser Glu Tyr Trp Gln Pro  
1 5 10 15

Tyr Ala Leu Pro Leu  
20

<210> 923

<211> 21

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 923

Asp Gly Tyr Asp Arg Trp Arg Gln Ser Gly Glu Arg Tyr Trp Gln Pro  
1 5 10 15

Tyr Ala Leu Pro Leu  
20

<210> 924  
<211> 15  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 924  
Phe Glu Trp Thr Pro Gly Tyr Trp Gln Pro Tyr Ala Leu Pro Leu  
1 5 10 15

<210> 925  
<211> 13  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 925  
Phe Glu Trp Thr Pro Gly Tyr Trp Gln Pro Tyr Asn His  
1 5 10

<210> 926  
<211> 13  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<220>  
<223> At position 10, Xaa is an azetidine residue

<400> 926  
Phe Glu Trp Thr Pro Gly Tyr Trp Gln Xaa Tyr Asn His  
1 5 10

<210> 927  
<211> 12  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 927  
Glu Trp Thr Pro Gly Tyr Trp Gln Pro Tyr Asn His  
1 5 10

<210> 928  
<211> 11  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<220>  
<223> At position 10, Xaa is an azetidine residue

<400> 928  
Phe Glu Trp Thr Pro Gly Trp Tyr Gln Xaa Tyr  
1 5 10

<210> 929  
<211> 11  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<220>  
<223> At position 10, Xaa is an azetidine residue

<400> 929

Ala Glu Trp Thr Pro Gly Tyr Trp Gln Xaa Tyr  
1 5 10

<210> 930

<211> 11

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<220>

<223> At position 10, Xaa is an azetidine residue

<400> 930

Phe Ala Trp Thr Pro Gly Tyr Trp Gln Xaa Tyr  
1 5 10

<210> 931

<211> 11

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<220>

<223> At position 10, Xaa is an azetidine residue

<400> 931

Phe Glu Ala Thr Pro Gly Tyr Trp Gln Xaa Tyr  
1 5 10

<210> 932

<211> 11

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<220>

<223> At position 10, Xaa is an azetidine residue

<400> 932

Phe	Glu	Trp	Ala	Pro	Gly	Tyr	Trp	Gln	Xaa	Tyr
1				5					10	

<210> 933

<211> 11

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<220>

<223> At position 10, Xaa is an azetidine residue

<400> 933

Phe	Glu	Trp	Thr	Ala	Gly	Tyr	Trp	Gln	Xaa	Tyr
1				5					10	

<210> 934

<211> 11

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<220>

<223> At position 10, Xaa is an azetidine residue

<400> 934

Phe	Glu	Trp	Thr	Pro	Ala	Tyr	Trp	Gln	Xaa	Tyr
1				5					10	

<210> 935  
 <211> 11  
 <212> PRT  
 <213> Artificial Sequence  
  
 <220>  
 <223> Description of Artificial Sequence:IL-1 ANTAGONIST  
 PEPTIDE

<220>  
 <223> At position 10, Xaa is an azetidine residue

<400> 935  
 Phe Glu Trp Thr Pro Gly Ala Trp Gln Xaa Tyr  
 1 5 10

<210> 936  
 <211> 11  
 <212> PRT  
 <213> Artificial Sequence  
  
 <220>  
 <223> Description of Artificial Sequence:IL-1 ANTAGONIST  
 PEPTIDE

<220>  
 <223> At position 10, Xaa is an azetidine residue

<400> 936  
 Phe Glu Trp Thr Pro Gly Tyr Ala Gln Xaa Tyr  
 1 5 10

<210> 937  
 <211> 11  
 <212> PRT  
 <213> Artificial Sequence  
  
 <220>  
 <223> Description of Artificial Sequence:IL-1 ANTAGONIST  
 PEPTIDE

<220>  
 <223> At position 10, Xaa is an azetidine residue



<400> 937

Phe Glu Trp Thr Pro Gly Tyr Trp Gln Xaa Ala  
1 5 10

<210> 938

<211> 11

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<220>

<223> At position 10, Xaa is an azetidine residue

<400> 938

Phe Glu Trp Thr Gly Gly Tyr Trp Gln Xaa Tyr  
1 5 10

<210> 939

<211> 11

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<220>

<223> At position 5, D amino acid residue

<220>

<223> At position 10, Xaa is an azetidine residue

<400> 939

Phe Glu Trp Thr Pro Gly Tyr Trp Gln Xaa Tyr  
1 5 10

<210> 940

<211> 10

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<220>

<223> At position 10, Xaa is an azetidine residue

<400> 940

Phe Glu Trp Thr Gly Tyr Trp Gln Xaa Tyr  
1 5 10

<210> 941

<211> 11

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<220>

<223> At position 5, Xaa is a pipecolic acid residue

<220>

<223> At position 10, Xaa is an azetidine residue

<400> 941

Phe Glu Trp Thr Xaa Gly Tyr Trp Gln Xaa Tyr  
1 5 10

<210> 942

<211> 11

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<220>

<223> At position 6, Xaa is an aminoisobutyric acid  
residue

<220>

<223> At position 10, Xaa is an azetidine residue

<400> 942

Phe Glu Trp Thr Pro Xaa Tyr Trp Gln Xaa Tyr

1

5

10

<210> 943

<211> 11

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<220>

<223> At position 6, Xaa is a sarcosine residue

<220>

<223> At position 10, Xaa is an azetidine residue

<400> 943

Phe Glu Trp Thr Pro Xaa Trp Tyr Gln Xaa Tyr

1

5

10

<210> 944

<211> 11

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<220>

<223> At position 5, Xaa is a sarcosine residue

<220>

<223> At position 10, Xaa is an azetidine residue

<400> 944

Phe Glu Trp Thr Xaa Gly Tyr Trp Gln Xaa Tyr

1 5 10

<210> 945  
<211> 11  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<220>  
<223> At position 10, Xaa is an azetidine residue

<400> 945  
Phe Glu Trp Thr Pro Asn Tyr Trp Gln Xaa Tyr  
1 5 10

<210> 946  
<211> 11  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<220>  
<223> At position 5, D amino acid residue

<220>  
<223> At position 10, Xaa is an azetidine residue

<400> 946  
Phe Glu Trp Thr Pro Val Tyr Trp Gln Xaa Tyr  
1 5 10

<210> 947  
<211> 11  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<220>  
<223> At position 10, Xaa is an azetidine residue

<400> 947  
Phe Glu Trp Thr Val Pro Tyr Trp Gln Xaa Tyr  
1 5 10

<210> 948  
<211> 11  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<220>  
<223> At position 1, Xaa is acetylated phe

<220>  
<223> At position 10, Xaa is an azetidine residue

<400> 948  
Phe Glu Trp Thr Pro Gly Trp Tyr Gln Xaa Tyr  
1 5 10

<210> 949  
<211> 11  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<220>  
<223> At position 1, Xaa is acetylated phe

<220>  
<223> At position 10, Xaa is an azetidine residue

<400> 949

Phe Glu Trp Thr Pro Gly Tyr Trp Gln Xaa Tyr  
1 5 10

<210> 950

<211> 11

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<220>

<223> At position 1, Xaa=1-naphthylalanine

<220>

<223> At position 10, Xaa is an azetidine residue

<400> 950

Xaa Glu Trp Thr Pro Gly Tyr Tyr Gln Xaa Tyr  
1 5 10

<210> 951

<211> 11

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<220>

<223> At position 10, Xaa is an azetidine residue

<400> 951

Tyr Glu Trp Thr Pro Gly Tyr Tyr Gln Xaa Tyr  
1 5 10

<210> 952

<211> 11

<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<220>  
<223> At position 10, Xaa is an azetidine residue

<400> 952  
Phe Glu Trp Val Pro Gly Tyr Tyr Gln Xaa Tyr  
1 5 10

<210> 953  
<211> 11  
<212> PRT  
<213> Artificial Sequence  
  
<220>  
<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<220>  
<223> At position 10, Xaa is an azetidine residue

<400> 953  
Phe Glu Trp Thr Pro Gly Tyr Tyr Gln Xaa Tyr  
1 5 10

<210> 954  
<211> 11  
<212> PRT  
<213> Artificial Sequence  
  
<220>  
<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<220>  
<223> At position 10, Xaa is an azetidine residue

<400> 954  
Phe Glu Trp Thr Pro Ser Tyr Tyr Gln Xaa Tyr

1 5 10

<210> 955  
<211> 11  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<220>  
<223> At position 10, Xaa is an azetidine residue

<400> 955  
Phe Glu Trp Thr Pro Asn Tyr Tyr Gln Xaa Tyr  
1 5 10

<210> 956  
<211> 12  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<220>  
<223> At position 5, Xaa=naphthylalanine

<400> 956  
Ser His Leu Tyr Xaa Gln Pro Tyr Ser Val Gln Met  
1 5 10

<210> 957  
<211> 12  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE



<220>

<223> At position 5, Xaa=naphthylalanine

<400> 957

Thr Leu Val Tyr Xaa Gln Pro Tyr Ser Leu Gln Thr  
1 5 10

<210> 958

<211> 12

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<220>

<223> At position 5, Xaa=naphthylalanine

<400> 958

Arg Gly Asp Tyr Xaa Gln Pro Tyr Ser Val Gln Ser  
1 5 10

<210> 959

<211> 12

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<220>

<223> At position 5, Xaa=naphthylalanine

<400> 959

Asn Met Val Tyr Xaa Gln Pro Tyr Ser Ile Gln Thr  
1 5 10

<210> 960

<211> 9

<212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Description of Artificial Sequence:IL-1 ANTAGONIST  
 PEPTIDE

<400> 960  
 Val Tyr Trp Gln Pro Tyr Ser Val Gln  
 1 5

<210> 961  
 <211> 9  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Description of Artificial Sequence:IL-1 ANTAGONIST  
 PEPTIDE

<220>  
 <223> At position 3, Xaa=naphthylalanine

<400> 961  
 Val Tyr Xaa Gln Pro Tyr Ser Val Gln  
 1 5

<210> 962  
 <211> 12  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Description of Artificial Sequence:IL-1 ANTAGONIST  
 PEPTIDE

<220>  
 <223> At position 7, Xaa is an azetidine residue

<400> 962  
 Thr Phe Val Tyr Trp Gln Xaa Tyr Ala Leu Pro Leu  
 1 5 10

<210> 963  
<211> 11  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<220>  
<223> At position 10, Xaa is an azetidine residue

<220>  
<223> At position 11, Xaa =p-benzoyl-L-phenylalanine

<400> 963  
Phe Glu Trp Thr Pro Gly Tyr Tyr Gln Xaa Xaa  
1 5 10

<210> 964  
<211> 11  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<220>  
<223> At position 1, Xaa=acetylated phe

<220>  
<223> At position 10, Xaa is an azetidine residue

<220>  
<223> At position 11, Xaa=p-benzoyl-L-phenylalanine

<400> 964  
Xaa Glu Trp Thr Pro Gly Tyr Tyr Gln Xaa Xaa  
1 5 10

<210> 965  
<211> 11

<212> PRT  
<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<220>

<223> At position 8, Xaa=p-benzoyl-L-phenylalanine

<220>

<223> At position 10, Xaa is an azetidine residue

<400> 965

Phe	Glu	Trp	Thr	Pro	Gly	Tyr	Xaa	Gln	Xaa	Tyr
1				5					10	

<210> 966

<211> 11

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<220>

<223> At position 1, Xaa=acetylated phe

<220>

<223> At position 8, Xaa=p-benzoyl-L-phenylalanine

<220>

<223> At position 10, Xaa is an azetidine residue

<400> 966

Phe	Glu	Trp	Thr	Pro	Gly	Tyr	Xaa	Gln	Xaa	Tyr
1				5					10	

<210> 967

<211> 11

<212> PRT

<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<220>  
<223> At position 7, Xaa=p-benzoyl-L-phenylalanine

<220>  
<223> At position 10, Xaa is an azetidine residue

<400> 967  
Phe Glu Trp Thr Pro Gly Xaa Tyr Gln Xaa Tyr  
1 5 10

<210> 968  
<211> 11  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<220>  
<223> At position 1, Xaa=acetylated phe

<220>  
<223> At position 7, Xaa=p-benzoyl-L-phenylalanine

<220>  
<223> At position 10, Xaa is an azetidine residue

<400> 968  
Phe Glu Trp Thr Pro Gly Xaa Tyr Gln Xaa Tyr  
1 5 10

<210> 969  
<211> 11  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<220>  
 <223> At position 1, Xaa=acetylated phe

<220>  
 <223> At position 3, Xaa=p-benzoyl-L-phenylalanine

<220>  
 <223> At position 10, Xaa is an azetidine residue

<400> 969  
 Phe Glu Xaa Thr Pro Gly Tyr Tyr Gln Xaa Tyr  
       1                  5                  10

<210> 970  
 <211> 11  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Description of Artificial Sequence:IL-1 ANTAGONIST  
       PEPTIDE

<220>  
 <223> At position 1, Xaa=acetylated phe

<220>  
 <223> At position 3, Xaa=p-benzoyl-L-phenylalanine

<220>  
 <223> At position 10, Xaa is an azetidine residue

<400> 970  
 Phe Glu Xaa Thr Pro Gly Tyr Tyr Gln Xaa Tyr  
       1                  5                  10

<210> 971  
 <211> 11  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Description of Artificial Sequence:IL-1 ANTAGONIST  
       PEPTIDE

<220>  
<223> At position 1, Xaa=p-benzoyl-L-phenylalanine

<220>  
<223> At position 10, Xaa is an azetidine residue

<400> 971  
Xaa Glu Trp Thr Pro Gly Tyr Tyr Gln Xaa Tyr  
1 5 10

<210> 972  
<211> 11  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<220>  
<223> At position 1, Xaa=acetylated  
p-benzoyl-L-phenylalanine

<220>  
<223> At position 10, Xaa is an azetidine residue

<400> 972  
Xaa Glu Trp Thr Pro Gly Tyr Tyr Gln Xaa Tyr  
1 5 10

<210> 973  
<211> 9  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 973  
Val Tyr Trp Gln Pro Tyr Ser Val Gln  
1 5

<210> 974  
<211> 12  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 974  
Arg Leu Val Tyr Trp Gln Pro Tyr Ser Val Gln Arg  
1 5 10

<210> 975  
<211> 12  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<220>  
<223> At position 5, Xaa=naphthylalanine

<400> 975  
Arg Leu Val Tyr Xaa Gln Pro Tyr Ser Val Gln Arg  
1 5 10

<210> 976  
<211> 12  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 976  
Arg Leu Asp Tyr Trp Gln Pro Tyr Ser Val Gln Arg  
1 5 10



<210> 977  
<211> 12  
<212> PRT  
<213> Artificial Sequence  
  
<220>  
<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 977  
Arg Leu Val Trp Phe Gln Pro Tyr Ser Val Gln Arg  
1 5 10

<210> 978  
<211> 12  
<212> PRT  
<213> Artificial Sequence  
  
<220>  
<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 978  
Arg Leu Val Tyr Trp Gln Pro Tyr Ser Ile Gln Arg  
1 5 10

<210> 979  
<211> 11  
<212> PRT  
<213> Artificial Sequence  
  
<220>  
<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<220>  
<223> At position 1, Xaa=D or Y

<220>  
<223> At position 3, Xaa=D or S

<220>

<223> At position 4, Xaa=S, T or A

<220>

<223> At position 5, Xaa=S or W

<220>

<223> At position 6, Xaa=S or Y

<220>

<223> At position 7, Xaa=D, Q, E or V

<220>

<223> At position 8, Xaa=N, S, K, H or W

<220>

<223> At position 9, Xaa=F or L

<220>

<223> At position 10, Xaa=D, N, S or L

<220>

<223> At position 11, Xaa=L, I, Q, M or A

<400> 979

Xaa	Asn	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa
1				5						10

<210> 980

<211> 11

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 980

Asp	Asn	Ser	Ser	Trp	Tyr	Asp	Ser	Phe	Leu	Leu
1				5						10

<210> 981

<211> 11

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 981

Asp Asn Thr Ala Trp Tyr Glu Ser Phe Leu Ala  
1 5 10

<210> 982

<211> 11

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 982

Asp Asn Thr Ala Trp Tyr Glu Asn Phe Leu Leu  
1 5 10

<210> 983

<211> 17

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 983

Pro Ala Arg Glu Asp Asn Thr Ala Trp Tyr Asp Ser Phe Leu Ile Trp  
1 5 10 15

Cys

<210> 984

<211> 17

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 984

Thr	Ser	Glu	Tyr	Asp	Asn	Thr	Thr	Trp	Tyr	Glu	Lys	Phe	Leu	Ala	Ser
1				5				10					15		

Gln

<210> 985

<211> 17

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 985

Ser	Gln	Ile	Pro	Asp	Asn	Thr	Ala	Trp	Tyr	Gln	Ser	Phe	Leu	Leu	His
1				5				10					15		

Gly

<210> 986

<211> 17

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 986

Ser	Pro	Phe	Ile	Asp	Asn	Thr	Ala	Trp	Tyr	Glu	Asn	Phe	Leu	Leu	Thr
1				5				10					15		

Tyr

<210> 987  
<211> 17  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 987  
Glu Gln Ile Tyr Asp Asn Thr Ala Trp Tyr Asp His Phe Leu Leu Ser  
1 5 10 15

Tyr

<210> 988  
<211> 17  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 988  
Thr Pro Phe Ile Asp Asn Thr Ala Trp Tyr Glu Asn Phe Leu Leu Thr  
1 5 10 15

Tyr

<210> 989  
<211> 17  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 989

Thr Tyr Thr Tyr Asp Asn Thr Ala Trp Tyr Glu Arg Phe Leu Met Ser  
 1 5 10 15

Tyr

<210> 990

<211> 17

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
 PEPTIDE

<400> 990

Thr Met Thr Gln Asp Asn Thr Ala Trp Tyr Glu Asn Phe Leu Leu Ser  
 1 5 10 15

Tyr

<210> 991

<211> 17

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
 PEPTIDE

<400> 991

Thr Ile Asp Asn Thr Ala Trp Tyr Ala Asn Leu Val Gln Thr Tyr Pro  
 1 5 10 15

Gln

<210> 992

<211> 17

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 992

Thr	Ile	Asp	Asn	Thr	Ala	Trp	Tyr	Glu	Arg	Phe	Leu	Ala	Gln	Tyr	Pro
1				5				10						15	

Asp

<210> 993

<211> 17

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 993

His	Ile	Asp	Asn	Thr	Ala	Trp	Tyr	Glu	Asn	Phe	Leu	Leu	Thr	Tyr	Thr
1				5				10						15	

Pro

<210> 994

<211> 17

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 994

Ser	Gln	Asp	Asn	Thr	Ala	Trp	Tyr	Glu	Asn	Phe	Leu	Leu	Ser	Tyr	Lys
1				5				10						15	

Ala

<210> 995  
<211> 17  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 995  
Gln Ile Asp Asn Thr Ala Trp Tyr Glu Arg Phe Leu Leu Gln Tyr Asn  
1 5 10 15

Ala

<210> 996  
<211> 17  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 996  
Asn Gln Asp Asn Thr Ala Trp Tyr Glu Ser Phe Leu Leu Gln Tyr Asn  
1 5 10 15

Thr

<210> 997  
<211> 17  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 997



Thr	Ile	Asp	Asn	Thr	Ala	Trp	Tyr	Glu	Asn	Phe	Leu	Leu	Asn	His	Asn
1				5				10						15	

Leu

<210> 998

<211> 17

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 998

His	Tyr	Asp	Asn	Thr	Ala	Trp	Tyr	Glu	Arg	Phe	Leu	Gln	Gln	Gly	Trp
1				5				10						15	

His

<210> 999

<211> 21

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 999

Glu	Thr	Pro	Phe	Thr	Trp	Glu	Glu	Ser	Asn	Ala	Tyr	Tyr	Trp	Gln	Pro
1				5				10						15	

Tyr	Ala	Leu	Pro	Leu
				20

<210> 1000

<211> 21

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 1000

Tyr Ile Pro Phe Thr Trp Glu Glu Ser Asn Ala Tyr Tyr Trp Gln Pro  
1 5 10 15

Tyr Ala Leu Pro Leu  
20

<210> 1001

<211> 21

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 1001

Asp Gly Tyr Asp Arg Trp Arg Gln Ser Gly Glu Arg Tyr Trp Gln Pro  
1 5 10 15

Tyr Ala Leu Pro Leu  
20

<210> 1002

<211> 10

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<220>

<223> At position 1, Xaa=phosphotyrosine

<220>

<223> At position 2, Xaa=naphthylalanine

<220>

<223> At position 3, Xaa=phosphotyrosine

<220>

<223> At position 5, Xaa is an azetidine residue

<400> 1002

Xaa	Xaa	Xaa	Gln	Xaa	Tyr	Ala	Leu	Pro	Leu
1				5					10

<210> 1003

<211> 21

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 1003

Thr	Ala	Asn	Val	Ser	Ser	Phe	Glu	Trp	Thr	Pro	Gly	Tyr	Trp	Gln	Pro
1				5					10					15	

Tyr	Ala	Leu	Pro	Leu
				20

<210> 1004

<211> 15

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<220>

<223> At position 10, Xaa=azetidine

<400> 1004

Phe	Glu	Trp	Thr	Pro	Gly	Tyr	Trp	Gln	Xaa	Tyr	Ala	Leu	Pro	Leu
1				5					10					15

<210> 1005

<211> 19  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<400> 1005  
Phe Glu Trp Thr Pro Gly Tyr Trp Gln Pro Tyr Ala Leu Pro Leu Ser  
1 5 10 15

Asp Asn His

<210> 1006  
<211> 15  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<220>  
<223> At position 10, Xaa=azetidine

<400> 1006  
Phe Glu Trp Thr Pro Gly Tyr Tyr Gln Xaa Tyr Ala Leu Pro Leu  
1 5 10 15

<210> 1007  
<211> 11  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<220>  
<223> At position 10, Xaa=azetidine

<400> 1007

Phe Glu Trp Thr Pro Gly Tyr Trp Gln Xaa Tyr  
1 5 10

<210> 1008

<211> 11

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<220>

<223> At position 1, Xaa=acetylated phe

<220>

<223> At position 10, Xaa=azetidine

<400> 1008

Phe Glu Trp Thr Pro Gly Tyr Trp Gln Xaa Tyr  
1 5 10

<210> 1009

<211> 11

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<220>

<223> At position 1, Xaa=acetylated phe

<220>

<223> At position 10, Xaa=azetidine

<400> 1009

Phe Glu Trp Thr Pro Gly Trp Tyr Gln Xaa Tyr  
1 5 10

<210> 1010

<211> 11  
<212> PRT  
<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<220>

<223> At position 1, Xaa=acetylated phe

<220>

<223> At position 10, Xaa=azetidine

<400> 1010

Phe	Glu	Trp	Thr	Pro	Gly	Tyr	Tyr	Gln	Xaa	Tyr
1				5					10	

<210> 1011

<211> 11

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<220>

<223> At position 1, Xaa=acetylated phe

<220>

<223> At position 10, Xaa=azetidine

<400> 1011

Phe	Glu	Trp	Thr	Pro	Ala	Tyr	Trp	Gln	Xaa	Tyr
1				5					10	

<210> 1012

<211> 11

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST

# PEPTIDE

<220>

<223> At position 1, Xaa=acetylated phe

<220>

<223> At position 10, Xaa=azetidine

<400> 1012

Phe	Glu	Trp	Thr	Pro	Ala	Trp	Tyr	Gln	Xaa	Tyr
1				5					10	

<210> 1013

<211> 11

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<220>

<223> At position 1, Xaa=acetylated phe

<220>

<223> At position 10, Xaa=azetidine

<400> 1013

Phe	Glu	Trp	Thr	Pro	Ala	Tyr	Tyr	Gln	Xaa	Tyr
1				5					10	

<210> 1014

<211> 15

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<220>

<223> At position 10, Xaa=azetidine

<400> 1014

Phe Glu Trp Thr Pro Gly Tyr Tyr Gln Xaa Tyr Ala Leu Pro Leu  
 1 5 10 15

<210> 1015

<211> 15

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
 PEPTIDE

<220>

<223> At position 10, Xaa=azetidine

<400> 1015

Phe Glu Trp Thr Pro Gly Tyr Trp Gln Xaa Tyr Ala Leu Pro Leu  
 1 5 10 15

<210> 1016

<211> 15

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
 PEPTIDE

<220>

<223> At position 10, Xaa=azetidine

<400> 1016

Phe Glu Trp Thr Pro Gly Trp Tyr Gln Xaa Tyr Ala Leu Pro Leu  
 1 5 10 15

<210> 1017

<211> 21

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST



# PEPTIDE

<400> 1017

Thr Ala Asn Val Ser Ser Phe Glu Trp Thr Pro Gly Tyr Trp Gln Pro  
 1 5 10 15

Tyr Ala Leu Pro Leu  
 20

<210> 1018

<211> 11

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
 PEPTIDE

<220>

<223> At position 1, Xaa=acetylated phe

<220>

<223> At position 10, Xaa=azetidine

<400> 1018

Phe Glu Trp Thr Pro Gly Tyr Trp Gln Xaa Tyr  
 1 5 10

<210> 1019

<211> 11

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
 PEPTIDE

<220>

<223> At position 1, Xaa=acetylated phe

<220>

<223> At position 10, Xaa=azetidine

<400> 1019

Phe	Glu	Trp	Thr	Pro	Gly	Trp	Tyr	Gln	Xaa	Tyr
1				5					10	

<210> 1020

<211> 11

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<220>

<223> At position 1, Xaa=acetylated phe

<220>

<223> At position 10, Xaa=azetidine

<400> 1020

Phe	Glu	Trp	Thr	Pro	Gly	Tyr	Tyr	Gln	Xaa	Tyr
1				5					10	

<210> 1021

<211> 11

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<220>

<223> At position 1, Xaa=acetylated phe

<220>

<223> At position 6, D amino acid residue

<220>

<223> At position 10, Xaa=azetidine

<400> 1021

Phe	Glu	Trp	Thr	Pro	Ala	Tyr	Trp	Gln	Xaa	Tyr
1				5					10	

<210> 1022  
<211> 11  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<220>  
<223> At position 1, Xaa=acetylated phe

<220>  
<223> At position 6, D amino acid residue

<220>  
<223> At position 10, Xaa=azetidine

<400> 1022  
Phe Glu Trp Thr Pro Ala Trp Tyr Gln Xaa Tyr  
1 5 10

<210> 1023  
<211> 11  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PEPTIDE

<220>  
<223> At position 1, Xaa=acetylated phe

<220>  
<223> At position 6, D amino acid residue

<220>  
<223> At position 10, Xaa=azetidine

<400> 1023  
Phe Glu Trp Thr Pro Ala Tyr Tyr Gln Xaa Tyr  
1 5 10

<210> 1024  
<211> 20  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:EPO MIMETIC  
PEPTIDE

<400> 1024  
Gly Gly Leu Tyr Leu Cys Arg Phe Gly Pro Val Thr Trp Asp Cys Gly  
1 5 10 15  
Tyr Lys Gly Gly  
20

<210> 1025  
<211> 20  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:EPO MIMETIC  
PEPTIDE

<400> 1025  
Gly Gly Thr Tyr Ser Cys His Phe Gly Pro Leu Thr Trp Val Cys Lys  
1 5 10 15  
Pro Gln Gly Gly  
20

<210> 1026  
<211> 20  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:EPO-MIMETIC  
PEPTIDE

<400> 1026

Gly	Gly	Asp	Tyr	His	Cys	Arg	Met	Gly	Pro	Leu	Thr	Trp	Val	Cys	Lys
1					5				10					15	

Pro Leu Gly Gly  
20

<210> 1027  
<211> 13  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:EPO MIMETIC  
PEPTIDE

Cys	Gly	Arg	Glu	Cys	Pro	Arg	Leu	Cys	Gln	Ser	Ser	Cys
1				5					10			

<210> 1028  
<211> 13  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:EPO MIMETIC  
PEPTIDE

Cys	Asn	Gly	Arg	Cys	Val	Ser	Gly	Cys	Ala	Gly	Arg	Cys
1				5					10			

<210> 1029  
<211> 20  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:EPO MIMETIC  
PEPTIDE

<400> 1029

Val Gly Asn Tyr Met Cys His Phe Gly Pro Ile Thr Trp Val Cys Arg  
1 5 10 15

Pro Gly Gly Gly  
20

<210> 1030

<211> 20

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:EPO MIMETIC  
PEPTIDE

<400> 1030

Gly Gly Val Tyr Ala Cys Arg Met Gly Pro Ile Thr Trp Val Cys Ser  
1 5 10 15

Pro Leu Gly Gly  
20

<210> 1031

<211> 5

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:VEGF ANTAGONIST  
PEPTIDE

<400> 1031

Cys Asn Gly Arg Cys  
1 5

<210> 1032

<211> 9

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:TPO MIMETIC

<400> 1032

Cys Asp Cys Arg Gly Asp Cys Phe Cys

1

5

<210> 1033

<211> 20

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:EPO MIMETIC

<400> 1033

Ile Glu Gly Pro Thr Leu Arg Gln Trp Leu Ala Ala Arg Ala Gly Gly

1

5

10

15

Gly Gly Gly Phe

20

<210> 1034

<211> 26

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:EPO MIMETIC

<400> 1034

Gly Gly Thr Tyr Ser Cys His Phe Gly Pro Leu Thr Trp Val Cys Lys

1

5

10

15

Pro Gln Gly Gly Gly Gly Gly Gly Gly Phe

20

25

<210> 1035

<211> 19

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:EPO MIMETIC

<400> 1035

Val Gly Asn Tyr Met Ala His Met Gly Pro Ile Thr Trp Val Cys Arg  
1 5 10 15

Pro Gly Gly

<210> 1036

<211> 18

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:EPO MIMETIC

<400> 1036

Gly Gly Thr Tyr Ser Cys His Phe Gly Pro Leu Thr Trp Val Cys Lys  
1 5 10 15

Pro Gln

<210> 1037

<211> 20

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:EPO MIMETIC

<400> 1037

Gly Gly Leu Tyr Ala Cys His Met Gly Pro Met Thr Trp Val Cys Gln  
1 5 10 15

Pro Leu Arg Gly  
20

<210> 1038

<211> 22

<212> PRT

<213> Artificial Sequence



<220>

<223> Description of Artificial Sequence:EPO MIMETIC

<400> 1038

Thr Ile Ala Gln Tyr Ile Cys Tyr Met Gly Pro Glu Thr Trp Glu Cys

1

5

10

15

Arg Pro Ser Pro Lys Ala

20

<210> 1039

<211> 13

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:EPO MIMETIC

<400> 1039

Tyr Ser Cys His Phe Gly Pro Leu Thr Trp Val Cys Lys

1

5

10

<210> 1040

<211> 11

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:EPO MIMETIC  
PEPTIDE

<400> 1040

Tyr Cys His Phe Gly Pro Leu Thr Trp Val Cys

1

5

10

<210> 1041

<211> 12

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:EPO MIMETIC  
PEPTIDE

<400> 1041

Ser Cys His Phe Gly Pro Leu Thr Trp Val Cys Lys  
1 5 10

<210> 1042

<211> 40

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:EPO MIMETIC  
PEPTIDE

<400> 1042

Ala Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Gly  
1 5 10 15

Pro Xaa Xaa Xaa Xaa Xaa Xaa Thr Trp Xaa Xaa Xaa Xaa Xaa Xaa Xaa  
20 25 30

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa  
35 40

<210> 1043

<211> 5

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:EPO MIMETIC  
PEPTIDE

<400> 1043

Asp Leu Xaa Xaa Leu  
1 5

<210> 1044

<211> 12

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:INTEGRIN  
BINDING PEPTIDE

<400> 1044

Arg Thr Asp Leu Asp Ser Leu Arg Thr Tyr Thr Leu  
1 5 10

<210> 1045

<211> 21

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:TNF ANTAGONIST

<400> 1045

Phe Gly Gly Gly Gly Gly Asp Phe Leu Pro His Tyr Lys Asn Thr Ser  
1 5 10 15

Leu Gly His Arg Pro  
20

<210> 1046

<211> 21

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:TNF ANTAGONIST

<400> 1046

Asp Phe Leu Pro His Tyr Lys Asn Thr Ser Leu Gly His Arg Pro Gly  
1 5 10 15

Gly Gly Gly Gly Phe  
20

<210> 1047

<211> 21

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST

<400> 1047

Phe Gly Gly Gly Gly Gly Phe Glu Trp Thr Pro Gly Tyr Trp Gln Pro  
1 5 10 15

Tyr Ala Leu Pro Leu  
20

<210> 1048

<211> 21

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST

<400> 1048

Phe Glu Trp Thr Pro Gly Tyr Trp Gln Pro Tyr Ala Leu Pro Leu Gly  
1 5 10 15

Gly Gly Gly Gly Phe  
20

<210> 1049

<211> 25

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:VEGF ANTAGONIST

<400> 1049

Phe Gly Gly Gly Gly Gly Val Glu Pro Asn Cys Asp Ile His Val Met  
1 5 10 15

Trp Glu Trp Glu Cys Phe Glu Arg Leu  
20 25

<210> 1050

<211> 25

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:VEGF ANTAGONIST

<400> 1050

Val Glu Pro Asn Cys Asp Ile His Val Met Trp Glu Trp Glu Cys Phe  
1 5 10 15

Glu Arg Leu Gly Gly Gly Gly Gly Phe  
20 25

<210> 1051

<211> 16

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:MMP INHIBITOR

<400> 1051

Phe Gly Gly Gly Gly Gly Cys Thr Thr His Trp Gly Phe Thr Leu Cys  
1 5 10 15

<210> 1052

<211> 16

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:MMP INHIBITOR

<400> 1052

Cys Thr Thr His Trp Gly Phe Thr Leu Cys Gly Gly Gly Gly Phe  
1 5 10 15

<210> 1053

<211> 10

<212> PRT  
<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:INTEGRIN  
BINDING PEPTIDE

<400> 1053

Arg Thr Asp Leu Asp Ser Leu Arg Thr Tyr  
1 5 10

<210> 1054

<211> 9

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:INTEGRIN  
BINDING PEPTIDE

<400> 1054

Arg Thr Asp Leu Asp Ser Leu Arg Thr  
1 5

<210> 1055

<211> 757

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:Fc-TNF-ALPHA  
INHIBITOR

<220>

<221> CDS

<222> (4)..(747)

<400> 1055

cat atg gac aaa act cac aca tgt cca cct tgt cca gct ccg gaa ctc 48  
Met Asp Lys Thr His Thr Cys Pro Pro Cys Pro Ala Pro Glu Leu  
1 5 10 15

ctg ggg gga ccg tca gtc ttc ctc ttc ccc cca aaa ccc aag gac acc 96  
Leu Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr

	20	25	30	
ctc atg atc tcc cgg acc cct gag gtc aca tgc gtg gtg gtg gac gtg				144
Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val				
	35	40	45	
agc cac gaa gac cct gag gtc aag ttc aac tgg tac gtg gac ggc gtg				192
Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr Val Asp Gly Val				
	50	55	60	
gag gtg cat aat gcc aag aca aag ccg cgg gag gag cag tac aac agc				240
Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Tyr Asn Ser				
	65	70	75	
acg tac cgt gtg gtc agc gtc ctc acc gtc ctg cac cag gac tgg ctg				288
Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp Leu				
	80	85	90	95
aat ggc aag gag tac aag tgc aag gtc tcc aac aaa gcc ctc cca gcc				336
Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Ala Leu Pro Ala				
	100	105	110	
ccc atc gag aaa acc atc tcc aaa gcc aaa ggg cag ccc cga gaa cca				384
Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro				
	115	120	125	
cag gtg tac acc ctg ccc cca tcc cgg gat gag ctg acc aag aac cag				432
Gln Val Tyr Thr Leu Pro Pro Ser Arg Asp Glu Leu Thr Lys Asn Gln				
	130	135	140	
gtc agc ctg acc tgc ctg gtc aaa ggc ttc tat ccc agc gac atc gcc				480
Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala				
	145	150	155	
gtg gag tgg gag agc aat ggg cag ccg gag aac aac tac aag acc acg				528
Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr				
	160	165	170	175
cct ccc gtg ctg gac tcc gac ggc tcc ttc ttc ctc tac agc aag ctc				576
Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys Leu				
	180	185	190	
acc gtg gac aag agc agg tgg cag cag ggg aac gtc ttc tca tgc tcc				624
Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser Cys Ser				
	195	200	205	
gtg atg cat gag gct ctg cac aac cac tac acg cag aag agc ctc tcc				672
Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser				

210 215 220

ctg tct ccg ggt aaa ggt gga ggt ggt ggt gac ttc ctg ccg cac tac 720  
 Leu Ser Pro Gly Lys Gly Gly Gly Gly Gly Asp Phe Leu Pro His Tyr  
 225 230 235

aaa aac acc tct ctg ggt cac cgt ccg taatggatcc 757  
 Lys Asn Thr Ser Leu Gly His Arg Pro  
 240 245

<210> 1056

<211> 248

<212> PRT

<213> Artificial Sequence

<223> Description of Artificial Sequence:Fc-TNF-ALPHA  
 INHIBITOR

<400> 1056

Met Asp Lys Thr His Thr Cys Pro Pro Cys Pro Ala Pro Glu Leu Leu  
 1 5 10 15

Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr Leu  
 20 25 30

Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val Ser  
 35 40 45

His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr Val Asp Gly Val Glu  
 50 55 60

Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Tyr Asn Ser Thr  
 65 70 75 80

Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp Leu Asn  
 85 90 95

Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Ala Leu Pro Ala Pro  
 100 105 110

Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro Gln  
 115 120 125

Val Tyr Thr Leu Pro Pro Ser Arg Asp Glu Leu Thr Lys Asn Gln Val  
 130 135 140

Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val  
 145 150 155 160



Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro  
 165 170 175  
 Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys Leu Thr  
 180 185 190  
 Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser Cys Ser Val  
 195 200 205  
 Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser Leu  
 210 215 220  
 Ser Pro Gly Lys Gly Gly Gly Gly Gly Asp Phe Leu Pro His Tyr Lys  
 225 230 235 240  
 Asn Thr Ser Leu Gly His Arg Pro  
 245

<210> 1057

<211> 761

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:TNF-ALPHA  
INHIBITOR Fc

<220>

<221> CDS

<222> (4)..(747)

<400> 1057

cat atg gac ttc ctg ccg cac tac aaa aac acc tct ctg ggt cac cgt 48

Met Asp Phe Leu Pro His Tyr Lys Asn Thr Ser Leu Gly His Arg  
1 5 10 15

ccg ggt gga ggc ggt ggg gac aaa act cac aca tgt cca cct tgc cca 96

Pro Gly Gly Gly Gly Gly Asp Lys Thr His Thr Cys Pro Pro Cys Pro  
20 25 30

gca cct gaa ctc ctg ggg gga ccg tca gtt ttc ctc ttc ccc cca aaa 144

Ala Pro Glu Leu Leu Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys  
35 40 45

ccc aag gac acc ctc atg atc tcc cgg acc cct gag gtc aca tgc gtg 192

Pro	Lys	Asp	Thr	Leu	Met	Ile	Ser	Arg	Thr	Pro	Glu	Val	Thr	Cys	Val	
		50					55					60				
gtg	gtg	gac	gtg	agc	cac	gaa	gac	cct	gag	gtc	aag	ttc	aac	tgg	tac	240
Val	Val	Asp	Val	Ser	His	Glu	Asp	Pro	Glu	Val	Lys	Phe	Asn	Trp	Tyr	
		65				70					75					
gtg	gac	ggc	gtg	gag	gtg	cat	aat	gcc	aag	aca	aag	ccg	cgg	gag	gag	288
Val	Asp	Gly	Val	Glu	Val	His	Asn	Ala	Lys	Thr	Lys	Pro	Arg	Glu	Glu	
	80					85				90					95	
cag	tac	aac	agc	acg	tac	cgt	gtg	gtc	agc	gtc	ctc	acc	gtc	ctg	cac	336
Gln	Tyr	Asn	Ser	Thr	Tyr	Arg	Val	Val	Ser	Val	Leu	Thr	Val	Leu	His	
				100					105					110		
cag	gac	tgg	ctg	aat	ggc	aag	gag	tac	aag	tgc	aag	gtc	tcc	aac	aaa	384
Gln	Asp	Trp	Leu	Asn	Gly	Lys	Glu	Tyr	Lys	Cys	Lys	Val	Ser	Asn	Lys	
			115					120					125			
gcc	ctc	cca	gcc	ccc	atc	gag	aaa	acc	atc	tcc	aaa	gcc	aaa	ggg	cag	432
Ala	Leu	Pro	Ala	Pro	Ile	Glu	Lys	Thr	Ile	Ser	Lys	Ala	Lys	Gly	Gln	
		130					135					140				
ccc	cga	gaa	cca	cag	gtg	tac	acc	ctg	ccc	cca	tcc	cgg	gat	gag	ctg	480
Pro	Arg	Glu	Pro	Gln	Val	Tyr	Thr	Leu	Pro	Pro	Ser	Arg	Asp	Glu	Leu	
		145					150				155					
acc	aag	aac	cag	gtc	agc	ctg	acc	tgc	ctg	gtc	aaa	ggc	ttc	tat	ccc	528
Thr	Lys	Asn	Gln	Val	Ser	Leu	Thr	Cys	Leu	Val	Lys	Gly	Phe	Tyr	Pro	
	160					165				170					175	
agc	gac	atc	gcc	gtg	gag	tgg	gag	agc	aat	ggg	cag	ccg	gag	aac	aac	576
Ser	Asp	Ile	Ala	Val	Glu	Trp	Glu	Ser	Asn	Gly	Gln	Pro	Glu	Asn	Asn	
				180					185					190		
tac	aag	acc	acg	cct	ccc	gtg	ctg	gac	tcc	gac	ggc	tcc	ttc	ttc	ctc	624
Tyr	Lys	Thr	Thr	Pro	Pro	Val	Leu	Asp	Ser	Asp	Gly	Ser	Phe	Phe	Leu	
				195				200					205			
tac	agc	aag	ctc	acc	gtg	gac	aag	agc	agg	tgg	cag	cag	ggg	aac	gtc	672
Tyr	Ser	Lys	Leu	Thr	Val	Asp	Lys	Ser	Arg	Trp	Gln	Gln	Gly	Asn	Val	
		210					215					220				
ttc	tca	tgc	tcc	gtg	atg	cat	gag	gct	ctg	cac	aac	cac	tac	acg	cag	720
Phe	Ser	Cys	Ser	Val	Met	His	Glu	Ala	Leu	His	Asn	His	Tyr	Thr	Gln	
		225					230				235					
aag	agc	ctc	tcc	ctg	tct	ccg	ggt	aaa	taatggatcc	gcgg						761

Lys Ser Leu Ser Leu Ser Pro Gly Lys  
240 245

<210> 1058

<211> 248

<212> PRT

<213> Artificial Sequence

<223> Description of Artificial Sequence:TNF-ALPH  
INHIBITOR Fc

<400> 1058

Met Asp Phe Leu Pro His Tyr Lys Asn Thr Ser Leu Gly His Arg Pro  
1 5 10 15

Gly Gly Gly Gly Gly Asp Lys Thr His Thr Cys Pro Pro Cys Pro Ala  
20 25 30

Pro Glu Leu Leu Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro  
35 40 45

Lys Asp Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val  
50 55 60

Val Asp Val Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr Val  
65 70 75 80

Asp Gly Val Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln  
85 90 95

Tyr Asn Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln  
100 105 110

Asp Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Ala  
115 120 125

Leu Pro Ala Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro  
130 135 140

Arg Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Arg Asp Glu Leu Thr  
145 150 155 160

Lys Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser  
165 170 175

Asp Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr  
180 185 190

Lys Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr  
 195 200 205

Ser Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe  
 210 215 220

Ser Cys Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys  
 225 230 235 240

Ser Leu Ser Leu Ser Pro Gly Lys  
 245

<210> 1059

<211> 763

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:Fc IL-1  
 ANTAGONIST

<220>

<221> CDS

<222> (4)..(747)

<400> 1059

cat atg gac aaa act cac aca tgt cca cct tgt cca gct ccg gaa ctc 48  
 Met Asp Lys Thr His Thr Cys Pro Pro Cys Pro Ala Pro Glu Leu  
 1 5 10 15

ctg ggg gga ccg tca gtc ttc ctc ttc ccc cca aaa ccc aag gac acc 96  
 Leu Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr  
 20 25 30

ctc atg atc tcc cgg acc cct gag gtc aca tgc gtg gtg gtg gac gtg 144  
 Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val  
 35 40 45

agc cac gaa gac cct gag gtc aag ttc aac tgg tac gtg gac ggc gtg 192  
 Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr Val Asp Gly Val  
 50 55 60

gag gtg cat aat gcc aag aca aag ccg cgg gag gag cag tac aac agc 240  
 Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Tyr Asn Ser  
 65 70 75

acg tac cgt gtg gtc agc gtc ctc acc gtc ctg cac cag gac tgg ctg 288  
 Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp Leu  
 80 85 90 95

aat ggc aag gag tac aag tgc aag gtc tcc aac aaa gcc ctc cca gcc 336  
 Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Ala Leu Pro Ala  
 100 105 110

ccc atc gag aaa acc atc tcc aaa gcc aaa ggg cag ccc cga gaa cca 384  
 Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro  
 115 120 125

cag gtg tac acc ctg ccc cca tcc cgg gat gag ctg acc aag aac cag 432  
 Gln Val Tyr Thr Leu Pro Pro Ser Arg Asp Glu Leu Thr Lys Asn Gln  
 130 135 140

gtc agc ctg acc tgc ctg gtc aaa ggc ttc tat ccc agc gac atc gcc 480  
 Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala  
 145 150 155

gtg gag tgg gag agc aat ggg cag ccg gag aac aac tac aag acc acg 528  
 Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr  
 160 165 170 175

cct ccc gtg ctg gac tcc gac ggc tcc ttc ttc ctc tac agc aag ctc 576  
 Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys Leu  
 180 185 190

acc gtg gac aag agc agg tgg cag cag ggg aac gtc ttc tca tgc tcc 624  
 Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser Cys Ser  
 195 200 205

gtg atg cat gag gct ctg cac aac cac tac acg cag aag agc ctc tcc 672  
 Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser  
 210 215 220

ctg tct ccg ggt aaa ggt gga ggt ggt ggt ttc gaa tgg acc ccg ggt 720  
 Leu Ser Pro Gly Lys Gly Gly Gly Gly Gly Phe Glu Trp Thr Pro Gly  
 225 230 235

tac tgg cag ccg tac gct ctg ccg ctg taatggatcc ctcgag 763  
 Tyr Trp Gln Pro Tyr Ala Leu Pro Leu  
 240 245

<210> 1060

<211> 248

<212> PRT

<213> Artificial Sequence

<223> Description of Artificial Sequence:Fc IL-1  
ANTAGONIST

<400> 1060

```
Met Asp Lys Thr His Thr Cys Pro Pro Cys Pro Ala Pro Glu Leu Leu
  1              5              10              15

Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr Leu
      20              25              30

Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val Ser
      35              40              45

His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr Val Asp Gly Val Glu
      50              55              60

Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Tyr Asn Ser Thr
      65              70              75              80

Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp Leu Asn
      85              90              95

Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Ala Leu Pro Ala Pro
      100              105              110

Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro Gln
      115              120              125

Val Tyr Thr Leu Pro Pro Ser Arg Asp Glu Leu Thr Lys Asn Gln Val
      130              135              140

Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val
      145              150              155              160

Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro
      165              170              175

Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys Leu Thr
      180              185              190

Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser Cys Ser Val
      195              200              205

Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser Leu
      210              215              220

Ser Pro Gly Lys Gly Gly Gly Gly Gly Phe Glu Trp Thr Pro Gly Tyr
```

225

230

235

240

Trp Gln Pro Tyr Ala Leu Pro Leu  
245

&lt;210&gt; 1061

&lt;211&gt; 757

&lt;212&gt; DNA

&lt;213&gt; Artificial Sequence

&lt;220&gt;

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
Fc

&lt;220&gt;

&lt;221&gt; CDS

&lt;222&gt; (4)..(747)

&lt;400&gt; 1061

cat atg ttc gaa tgg acc ccg ggt tac tgg cag ccg tac gct ctg ccg 48

Met Phe Glu Trp Thr Pro Gly Tyr Trp Gln Pro Tyr Ala Leu Pro

1

5

10

15

ctg ggt gga ggc ggt ggg gac aaa act cac aca tgt cca cct tgc cca 96

Leu Gly Gly Gly Gly Gly Asp Lys Thr His Thr Cys Pro Pro Cys Pro

20

25

30

gca cct gaa ctc ctg ggg gga ccg tca gtt ttc ctc ttc ccc cca aaa 144

Ala Pro Glu Leu Leu Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys

35

40

45

ccc aag gac acc ctc atg atc tcc cgg acc cct gag gtc aca tgc gtg 192

Pro Lys Asp Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val

50

55

60

gtg gtg gac gtg agc cac gaa gac cct gag gtc aag ttc aac tgg tac 240

Val Val Asp Val Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr

65

70

75

gtg gac ggc gtg gag gtg cat aat gcc aag aca aag ccg cgg gag gag 288

Val Asp Gly Val Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu

80

85

90

95

cag tac aac agc acg tac cgt gtg gtc agc gtc ctc acc gtc ctg cac 336

Gln Tyr Asn Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His

100

105

110

cag gac tgg ctg aat ggc aag gag tac aag tgc aag gtc tcc aac aaa 384  
Gln Asp Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys  
115 120 125

gcc ctc cca gcc ccc atc gag aaa acc atc tcc aaa gcc aaa ggg cag 432  
Ala Leu Pro Ala Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln  
130 135 140

ccc cga gaa cca cag gtg tac acc ctg ccc cca tcc cgg gat gag ctg 480  
Pro Arg Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Arg Asp Glu Leu  
145 150 155

acc aag aac cag gtc agc ctg acc tgc ctg gtc aaa ggc ttc tat ccc 528  
Thr Lys Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro  
160 165 170 175

agc gac atc gcc gtg gag tgg gag agc aat ggg cag ccg gag aac aac 576  
Ser Asp Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn  
180 185 190

tac aag acc acg cct ccc gtg ctg gac tcc gac ggc tcc ttc ttc ctc 624  
Tyr Lys Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu  
195 200 205

tac agc aag ctc acc gtg gac aag agc agg tgg cag cag ggg aac gtc 672  
Tyr Ser Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val  
210 215 220

ttc tca tgc tcc gtg atg cat gag gct ctg cac aac cac tac acg cag 720  
Phe Ser Cys Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln  
225 230 235

aag agc ctc tcc ctg tct ccg ggt aaa taatggatcc 757  
Lys Ser Leu Ser Leu Ser Pro Gly Lys  
240 245

<210> 1062

<211> 248

<212> PRT

<213> Artificial Sequence

<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
Fc

<400> 1062

Met Phe Glu Trp Thr Pro Gly Tyr Trp Gln Pro Tyr Ala Leu Pro Leu  
1 5 10 15



Gly Gly Gly Gly Gly Asp Lys Thr His Thr Cys Pro Pro Cys Pro Ala  
 20 25 30

Pro Glu Leu Leu Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro  
 35 40 45

Lys Asp Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val  
 50 55 60

Val Asp Val Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr Val  
 65 70 75 80

Asp Gly Val Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln  
 85 90 95

Tyr Asn Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln  
 100 105 110

Asp Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Ala  
 115 120 125

Leu Pro Ala Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro  
 130 135 140

Arg Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Arg Asp Glu Leu Thr  
 145 150 155 160

Lys Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser  
 165 170 175

Asp Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr  
 180 185 190

Lys Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr  
 195 200 205

Ser Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe  
 210 215 220

Ser Cys Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys  
 225 230 235 240

Ser Leu Ser Leu Ser Pro Gly Lys  
 245

<210> 1063  
 <211> 773  
 <212> DNA  
 <213> Artificial Sequence

<220>  
 <223> Description of Artificial Sequence:Fc-VEGF  
 ANTAGONIST

<220>  
 <221> CDS  
 <222> (4)..(759)

<400> 1063

cat atg gac aaa act cac aca tgt cca ccg tgc cca gca cct gaa ctc	48
Met Asp Lys Thr His Thr Cys Pro Pro Cys Pro Ala Pro Glu Leu	
1 5 10 15	
ctg ggg gga ccg tca gtt ttc ctc ttc ccc cca aaa ccc aag gac acc	96
Leu Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr	
20 25 30	
ctc atg atc tcc cgg acc cct gag gtc aca tgc gtg gtg gtg gac gtg	144
Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val	
35 40 45	
agc cac gaa gac cct gag gtc aag ttc aac tgg tac gtg gac ggc gtg	192
Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr Val Asp Gly Val	
50 55 60	
gag gtg cat aat gcc aag aca aag ccg ccg gag gag cag tac aac agc	240
Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Tyr Asn Ser	
65 70 75	
acg tac cgt gtg gtc agc gtc ctc acc gtc ctg cac cag gac tgg ctg	288
Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp Leu	
80 85 90 95	
aat ggc aag gag tac aag tgc aag gtc tcc aac aaa gcc ctc cca gcc	336
Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Ala Leu Pro Ala	
100 105 110	
ccc atc gag aaa acc atc tcc aaa gcc aaa ggg cag ccc cga gaa cca	384
Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro	
115 120 125	
cag gtg tac acc ctg ccc cca tcc ccg gat gag ctg acc aag aac cag	432
Gln Val Tyr Thr Leu Pro Pro Ser Arg Asp Glu Leu Thr Lys Asn Gln	

130	135	140	
gtc agc ctg acc tgc ctg gtc aaa ggc ttc tat ccc agc gac atc gcc			480
Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala			
145	150	155	
gtg gag tgg gag agc aat ggg cag ccg gag aac aac tac aag acc acg			528
Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr			
160	165	170	175
cct ccc gtg ctg gac tcc gac ggc tcc ttc ttc ctc tac agc aag ctc			576
Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys Leu			
180	185	190	
acc gtg gac aag agc agg tgg cag cag ggg aac gtc ttc tca tgc tcc			624
Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser Cys Ser			
195	200	205	
gtg atg cat gag gct ctg cac aac cac tac acg cag aag agc ctc tcc			672
Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser			
210	215	220	
ctg tct ccg ggt aaa ggt ggt ggt ggt ggt gtt gaa ccg aac tgt gac			720
Leu Ser Pro Gly Lys Gly Gly Gly Gly Gly Val Glu Pro Asn Cys Asp			
225	230	235	
atc cat gtt atg tgg gaa tgg gaa tgt ttt gaa cgt ctg taactcgagg			769
Ile His Val Met Trp Glu Trp Glu Cys Phe Glu Arg Leu			
240	245	250	
atcc			773

<210> 1064

<211> 252

<212> PRT

<213> Artificial Sequence

<223> Description of Artificial Sequence:Fc-VEGF

ANTAGONIST

<400> 1064

Met	Asp	Lys	Thr	His	Thr	Cys	Pro	Pro	Cys	Pro	Ala	Pro	Glu	Leu	Leu
1					5				10					15	

Gly	Gly	Pro	Ser	Val	Phe	Leu	Phe	Pro	Pro	Lys	Pro	Lys	Asp	Thr	Leu
		20						25					30		

Met	Ile	Ser	Arg	Thr	Pro	Glu	Val	Thr	Cys	Val	Val	Val	Asp	Val	Ser
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

	35		40		45										
His	Glu	Asp	Pro	Glu	Val	Lys	Phe	Asn	Trp	Tyr	Val	Asp	Gly	Val	Glu
	50					55					60				
Val	His	Asn	Ala	Lys	Thr	Lys	Pro	Arg	Glu	Glu	Gln	Tyr	Asn	Ser	Thr
65					70					75					80
Tyr	Arg	Val	Val	Ser	Val	Leu	Thr	Val	Leu	His	Gln	Asp	Trp	Leu	Asn
				85					90					95	
Gly	Lys	Glu	Tyr	Lys	Cys	Lys	Val	Ser	Asn	Lys	Ala	Leu	Pro	Ala	Pro
			100						105					110	
Ile	Glu	Lys	Thr	Ile	Ser	Lys	Ala	Lys	Gly	Gln	Pro	Arg	Glu	Pro	Gln
		115					120					125			
Val	Tyr	Thr	Leu	Pro	Pro	Ser	Arg	Asp	Glu	Leu	Thr	Lys	Asn	Gln	Val
	130					135						140			
Ser	Leu	Thr	Cys	Leu	Val	Lys	Gly	Phe	Tyr	Pro	Ser	Asp	Ile	Ala	Val
145					150					155					160
Glu	Trp	Glu	Ser	Asn	Gly	Gln	Pro	Glu	Asn	Asn	Tyr	Lys	Thr	Thr	Pro
				165					170					175	
Pro	Val	Leu	Asp	Ser	Asp	Gly	Ser	Phe	Phe	Leu	Tyr	Ser	Lys	Leu	Thr
			180					185					190		
Val	Asp	Lys	Ser	Arg	Trp	Gln	Gln	Gly	Asn	Val	Phe	Ser	Cys	Ser	Val
	195					200						205			
Met	His	Glu	Ala	Leu	His	Asn	His	Tyr	Thr	Gln	Lys	Ser	Leu	Ser	Leu
	210					215					220				
Ser	Pro	Gly	Lys	Gly	Gly	Gly	Gly	Gly	Val	Glu	Pro	Asn	Cys	Asp	Ile
225					230					235					240
His	Val	Met	Trp	Glu	Trp	Glu	Cys	Phe	Glu	Arg	Leu				
				245					250						

<210> 1065

<211> 773

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:VEGF ANTAGONIST

Fc

<220>

<221> CDS

<222> (4)..(759)

<400> 1065

cat atg gtt gaa ccg aac tgt gac atc cat gtt atg tgg gaa tgg gaa	48
Met Val Glu Pro Asn Cys Asp Ile His Val Met Trp Glu Trp Glu	
1 5 10 15	
tgt ttt gaa cgt ctg ggt ggt ggt ggt ggt gac aaa act cac aca tgt	96
Cys Phe Glu Arg Leu Gly Gly Gly Gly Gly Asp Lys Thr His Thr Cys	
20 25 30	
cca ccg tgc cca gca cct gaa ctc ctg ggg gga ccg tca gtt ttc ctc	144
Pro Pro Cys Pro Ala Pro Glu Leu Leu Gly Gly Pro Ser Val Phe Leu	
35 40 45	
ttc ccc cca aaa ccc aag gac acc ctc atg atc tcc cgg acc cct gag	192
Phe Pro Pro Lys Pro Lys Asp Thr Leu Met Ile Ser Arg Thr Pro Glu	
50 55 60	
gtc aca tgc gtg gtg gtg gac gtg agc cac gaa gac cct gag gtc aag	240
Val Thr Cys Val Val Val Asp Val Ser His Glu Asp Pro Glu Val Lys	
65 70 75	
ttc aac tgg tac gtg gac ggc gtg gag gtg cat aat gcc aag aca aag	288
Phe Asn Trp Tyr Val Asp Gly Val Glu Val His Asn Ala Lys Thr Lys	
80 85 90 95	
ccg cgg gag gag cag tac aac agc acg tac cgt gtg gtc agc gtc ctc	336
Pro Arg Glu Glu Gln Tyr Asn Ser Thr Tyr Arg Val Val Ser Val Leu	
100 105 110	
acc gtc ctg cac cag gac tgg ctg aat ggc aag gag tac aag tgc aag	384
Thr Val Leu His Gln Asp Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys	
115 120 125	
gtc tcc aac aaa gcc ctc cca gcc ccc atc gag aaa acc atc tcc aaa	432
Val Ser Asn Lys Ala Leu Pro Ala Pro Ile Glu Lys Thr Ile Ser Lys	
130 135 140	
gcc aaa ggg cag ccc cga gaa cca cag gtg tac acc ctg ccc cca tcc	480
Ala Lys Gly Gln Pro Arg Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser	
145 150 155	

cgg gat gag ctg acc aag aac cag gtc agc ctg acc tgc ctg gtc aaa 528  
 Arg Asp Glu Leu Thr Lys Asn Gln Val Ser Leu Thr Cys Leu Val Lys  
 160 165 170 175

ggc ttc tat ccc agc gac atc gcc gtg gag tgg gag agc aat ggg cag 576  
 Gly Phe Tyr Pro Ser Asp Ile Ala Val Glu Trp Glu Ser Asn Gly Gln  
 180 185 190

ccg gag aac aac tac aag acc acg cct ccc gtg ctg gac tcc gac ggc 624  
 Pro Glu Asn Asn Tyr Lys Thr Thr Pro Pro Val Leu Asp Ser Asp Gly  
 195 200 205

tcc ttc ttc ctc tac agc aag ctc acc gtg gac aag agc agg tgg cag 672  
 Ser Phe Phe Leu Tyr Ser Lys Leu Thr Val Asp Lys Ser Arg Trp Gln  
 210 215 220

cag ggg aac gtc ttc tca tgc tcc gtg atg cat gag gct ctg cac aac 720  
 Gln Gly Asn Val Phe Ser Cys Ser Val Met His Glu Ala Leu His Asn  
 225 230 235

cac tac acg cag aag agc ctc tcc ctg tct ccg ggt aaa taactcgagg 769  
 His Tyr Thr Gln Lys Ser Leu Ser Leu Ser Pro Gly Lys  
 240 245 250

atcc 773

<210> 1066

<211> 252

<212> PRT

<213> Artificial Sequence

<223> Description of Artificial Sequence:VEGF ANTAGONIST  
 Fc

<400> 1066

Met Val Glu Pro Asn Cys Asp Ile His Val Met Trp Glu Trp Glu Cys  
 1 5 10 15

Phe Glu Arg Leu Gly Gly Gly Gly Gly Asp Lys Thr His Thr Cys Pro  
 20 25 30

Pro Cys Pro Ala Pro Glu Leu Leu Gly Gly Pro Ser Val Phe Leu Phe  
 35 40 45

Pro Pro Lys Pro Lys Asp Thr Leu Met Ile Ser Arg Thr Pro Glu Val  
 50 55 60

Thr	Cys	Val	Val	Val	Asp	Val	Ser	His	Glu	Asp	Pro	Glu	Val	Lys	Phe	65	70	75	80
Asn	Trp	Tyr	Val	Asp	Gly	Val	Glu	Val	His	Asn	Ala	Lys	Thr	Lys	Pro	85	90	95	
Arg	Glu	Glu	Gln	Tyr	Asn	Ser	Thr	Tyr	Arg	Val	Val	Ser	Val	Leu	Thr	100	105	110	
Val	Leu	His	Gln	Asp	Trp	Leu	Asn	Gly	Lys	Glu	Tyr	Lys	Cys	Lys	Val	115	120	125	
Ser	Asn	Lys	Ala	Leu	Pro	Ala	Pro	Ile	Glu	Lys	Thr	Ile	Ser	Lys	Ala	130	135	140	
Lys	Gly	Gln	Pro	Arg	Glu	Pro	Gln	Val	Tyr	Thr	Leu	Pro	Pro	Ser	Arg	145	150	155	160
Asp	Glu	Leu	Thr	Lys	Asn	Gln	Val	Ser	Leu	Thr	Cys	Leu	Val	Lys	Gly	165	170	175	
Phe	Tyr	Pro	Ser	Asp	Ile	Ala	Val	Glu	Trp	Glu	Ser	Asn	Gly	Gln	Pro	180	185	190	
Glu	Asn	Asn	Tyr	Lys	Thr	Thr	Pro	Pro	Val	Leu	Asp	Ser	Asp	Gly	Ser	195	200	205	
Phe	Phe	Leu	Tyr	Ser	Lys	Leu	Thr	Val	Asp	Lys	Ser	Arg	Trp	Gln	Gln	210	215	220	
Gly	Asn	Val	Phe	Ser	Cys	Ser	Val	Met	His	Glu	Ala	Leu	His	Asn	His	225	230	235	240
Tyr	Thr	Gln	Lys	Ser	Leu	Ser	Leu	Ser	Pro	Gly	Lys					245	250		

<210> 1067

<211> 748

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:Fc-MMP  
INHIBITOR

<220>

<221> CDS

<222> (4)..(732)

<400> 1067

cat atg gac aaa act cac aca tgt cca cct tgt cca gct ccg gaa ctc	48
Met Asp Lys Thr His Thr Cys Pro Pro Cys Pro Ala Pro Glu Leu	
1 5 10 15	
ctg ggg gga ccg tca gtc ttc ctc ttc ccc cca aaa ccc aag gac acc	96
Leu Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr	
20 25 30	
ctc atg atc tcc cgg acc cct gag gtc aca tgc gtg gtg gtg gac gtg	144
Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val	
35 40 45	
agc cac gaa gac cct gag gtc aag ttc aac tgg tac gtg gac ggc gtg	192
Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr Val Asp Gly Val	
50 55 60	
gag gtg cat aat gcc aag aca aag ccg cgg gag gag cag tac aac agc	240
Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Tyr Asn Ser	
65 70 75	
acg tac cgt gtg gtc agc gtc ctc acc gtc ctg cac cag gac tgg ctg	288
Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp Leu	
80 85 90 95	
aat ggc aag gag tac aag tgc aag gtc tcc aac aaa gcc ctc cca gcc	336
Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Ala Leu Pro Ala	
100 105 110	
ccc atc gag aaa acc atc tcc aaa gcc aaa ggg cag ccc cga gaa cca	384
Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro	
115 120 125	
cag gtg tac acc ctg ccc cca tcc cgg gat gag ctg acc aag aac cag	432
Gln Val Tyr Thr Leu Pro Pro Ser Arg Asp Glu Leu Thr Lys Asn Gln	
130 135 140	
gtc agc ctg acc tgc ctg gtc aaa ggc ttc tat ccc agc gac atc gcc	480
Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala	
145 150 155	
gtg gag tgg gag agc aat ggg cag ccg gag aac aac tac aag acc acg	528
Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr	
160 165 170 175	



cct ccc gtg ctg gac tcc gac ggc tcc ttc ttc ctc tac agc aag ctc 576  
 Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys Leu  
 180 185 190

acc gtg gac aag agc agg tgg cag cag ggg aac gtc ttc tca tgc tcc 624  
 Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser Cys Ser  
 195 200 205

gtg atg cat gag gct ctg cac aac cac tac acg cag aag agc ctc tcc 672  
 Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser  
 210 215 220

ctg tct ccg ggt aaa ggt gga ggt ggt ggt tgc acc acc cac tgg ggt 720  
 Leu Ser Pro Gly Lys Gly Gly Gly Gly Cys Thr Thr His Trp Gly  
 225 230 235

ttc acc ctg tgc taatggatcc ctgag 748  
 Phe Thr Leu Cys  
 240

<210> 1068

<211> 243

<212> PRT

<213> Artificial Sequence

<223> Description of Artificial Sequence:Fc-MMP  
 INHIBITOR

<400> 1068

Met Asp Lys Thr His Thr Cys Pro Pro Cys Pro Ala Pro Glu Leu Leu  
 1 5 10 15

Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr Leu  
 20 25 30

Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val Ser  
 35 40 45

His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr Val Asp Gly Val Glu  
 50 55 60

Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Tyr Asn Ser Thr  
 65 70 75 80

Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp Leu Asn  
 85 90 95

Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Ala Leu Pro Ala Pro

100	105	110
Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro Gln		
115	120	125
Val Tyr Thr Leu Pro Pro Ser Arg Asp Glu Leu Thr Lys Asn Gln Val		
130	135	140
Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val		
145	150	155
Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro		
165	170	175
Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys Leu Thr		
180	185	190
Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser Cys Ser Val		
195	200	205
Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser Leu		
210	215	220
Ser Pro Gly Lys Gly Gly Gly Gly Gly Cys Thr Thr His Trp Gly Phe		
225	230	235
Thr Leu Cys		

<210> 1069

<211> 763

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:MMP INHIBITOR

Fc

<220>

<221> CDS

<222> (4)..(753)

<400> 1069

cat atg tgc acc acc cac tgg ggt ttc acc ctg tgc ggt gga ggc ggt 48

Met Cys Thr Thr His Trp Gly Phe Thr Leu Cys Gly Gly Gly Gly

1

5

10

15

ggg gac aaa ggt gga ggc ggt ggg gac aaa act cac aca tgt cca cct	96
Gly Asp Lys Gly Gly Gly Gly Gly Asp Lys Thr His Thr Cys Pro Pro	
20 25 30	
tgc cca gca cct gaa ctc ctg ggg gga ccg tca gtt ttc ctc ttc ccc	144
Cys Pro Ala Pro Glu Leu Leu Gly Gly Pro Ser Val Phe Leu Phe Pro	
35 40 45	
cca aaa ccc aag gac acc ctc atg atc tcc cgg acc cct gag gtc aca	192
Pro Lys Pro Lys Asp Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr	
50 55 60	
tgc gtg gtg gtg gac gtg agc cac gaa gac cct gag gtc aag ttc aac	240
Cys Val Val Val Asp Val Ser His Glu Asp Pro Glu Val Lys Phe Asn	
65 70 75	
tgg tac gtg gac ggc gtg gag gtg cat aat gcc aag aca aag ccg cgg	288
Trp Tyr Val Asp Gly Val Glu Val His Asn Ala Lys Thr Lys Pro Arg	
80 85 90 95	
gag gag cag tac aac agc acg tac cgt gtg gtc agc gtc ctc acc gtc	336
Glu Glu Gln Tyr Asn Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val	
100 105 110	
ctg cac cag gac tgg ctg aat ggc aag gag tac aag tgc aag gtc tcc	384
Leu His Gln Asp Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser	
115 120 125	
aac aaa gcc ctc cca gcc ccc atc gag aaa acc atc tcc aaa gcc aaa	432
Asn Lys Ala Leu Pro Ala Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys	
130 135 140	
ggg cag ccc cga gaa cca cag gtg tac acc ctg ccc cca tcc cgg gat	480
Gly Gln Pro Arg Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Arg Asp	
145 150 155	
gag ctg acc aag aac cag gtc agc ctg acc tgc ctg gtc aaa ggc ttc	528
Glu Leu Thr Lys Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe	
160 165 170 175	
tat ccc agc gac atc gcc gtg gag tgg gag agc aat ggg cag ccg gag	576
Tyr Pro Ser Asp Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu	
180 185 190	
aac aac tac aag acc acg cct ccc gtg ctg gac tcc gac ggc tcc ttc	624
Asn Asn Tyr Lys Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe	
195 200 205	

ttc ctc tac agc aag ctc acc gtg gac aag agc agg tgg cag cag ggg 672  
Phe Leu Tyr Ser Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly  
210 215 220

aac gtc ttc tca tgc tcc gtg atg cat gag gct ctg cac aac cac tac 720  
Asn Val Phe Ser Cys Ser Val Met His Glu Ala Leu His Asn His Tyr  
225 230 235

acg cag aag agc ctc tcc ctg tct ccg ggt aaa taatggatcc 763  
Thr Gln Lys Ser Leu Ser Leu Ser Pro Gly Lys  
240 245 250

<210> 1070

<211> 250

<212> PRT

<213> Artificial Sequence

<223> Description of Artificial Sequence:MMP INHIBITOR  
Fc

<400> 1070

Met Cys Thr Thr His Trp Gly Phe Thr Leu Cys Gly Gly Gly Gly Gly  
1 5 10 15

Asp Lys Gly Gly Gly Gly Gly Asp Lys Thr His Thr Cys Pro Pro Cys  
20 25 30

Pro Ala Pro Glu Leu Leu Gly Gly Pro Ser Val Phe Leu Phe Pro Pro  
35 40 45

Lys Pro Lys Asp Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys  
50 55 60

Val Val Val Asp Val Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp  
65 70 75 80

Tyr Val Asp Gly Val Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu  
85 90 95

Glu Gln Tyr Asn Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu  
100 105 110

His Gln Asp Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn  
115 120 125

Lys Ala Leu Pro Ala Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly  
130 135 140

Gln Pro Arg Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Arg Asp Glu  
145 150 155 160

Leu Thr Lys Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr  
165 170 175

Pro Ser Asp Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn  
180 185 190

Asn Tyr Lys Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe  
195 200 205

Leu Tyr Ser Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn  
210 215 220

Val Phe Ser Cys Ser Val Met His Glu Ala Leu His Asn His Tyr Thr  
225 230 235 240

Gln Lys Ser Leu Ser Leu Ser Pro Gly Lys  
245 250

<210> 1071

<211> 13

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:INTEGRIN  
BINDING PEPTIDE

<400> 1071

Cys Gly Arg Glu Cys Pro Arg Leu Cys Gln Ser Ser Cys  
1 5 10

<210> 1072

<211> 13

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:INTEGRIN  
BINDING PEPTIDE

<400> 1072

Cys Asn Gly Arg Cys Val Ser Gly Cys Ala Gly Arg Cys  
1 5 10

<210> 1073

<211> 8

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:INTEGRIN  
BINDING PEPTIDE

<400> 1073

Cys Leu Ser Gly Ser Leu Ser Cys  
1 5

<210> 1074

<211> 6

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:INTEGRIN  
BINDING PEPTIDE

<400> 1074

Asn Gly Arg Ala His Ala  
1 5

<210> 1075

<211> 5

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:INTEGRIN  
BINDING PEPTIDE

<220>

<221> CDS

<222> (10)..(189)

<400> 1075

Cys Asn Gly Arg Cys

1

5

<210> 1076

<211> 9

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:INTEGRIN  
BINDING PEPTIDE

<400> 1076

Cys Asp Cys Arg Gly Asp Cys Phe Cys

1

5

<210> 1077

<211> 7

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:INTEGRIN  
BINDING PEPTIDE

<400> 1077

Cys Gly Ser Leu Val Arg Cys

1

5

<210> 1078

<211> 8

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:INTEGRIN  
BINDING PEPTIDE

<400> 1078

Arg Thr Asp Leu Asp Ser Leu Arg

1

5

&lt;210&gt; 1079

&lt;211&gt; 12

&lt;212&gt; PRT

&lt;213&gt; Artificial Sequence

&lt;220&gt;

<223> Description of Artificial Sequence:INTEGRIN  
BINDING PEPTIDE

&lt;400&gt; 1079

Gly Asp Leu Asp Leu Leu Lys Leu Arg Leu Thr Leu  
1 5 10

&lt;210&gt; 1080

&lt;211&gt; 12

&lt;212&gt; PRT

&lt;213&gt; Artificial Sequence

&lt;220&gt;

<223> Description of Artificial  
Sequence:INTEGRIN-BINDING PEPTIDE

&lt;400&gt; 1080

Gly Asp Leu His Ser Leu Arg Gln Leu Leu Ser Arg  
1 5 10

&lt;210&gt; 1081

&lt;211&gt; 12

&lt;212&gt; PRT

&lt;213&gt; Artificial Sequence

&lt;220&gt;

<223> Description of Artificial  
Sequence:INTEGRIN-BINDING PEPTIDE

&lt;400&gt; 1081

Arg Asp Asp Leu His Met Leu Arg Leu Gln Leu Trp  
1 5 10



<210> 1082  
<211> 12  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial  
Sequence:INTEGRIN-BINDING PEPTIDE

<400> 1082  
Ser Ser Asp Leu His Ala Leu Lys Lys Arg Tyr Gly  
1 5 10

<210> 1083  
<211> 12  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial  
Sequence:INTEGRIN-BINDING PEPTIDE

<400> 1083  
Arg Gly Asp Leu Lys Gln Leu Ser Glu Leu Thr Trp  
1 5 10

<210> 1084  
<211> 12  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial  
Sequence:INTEGRIN-BINDING PEPTIDE

<400> 1084  
Arg Gly Asp Leu Ala Ala Leu Ser Ala Pro Pro Val  
1 5 10

<210> 1085  
<211> 15

<212> PRT  
<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:TNF-ANTAGONIST  
PEPTIDE

<400> 1085

Asp Phe Leu Pro His Tyr Lys Asn Thr Ser Leu Gly His Arg Pro  
1 5 10 15

<210> 1086

<211> 18

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:VEGF ANTAGONIST  
PEPTIDE

<400> 1086

Gly Glu Arg Trp Cys Phe Asp Gly Pro Leu Thr Trp Val Cys Gly Glu  
1 5 10 15

Glu Ser

<210> 1087

<211> 20

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:VEGF ANTAGONIST  
PEPTIDE

<400> 1087

Arg Gly Trp Val Glu Ile Cys Val Ala Asp Asp Asn Gly Met Cys Val  
1 5 10 15

Thr Glu Ala Gln  
20

<210> 1088  
<211> 19  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:VEGF ANTAGONIST  
PEPTIDE

<400> 1088  
Gly Trp Asp Glu Cys Asp Val Ala Arg Met Trp Glu Trp Glu Cys Phe  
1 5 10 15

Ala Gly Val

<210> 1089  
<211> 16  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:VEGF ANTAGONIST  
PEPTIDE

<400> 1089  
Arg Gly Trp Val Glu Ile Cys Glu Ser Asp Val Trp Gly Arg Cys Leu  
1 5 10 15

<210> 1090  
<211> 16  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:VEGF ANTAGONIST  
PEPTIDE

<400> 1090  
Arg Gly Trp Val Glu Ile Cys Glu Ser Asp Val Trp Gly Arg Cys Leu  
1 5 10 15

<210> 1091  
<211> 19  
<212> PRT  
<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:VEGF ANTAGONIST  
PEPTIDE

<400> 1091

Gly Gly Asn Glu Cys Asp Ile Ala Arg Met Trp Glu Trp Glu Cys Phe  
1 5 10 15

Glu Arg Leu

<210> 1092  
<211> 16  
<212> PRT  
<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:VEGF ANTAGONIST  
PEPTIDE

<400> 1092

Arg Gly Trp Val Glu Ile Cys Ala Ala Asp Asp Tyr Gly Arg Cys Leu  
1 5 10 15

<210> 1093  
<211> 8  
<212> PRT  
<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:MMP INHIBITOR  
PEPTIDE

<400> 1093

Cys Leu Arg Ser Gly Xaa Gly Cys  
1 5

<210> 1094  
<211> 10  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:MMP INHIBITOR  
PEPTIDE

<400> 1094  
Cys Xaa Xaa His Trp Gly Phe Xaa Xaa Cys  
1 5 10

<210> 1095  
<211> 5  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:MMP INHIBITOR  
PEPTIDE

<400> 1095  
Cys Xaa Pro Xaa Cys  
1 5

<210> 1096  
<211> 10  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:MMP INHIBITOR  
PEPTIDE

<400> 1096  
Cys Arg Arg His Trp Gly Phe Glu Phe Cys  
1 5 10

<210> 1097  
<211> 10

<212> PRT  
<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:MMP INHIBITOR  
PEPTIDE

<400> 1097

Ser Thr Thr His Trp Gly Phe Thr Leu Ser  
1 5 10

<210> 1098

<211> 10

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:MMP INHIBITOR  
PEPTIDE

<400> 1098

Cys Ser Leu His Trp Gly Phe Trp Trp Cys  
1 5 10

<210> 1099

<211> 15

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:CARBOHYDRATE  
(GD1 ALPHA) MIMETIC PEPTIDE

<400> 1099

Trp His Trp Arg His Arg Ile Pro Leu Gln Leu Ala Ala Gly Arg  
1 5 10 15

<210> 1100

<211> 6

<212> PRT

<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:BETA-2 GP1AB  
BINDING PEPTIDE

<400> 1100  
Leu Lys Thr Pro Arg Val  
1 5

<210> 1101  
<211> 8  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:BETA-2 GP1AB  
BINDING PEPTIDE

<400> 1101  
Asn Thr Leu Lys Thr Pro Arg Val  
1 5

<210> 1102  
<211> 11  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:BETA-2 GP1AB  
BINDING PROTEIN

<400> 1102  
Asn Thr Leu Lys Thr Pro Arg Val Gly Gly Cys  
1 5 10

<210> 1103  
<211> 6  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:BETA-2 GP1AB  
BINDING PROTEIN

<400> 1103

Lys Asp Lys Ala Thr Phe

1

5

<210> 1104

<211> 10

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: BETA-1 GP1AB  
BINDING PROTEIN

<400> 1104

Lys Asp Lys Ala Thr Phe Gly Cys His Asp

1

5

10

<210> 1105

<211> 12

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: BETA-2 GP1AB  
BINDING PEPTIDE

<400> 1105

Lys Asp Lys Ala Thr Phe Gly Cys His Asp Gly Cys

1

5

10

<210> 1106

<211> 6

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: BETA-2 GP1AB  
BINDING PROTEIN

<400> 1106

Thr Leu Arg Val Tyr Lys



1

5

<210> 1107

<211> 9

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:BETA-2 GP1AB  
BINDING PROTEIN

<400> 1107

Ala Thr Leu Arg Val Tyr Lys Gly Gly  
1 5

<210> 1108

<211> 10

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:BETA-2 GP1AB  
BINDING PROTEIN

<400> 1108

Cys Ala Thr Leu Arg Val Tyr Lys Gly Gly  
1 5 10

<210> 1109

<211> 14

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:MEMBRANE  
TRANSPORTING PEPTIDE

<400> 1109

Ile Asn Leu Lys Ala Leu Ala Ala Leu Ala Lys Lys Ile Leu  
1 5 10

<210> 1110  
<211> 12  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:MEMBRANE  
TRANSPORTING PEPTIDE

<400> 1110  
Gly Trp Thr Leu Asn Ser Ala Gly Tyr Leu Leu Gly  
1 5 10

<210> 1111  
<211> 27  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:MEMBRANE  
TRANSPORTING PEPTIDE

<400> 1111  
Gly Trp Thr Leu Asn Ser Ala Gly Tyr Leu Leu Gly Lys Ile Asn Leu  
1 5 10 15

Lys Ala Leu Ala Ala Leu Ala Lys Lys Ile Leu  
20 25

<210> 1112  
<211> 22  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:FC PCR PRIMER

<400> 1112  
aacataagta cctgtaggat cg

22

<210> 1113  
<211> 81

<212> DNA  
<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:Fc-TNF ALPHA  
PCR PRIMER

<220>

<221> CDS

<222> (1)..(126)

<400> 1113

```
ccg cgg atc cat tac gga cgg tga ccc aga gag gtg ttt ttg tag tgc 48
Pro Arg Ile His Tyr Gly Arg      Pro Arg Glu Val Phe Leu      Cys
   1             5             10             15
```

```
ggc agg aag tca cca cca cct cca cct tta ccc 81
Gly Arg Lys Ser Pro Pro Pro Pro Pro Leu Pro
          20             25
```

<210> 1114

<211> 7

<212> PRT

<213> Artificial Sequence

<223> Description of Artificial Sequence:Fc-TNF ALPHA  
PCR PRIMER

<400> 1114

```
Pro Arg Ile His Tyr Gly Arg
   1             5
```

<210> 1115

<211> 6

<212> PRT

<213> Artificial Sequence

<223> Description of Artificial Sequence:Fc-TNF ALPHA  
PCR PRIMER

<400> 1115

```
Pro Arg Glu Val Phe Leu
   1             5
```

<210> 1116

<211> 12

<212> PRT

<213> Artificial Sequence  
<223> Description of Artificial Sequence:Fc-TNF ALPHA  
PCR PRIMER

<400> 1116  
Cys Gly Arg Lys Ser Pro Pro Pro Pro Pro Leu Pro  
1 5 10

<210> 1117  
<211> 81  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:TNF-ALPHA  
INHIBITOR-Fc PCR PRIMER

<400> 1117  
gaataacata tggacttcct gccgcactac aaaaacacct ctctgggtca ccgtccgggt 60  
ggaggcggtg gggacaaaac t 81

<210> 1118  
<211> 81  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
PCR PRIMER

<400> 1118  
ccgcggatcc attacagcgg cagagcgtac ggctgccagt aaccgggggt ccattcgaaa 60  
ccaccacctc cacctttacc c 81

<210> 1119  
<211> 81  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:IL-1 ANTAGONIST  
-Fc PCR PRIMER

<400> 1119

gaataacata tgttcgaatg gaccccggt tactggcagc cgtacgctct gccgctgggt 60  
ggaggcgggtg gggacaaaac t 81

<210> 1120

<211> 57

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:Fc-VEGF  
ANTAGONIST OLIGONUCLEOTIDE

<400> 1120

gttgaaccga actgtgacat ccatgttatg tgggaatggg aatgttttga acgtctg 57

<210> 1121

<211> 57

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:Fc-VEGF  
ANTAGONIST OLIGONUCLEOTIDE

<400> 1121

cagacgttca aaacattccc attcccacat aacatggatg tcacagttcg gttcaac 57

<210> 1122

<211> 57

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:Fc-VEGF  
ANTAGONIST PCR TEMPLATE

<400> 1122

gttgaaccga actgtgacat ccatgttatg tgggaatggg aatgttttga acgtctg 57

<210> 1123

<211> 48

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:Fc PRIMER

<400> 1123

atttgattct agaaggagga ataacatatg gacaaaactc acacatgt

48

<210> 1124

<211> 51

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:Fc PRIMER

<400> 1124

gtcacagttc ggttcaacac caccaccacc acctttaccc ggagacaggy a

51

<210> 1125

<211> 54

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:Fc-VEGF  
ANTAGONIST PCR PRIMER

<400> 1125

tccctgtctc cgggtaaagg tgggtggtggt ggtggtgaac cgaactgtga catc

54

<210> 1126

<211> 39

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:Fc-VEGF  
ANTAGONIST-Fc PCR PRIMER

<400> 1126

ccgcgggatcc tcgagttaca gacgttcaaa acattccca

39

<210> 1127

<211> 48

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:Fc-VEGF  
ANTAGONIST-Fc PCR PRIMER

<400> 1127

atttgattct agaaggagga ataacatatg gttgaaccga actgtgac 48

<210> 1128

<211> 51

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:Fc-VEGF  
ANTAGONIST-Fc PCR PRIMER

<400> 1128

acatgtgtga gttttgtcac caccaccacc acccagacgt tcaaaacatt c 51

<210> 1129

<211> 51

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:Fc-PCR PRIMER

<400> 1129

gaatgttttg aacgtctggg tgggtggtggt ggtgacaaaa ctcacacatg t 51

<210> 1130

<211> 39

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:Fc PCR PRIMER

<400> 1130

ccgcggatcc tcgagttatt taccocggaga caggagag 39

<210> 1131

<211> 66  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:Fc-MMP  
INHIBITOR PCR PRIMER

<400> 1131  
ccgcggatcc attagcacag ggtgaaaccc cagtgggtgg tgcaaccacc acctccacct 60  
ttaccc 66

<210> 1132  
<211> 63  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:MMP  
INHIBITOR-Fc PCR PRIMER

<400> 1132  
gaataacata tgtgcaccac ccactgggggt ttcaccctgt gcggtggagg cggtggggac 60  
aaa 63

<210> 1133  
<211> 20  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:Fc-TMP

<400> 1133  
Lys Gly Gly Gly Gly Gly Ile Glu Gly Pro Thr Leu Arg Gln Trp Leu  
1 5 10 15  
Ala Ala Arg Ala  
20